


Annex **6A**

**Recommendations for Colorectal
Cancer Treatment in Four Levels of
Facility Resources**




Map 6A.1 Global Colorectal Cancer Incidence in Men, 2012




Source: Based on Ferlay and others 2013.

Map 6A.2 Global Colorectal Cancer Incidence in Women, 2012




Source: Based on Ferlay and others 2013.

Map 6A.3 Global Colorectal Cancer Mortality in Women, 2012



Source: Based on Ferlay and others 2013.

Figure 6A.1 Colorectal Cancer Incidence in Connecticut, United States, 1940–2009



Sources: Calculated and communicated by Dr. Benjamin Hankey with data from 1) 1940-1997: Surveillance, Epidemiology, and End Results (SEER) Program (www.seer.cancer.gov) SEER*Stat Database: Incidence - Connecticut Historical, Aug 1999 Sub (1935-1997), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch; and 2) 1998-2009: Surveillance, Epidemiology, and End Results (SEER) Program (www.seer.cancer.gov) SEER*Stat Database: Incidence - SEER 9 Regs Research Data, Nov 2011 Sub, Vintage 2009 Pops (1973-2009) <Katrina/Rita Population Adjustment> - Linked To County Attributes - Total U.S., 1969-2010 Counties, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2012, based on the November 2011 submission.

Note: Data from the two SEER files are consistent for 1985–97. Rates are age-adjusted to year 2000 U.S. standard population.

REFERENCE

Ferlay, J., I. Soerjomataram, M. Ervik, R. Dikshit, S. Eser, and others. 2013. GLOBOCAN 2012 v1.0. In *Cancer Incidence and Mortality Worldwide: IARC CancerBase No. 11 [Internet]*. Lyon, France: International Agency for Research on Cancer.