

DCP3 Series Acknowledgments

Disease Control Priorities, third edition (*DCP3*) compiles the global health knowledge of institutions and experts from around the world, a task that required the efforts of over 500 individuals, including volume editors, chapter authors, peer reviewers, advisory committee members, and research and staff assistants. For each of these contributions we convey our acknowledgment and appreciation. First and foremost, we would like to thank our 32 volume editors who provided the intellectual vision for their volumes based on years of professional work in their respective fields, and then dedicated long hours to reviewing each chapter, providing leadership and guidance to authors, and framing and writing the summary chapters. We also thank our chapter authors who collectively volunteered their time and expertise to writing over 170 comprehensive, evidence-based chapters.

We owe immense gratitude to the institutional sponsor of this effort: The Bill & Melinda Gates Foundation. The Foundation provided sole financial support of the Disease Control Priorities Network (DCPN). Many thanks to Program Officers Kathy Cahill, Philip Setel, Carol Medlin, and (currently) Damian Walker for their thoughtful interactions, guidance, and encouragement over the life of the project. We also wish to thank Jaime Sepúlveda for his longstanding support, including chairing the Advisory Committee for the second edition and, more recently, demonstrating his vision for *DCP3* while he was a special advisor to the Gates Foundation. We are also grateful to the University of Washington's Department of Global Health and successive chairs King Holmes and Judy Wasserheit for providing a home base for the *DCP3* Secretariat, which included intellectual collaboration, logistical coordination, and administrative support.

We thank the many contractors and consultants who provided support to specific volumes in the form of economic analytical work, volume coordination, chapter drafting, and meeting organization: the Center for Disease Dynamics, Economics & Policy; Center for Chronic Disease Control; Centre for Global Health Research; Emory University; Evidence to Policy Initiative; Public Health Foundation of India; QURE Healthcare; University of California, San Francisco; University of Waterloo; University of Queensland; and the World Health Organization.

We are tremendously grateful for the wisdom and guidance provided by our advisory committee to the editors. Steered by Chair Anne Mills, the advisory committee ensures quality and intellectual rigor of the highest order for *DCP3*.

The National Academies of Sciences, Engineering, and Medicine, in collaboration with the Interacademy Medical Panel, coordinated the peer-review process for all *DCP3* chapters. Patrick Kelley, Gillian Buckley, Megan Ginivan, Rachel Pittluck, and Tara Mainero managed this effort and provided critical and substantive input.

World Bank Publishing provided exceptional guidance and support throughout the demanding production and design process. We would particularly like to thank Carlos Rossel, Mary Fisk, Nancy Lammers, Rumit Pancholi, Deborah Naylor, and Sherrie Brown for their diligence and expertise. Additionally, we thank Jose de Buerba, Mario Trubiano, Yulia Ivanova, and Chiamaka Osuagwu of the World Bank for providing professional counsel on communications and marketing strategies.

Several U.S. and international institutions contributed to the organization and execution of meetings that

supported the preparation and dissemination of *DCP3*. We would like to express our appreciation to the following institutions:

- University of Bergen, consultation on equity (June 2011)
- University of California, San Francisco, surgery volume consultations (April 2012, October 2013, February 2014)
- Institute of Medicine, first meeting of the Advisory Committee to the Editors (March 2013)
- Harvard Global Health Institute, consultation on policy measures to reduce incidence of noncommunicable diseases (July 2013)
- National Academy of Medicine, systems strengthening meeting (September 2013)
- Center for Disease Dynamics, Economics & Policy (Quality and Uptake meeting, September 2013; reproductive and maternal health volume consultation, November 2013)
- National Cancer Institute, cancer consultation (November 2013)
- Union for International Cancer Control, cancer consultation (November 2013, December 2014)
- Harvard T. H. Chan School of Public Health, economic evaluation consultation (September 2015)
- University of California, Berkeley School of Public Health, and Stanford Medical School, occupational and environmental health consultations (December 2015).

Carol Levin provided outstanding governance for cost and cost-effectiveness analysis. Stéphane Verguet added valuable guidance in applying and improving the extended cost-effectiveness analysis method. Elizabeth Brouwer, Kristen Danforth, Nazila Dabestani, Shane Murphy, Zachary Olson, Jinyuan Qi, and David Watkins provided exceptional research assistance and analytic assistance. Brianne Adderley ably managed the budget and project processes, while Jennifer Nguyen, Shamelle Richards, and Jennifer Grasso contributed exceptional project coordination support. The efforts of these individuals were absolutely critical to producing this series, and we are thankful for their commitment.

Volume and Series Editors

VOLUME EDITORS

Donald A. P. Bundy

Donald A. P. Bundy contributed to the seminal *World Development Report 1993: Investing in Health* and to the three subsequent editions of *Disease Control Priorities* (1993, 2006, and 2017) that followed from it. After two decades pursuing academic studies of how to control the impact of infectious disease on child development in poor populations, he left the University of Oxford to join the Human Development team at the World Bank. He achieved leadership roles in both the health and the education sectors and their interaction, supporting governments in 77 low- and middle-income countries to apply scientific rigor to the design, implementation, and evaluation of their national programs. His focus on alleviating poverty and inequity led to coordinating the World Bank's response to neglected tropical diseases (NTDs), including managing support for the African Programme for Onchocerciasis Control (APOC), which treated more than 100 million people annually in 31 countries. He now leads the Bill & Melinda Gates Foundation's global strategy to eliminate NTDs. He has published more than 350 books and scientific articles and produced several documentary films, including a series broadcast on PBS.

Nilanthi de Silva

Nilanthi de Silva holds the Chair in Parasitology in the Faculty of Medicine at the University of Kelaniya, Sri Lanka, where she has lectured since 1993 and presently serves as the Dean. She is the Chair of the World Health Organization (WHO) Strategic and Technical Advisory Group on Neglected Tropical Diseases, as well as the Chair of the WHO Working Group on Access to Assured Quality,

Essential Medicines for Neglected Tropical Diseases. Over the past decade, she has also served as a member of a WHO reference group on food-borne diseases epidemiology, and on advisory boards for Children Without Worms and the Partnership for Child Development.

Susan Horton

Susan Horton is Professor at the University of Waterloo and holds the Centre for International Governance Innovation (CIGI) Chair in Global Health Economics in the Balsillie School of International Affairs there. She has consulted for the World Bank, the Asian Development Bank, several United Nations agencies, and the International Development Research Centre, among others, in work carried out in over 20 low- and middle-income countries. She led the work on nutrition for the Copenhagen Consensus in 2008, when micronutrients were ranked as the top development priority. She has served as associate provost of graduate studies at the University of Waterloo, vice-president academic at Wilfrid Laurier University in Waterloo, and interim dean at the University of Toronto at Scarborough.

Dean T. Jamison

Dean T. Jamison is Emeritus Professor in Global Health Sciences at the University of California, San Francisco, and the University of Washington. He previously held academic appointments at Harvard University and the University of California, Los Angeles. Prior to his academic career, he was an economist on the staff of the World Bank, where he was lead author of the World Bank's *World Development Report 1993: Investing in Health*. He serves as lead editor for *DCP3* and was lead editor for the previous two editions. He holds a PhD in economics

from Harvard University and is an elected member of the Institute of Medicine of the U.S. National Academies. He recently served as Co-Chair and Study Director of *The Lancet's* Commission on Investing in Health.

George C. Patton

George C. Patton is a Professorial Fellow in Adolescent Health Research at the University of Melbourne and a Senior Principal Research Fellow with Australia's National Health and Medical Research Council. He has led long-term longitudinal studies dealing with health and social development from childhood into adulthood and into the next generation. He has also led large-scale prevention trials promoting the health, well-being, and social development of adolescents in community and school settings. Globally, he has led two special series in adolescent health for *The Lancet* and was the Chair of a *Lancet* Commission on Adolescent Health and Wellbeing.

SERIES EDITORS

Dean T. Jamison

See the list of volume editors.

Rachel Nugent

Rachel Nugent is Vice President for Global Noncommunicable Diseases at RTI International. She was formerly a Research Associate Professor and Principal Investigator of the DCPN in the Department of Global Health at the University of Washington. Previously, she served as Deputy Director of Global Health at the Center for Global Development, Director of Health and Economics at the Population Reference Bureau, Program Director of Health and Economics Programs at the Fogarty International Center of the National Institutes of Health, and senior economist at the Food and Agriculture Organization of the United Nations. From 1991 to 1997, she was associate professor and department chair in economics at Pacific Lutheran University.

Hellen Gelband

Hellen Gelband is an independent global health policy expert. Her work spans infectious disease, particularly malaria and antibiotic resistance, and noncommunicable disease policy, mainly in low- and middle-income countries. She has conducted policy studies at Resources

for the Future, the Center for Disease Dynamics, Economics & Policy, the (former) Congressional Office of Technology Assessment, the Institute of Medicine of the U.S. National Academies, and a number of international organizations.

Susan Horton

See the list of volume editors.

Prabhat Jha

Prabhat Jha is the founding director of the Centre for Global Health Research at St. Michael's Hospital and holds Endowed and Canada Research Chairs in Global Health in the Dalla Lana School of Public Health at the University of Toronto. He is lead investigator of the Million Death Study in India, which quantifies the causes of death and key risk factors in over two million homes over a 14-year period. He is also Scientific Director of the Statistical Alliance for Vital Events, which aims to expand reliable measurement of causes of death worldwide. His research includes the epidemiology and economics of tobacco control worldwide.

Ramanan Laxminarayan

Ramanan Laxminarayan is Director of the Center for Disease Dynamics, Economics & Policy in Washington, DC. His research deals with the integration of epidemiological models of infectious diseases and drug resistance into the economic analysis of public health problems. He was one of the key architects of the Affordable Medicines Facility—malaria, a novel financing mechanism to improve access and delay resistance to antimalarial drugs. In 2012, he created the Immunization Technical Support Unit in India, which has been credited with improving immunization coverage in the country. He teaches at Princeton University.

Charles N. Mock

Charles N. Mock, MD, PhD, FACS, has training as both a trauma surgeon and an epidemiologist. He worked as a surgeon in Ghana for four years, including at a rural hospital (Berekum) and at the Kwame Nkrumah University of Science and Technology (Kumasi). In 2005–07, he served as Director of the University of Washington's Harborview Injury Prevention and Research Center. In 2007–10, he worked at the WHO headquarters in Geneva, where he was responsible for developing the WHO's trauma

care activities. In 2010, he returned to his position as Professor of Surgery (with joint appointments as Professor of Epidemiology and Professor of Global Health) at the University of Washington. His main interests include the spectrum of injury control,

especially as it pertains to low- and middle-income countries: surveillance, injury prevention, prehospital care, and hospital-based trauma care. He was President (2013–15) of the International Association for Trauma Surgery and Intensive Care.

Contributors

Amina Abubakar

Centre for Geographic Medicine Research–Coast, KEMRI/
Wellcome Trust Research Programme, Kilifi, Kenya

Amrita Ahuja

Douglas B. Marshall, Jr., Family Foundation, Houston,
Texas, United States

Harold Alderman

International Food Policy Research Institute,
Washington, DC, United States

Nicholas Allen

Department of Psychology, University of Oregon,
Eugene, Oregon, United States

Laura Appleby

Partnership for Child Development, London,
United Kingdom

Elisabetta Aurino

Partnership for Child Development, London,
United Kingdom

Peter Azzopardi

Senior Health Specialist, Center for Adolescent Health,
University of Melbourne, Melbourne, Victoria, Australia

Sarah Baird

Department of Global Health, George Washington
University, Washington, DC, United States

Louise Banham

Global Partnership for Education, Washington, DC,
United States

Jere Behrman

Department of Economics, University of Pennsylvania,
Philadelphia, Pennsylvania, United States

Habib Benzian

College of Dentistry, New York University, New York,
New York, United States

Sonia Bhalotra

Department of Economics, University of Essex,
Colchester, United Kingdom

Zulfiqar Bhutta

Division of Women and Child Health, Aga Khan
University Hospital, Karachi, Pakistan

Maureen M. Black

RTI International, Washington, DC, United States

Paul Bloem

World Health Organization, Geneva, Switzerland

Chris Bonell

Department of Social & Environmental Health
Research, London School of Hygiene & Tropical
Medicine, London, United Kingdom

Mark Bradley

GlaxoSmithKline, London, United Kingdom

Sally Brinkman

Telethon Kids Institute, West Perth, Western Australia,
Australia

Jere Behrman

University of Pennsylvania, Pennsylvania, United States

Simon Brooker

Bill & Melinda Gates Foundation, Seattle, Washington,
United States

Carmen Burbano

World Food Programme, Rome, Italy

- Nicholas Burnett**
Results for Development, Washington, DC, United States
- Tania Cernuschi**
World Health Organization, Geneva, Switzerland
- Sian Clarke**
Department of Disease Control, London School of Hygiene & Tropical Medicine, London, United Kingdom
- Carolyn Coffey**
Murdoch Childrens Research Institute, Melbourne, Victoria, Australia
- Peter Colenso**
Independent consultant, Brighton, United Kingdom
- Kevin Croke**
World Bank, Washington, DC, United States
- Amy Daniels**
Simons Foundation, New York, New York, United States
- Elia de la Cruz Toledo**
School of Social Work, Columbia University, New York, New York, United States
- Anil Deolalikar**
Department of Economics, University of California, Riverside, Riverside, California, United States
- Damien de Walque**
World Bank, Washington, DC, United States
- Lesley Drake**
Partnership for Child Development, London, United Kingdom
- Lia Fernald**
School of Public Health, University of California, Berkeley, Berkeley, California, United States
- Meena Fernandes**
Partnership for Child Development, Brussels, Belgium
- Deepika Fernando**
Department of Parasitology, Faculty of Medicine, University of Colombo, Colombo, Sri Lanka
- Veronique Filippi**
Department of Infectious Disease Epidemiology, London School of Hygiene & Tropical Medicine, London, United Kingdom
- Günther Fink**
Department of Global Health and Population, Harvard University, Boston, Massachusetts, United States
- Rae Galloway**
Independent consultant, Washington, DC, United States
- Renu Garg**
World Health Organization, New Delhi, India
- Aulo Gelli**
International Food Policy Research Institute, Washington, DC, United States
- Andreas Georgiadis**
Oxford Department for International Development, University of Oxford, Oxford, United Kingdom
- Paul Gertler**
Haas School of Business, University of California, Berkeley, Berkeley, California, United States
- Caroline Gitonga**
Measure Evaluation, Nairobi, Kenya
- Boitshepo Giyose**
Food and Agriculture Organization of the United Nations, Rome, Italy
- Paul Glewwe**
Department of Applied Economics, University of Minnesota, St. Paul, Minnesota, United States
- Joseph Gona Nzovu**
KEMRI-Wellcome Trust Research Programme, Kilifi, Kenya
- Amber Gove**
RTI International, Washington, DC, United States
- Natasha Graham**
United Nations Children's Fund, New York, New York, United States
- Brian Greenwood**
Faculty of Infectious and Tropical Diseases, London School of Hygiene and Tropical Medicine, London, United Kingdom
- Elena Grigorenko**
Department of Psychology, University of Houston, Houston, Texas, United States
- Cai Heath**
Partnership for Child Development, London, United Kingdom
- Joan Hamory Hicks**
Center for Effective Global Action, University of California, Berkeley, Berkeley, California, United States
- Melissa Hidrobo**
International Food Policy Research Institute, Washington, DC, United States
- Kenneth Hill**
Stanton-Hill Research, Moultonborough, New Hampshire, United States

- Tara Hill**
Results for Development, Washington, DC, United States
- T. Deirdre Hollingsworth**
Mathematics Institute, University of Warwick,
Coventry, United Kingdom
- Elissa Kennedy**
Burnett Institute, Melbourne, Victoria, Australia
- Imran Khan**
Sightsavers, Washington, DC, United States
- Josephine Kiamba**
Partnership for Child Development, Johannesburg,
South Africa
- Jane Kim**
T. H. Chan School of Public Health, Harvard University,
Boston, Massachusetts, United States
- Michael Kremer**
Department of Economics, Harvard University,
Cambridge, Massachusetts, United States
- D. Scott LaMontagne**
PATH, Seattle, Washington, United States
- Zohra Lassi**
School of Medicine, University of Adelaide, Adelaide,
South Australia, Australia
- Ramanan Laxminarayan**
Center for Disease Dynamics, Economics & Policy,
Washington, DC, United States
- Jacqueline Mahon**
United Nations Population Fund, New York, New York,
United States
- Lu Mai**
Development Research Foundation, Beijing, China
- Sebastián Martínez**
SEEK Development, Berlin, Germany
- Sergio Meresman**
Inter American Institute on Disability and Inclusive
Development, Montevideo, Uruguay
- Katherine A. Merseth**
RTI International, Washington, DC, United States
- Edward Miguel**
Department of Economics, University of California,
Berkeley, Berkeley, California
- Arlene Mitchell**
Global Child Nutrition Foundation, Seattle,
Washington, DC
- Sophie Mitra**
Department of Economics, Fordham University,
New York, New York,
- Anoosh Moin**
Department of Paediatrics, Aga Khan University,
Karachi, Pakistan
- Ali Mokdad**
Institute for Health Metrics and Evaluation, University
of Washington, Washington, United States
- Bella Monse**
GIZ German Development Cooperation, Manila, the
Philippines
- Daniel Mont**
Center for Inclusive Policy, Washington, DC,
United States
- Arindam Nandi**
Tata Centre for Development, University of Chicago,
Chicago, Illinois, United States
- Joaniter Nankabirwa**
Department of Medicine, Makerere University College
of Health Sciences, Kampala, Uganda
- Daniel Plaut**
Results for Development, Washington, DC,
United States
- Elina Pradhan**
T. H. Chan School of Public Health, Harvard University,
Boston, Massachusetts
- Rachel Pullan**
Department of Disease Control, London School of
Hygiene & Tropical Medicine, London, United Kingdom
- Nicola Reavley**
Department of Population and Global Health,
University of Melbourne, Melbourne, Victoria
Australia
- John Santelli**
Mailman School of Public Health, University of
Columbia, New York, New York
- Bachir Sarr**
Partnership for Child Development, Ottawa, Canada
- Susan M. Sawyer**
Department of Paediatrics, University of Melbourne,
Melbourne, Victoria, Australia
- Marco Schaferhöff**
SEEK Development, Berlin, Germany

David Schellenberg

Department of Disease Control, London School of Hygiene & Tropical Medicine, London, United Kingdom

Linda Schultz

World Bank, Washington, DC, United States

Andy Shih

Autism Speaks, New York, New York, United States

Elina Suzuki

Organisation for Economic Co-operation and Development, Paris, France

Nicole Stauf

The Health Bureau Ltd., Buckingham, United Kingdom

Milan Thomas

Results for Development, Washington, DC, United States

Hugo C. Turner

School of Public Health, Imperial College London, London, United Kingdom

Benoit Varenne

World Health Organization, Brazzaville, Republic of Congo

Stéphane Verguet

T. H. Chan School of Public Health, Harvard University, Boston, Massachusetts, United States

Russell Viner

Institute of Child Health, University College London, London, United Kingdom

Jane Waldfogel

School of Social Work, Columbia University, New York, New York, United States

Susan Walker

Tropical Medical Research Institute, University of the West Indies, Mona, Kingston, Jamaica

Kristie Watkins

Department of Infectious Disease Epidemiology, Imperial College London, London, United Kingdom

Deborah Watson-Jones

Faculty of Infectious and Tropical Diseases, London School of Hygiene & Tropical Medicine, London, United Kingdom

Kristine West

Department of Economics, St. Catherine's University, St. Paul, Minnesota, United States

Jordan Worthington

Results for Development, Washington, DC, United States

Kin Bing Wu

World Bank (retired), Menlo Park, California, United States

Ahmadu Yakubu

World Health Organization, Geneva, Switzerland

Linnea Zimmerman

Department of Population, Family and Reproductive Health, Johns Hopkins University, Baltimore, Maryland, United States

Advisory Committee to the Editors

Anne Mills, Chair

Professor, London School of Hygiene & Tropical Medicine, London, United Kingdom

Olusoji Adeyi

Director, Health, Nutrition and Population Global Practice, World Bank, Washington, DC, United States

Kesetebirhan Admasu

Former Minister of Health, Addis Ababa, Ethiopia

George Alleyne

Director Emeritus, Pan American Health Organization, Washington, DC, United States

Ala Alwan

Regional Director Emeritus, World Health Organization, Regional Office for the Eastern Mediterranean, Cairo, Arab Republic of Egypt

Rifat Atun

Professor, Global Health Systems, Harvard T. H. Chan School of Public Health, Boston, Massachusetts, United States

Zulfiqar Bhutta

Chair, Division of Women and Child Health, Aga Khan University Hospital, Karachi, Pakistan

Agnes Binagwaho

Former Minister of Health, Kigali, Rwanda

Mark Blecher

Senior Health Advisor, South Africa Treasury Department, Cape Town, South Africa

Patricia Garcia

Minister of Health, Lima, Peru

Roger Glass

Director, Fogarty International Center, National Institutes of Health, Bethesda, Maryland, United States

Amanda Glassman

Chief Operating Officer and Senior Fellow, Center for Global Development, Washington, DC, United States

Glenda Gray

Executive Director, Perinatal HIV Research Unit, Chris Hani Baragwanath Hospital, Johannesburg, South Africa

Demissie Habte

Chair of Board of Trustees, International Clinical Epidemiological Network, Addis Ababa, Ethiopia

Richard Horton

Editor, *The Lancet*, London, United Kingdom

Edward Kirumira

Dean, Faculty of Social Sciences, Makerere University, Kampala, Uganda

Peter Lachmann

Professor, University of Cambridge, Cambridge, United Kingdom

Lai Meng Looi

Professor, University of Malaya, Kuala Lumpur, Malaysia

Adel Mahmoud

Senior Molecular Biologist, Princeton University, Princeton, New Jersey, United States

Anthony Measham

World Bank (retired)

Carol Medlin

Independent Consultant, Washington, DC, United States

Alvaro Moncayo

Researcher, Universidad de los Andes, Bogotá, Colombia

Jaime Montoya

Executive Director, Philippine Council for Health
Research and Development, Taguig City, the Philippines

Ole Norheim

Professor, Department of Global Public Health and
Primary Care, University of Bergen, Bergen, Norway

Folashade Omokhodion

Professor, University College Hospital, Ibadan, Nigeria

Toby Ord

President, Giving What We Can, Oxford, United Kingdom

K. Srinath Reddy

President, Public Health Foundation of India, New
Delhi, India

Sevket Ruacan

Dean, Koç University School of Medicine, Istanbul, Turkey

Jaime Sepúlveda

Executive Director, Global Health Sciences, University
of California, San Francisco, San Francisco, California,
United States

Richard Skolnik

Yale University School of Public Health (retired)

Stephen Tollman

Professor, University of Witwatersrand, Johannesburg,
South Africa

Jürgen Unutzer

Professor, Department of Psychiatry, University of
Washington, Seattle, Washington, United States

Damian Walker

Deputy Director of Data and Analytics, Bill & Melinda
Gates Foundation, Seattle, Washington, United States

Ngaire Woods

Director, Global Economic Governance Program,
Oxford University, Oxford, United Kingdom

Nopadol Wora-Urai

Professor, Department of Surgery, Phramongkutklao
Hospital, Bangkok, Thailand

Kun Zhao

Researcher, China National Health Development
Research Center, Beijing, China

Reviewers

Yoko Akachi

United Nations University World Institute for Development Economics Research, Helsinki, Finland

Harold Alderman

International Food Policy Research Institute, Washington, DC, United States

Sarah Baird

Department of Global Health, George Washington University, Washington, DC, United States

W. Stephen Barnett

National Institute for Early Education Research, Rutgers University, New Brunswick, New Jersey, United States

Samuel Berlinski

Inter-American Development Bank, Washington, DC, United States

Michael J. Boivin

College of Osteopathic Medicine, Michigan State University, Ann Arbor, Michigan, United States

Judith Rafaelita B. Borja

Office of Population Studies Foundation, University of San Carlos, Cebu City, the Philippines

Cecilia Breinbauer

Department of Global Health, University of Washington, Seattle, Washington, United States

Claire Brindis

Philip R. Lee Institute for Health Policy Studies, University of California, San Francisco, San Francisco, California, United States

V. Chandra-Mouli

Department of Reproductive Health and Research, World Health Organization, Geneva, Switzerland

Lois K. Cohen

National Institute of Dental and Craniofacial Research, National Institutes of Health, Bethesda, Maryland, United States

Phaedra S. Corso

College of Public Health, University of Georgia, Athens, Georgia, United States

Joy Miller Del Rosso

Save the Children, Fairfield, Connecticut, United States

Angela Diaz

Departments of Pediatrics and Preventive Medicine Icahn School of Medicine, Mount Sinai, New York, New York, United States

Dolores Dickson

Camfed Ghana, Accra, Ghana

Le Thuc Duc

Vietnam Academy of Social Sciences, Hanoi, Vietnam

Maureen Durkin

School of Medicine and Public Health, University of Wisconsin, Madison, Wisconsin, United States

Aulo Gelli

International Food Policy Research Institute, Washington, DC, United States

Amanda Glassman

Center for Global Development, Washington, DC, United States

Rachel Glennerster

Abdul Latif Jameel Poverty Action Lab, Massachusetts Institute of Technology, Boston, Massachusetts, United States

Monica Grant

Department of Sociology, University of Wisconsin-Madison, Madison, Wisconsin, United States

Rukhsana Haider

Training and Assistance for Health and Nutrition Foundation, Dhaka, Bangladesh

Helen Henningham

School of Psychology, University of Bangor, Bangor, United Kingdom

Peter Hotez

Baylor College of Medicine, Sabin Vaccine Institute, Houston, Texas, United States

Venita Kaul

Ambedkar University Delhi, New Delhi, India

Gwang-Jo Kim

UNESCO Asia, and Pacific Regional Bureau of Education, Bangkok, Thailand

Elizabeth Kristjansson

Centre for Research on Educational and Community Services, University of Ottawa, Ottawa, Canada

Vesna Kutlesic

Eunice Kennedy Shriver National Institute of Child Health and Human Development, National Institutes of Health, Bethesda, Maryland, United States

Seung Lee

Save the Children, Washington, DC, United States

Orin Levine

Bill & Melinda Gates Foundation, Seattle, Washington, United States

Ruth Levine

Global Development and Population Program, The William and Flora Hewlett Foundation, Menlo Park, California, United States

Leenu Raju Maimanuku

Fiji National University, Suva, Fiji Islands

Kofi Marfo

Institute for Human Development, Aga Khan University, Nairobi, Kenya

Milagros Nores

National Institute for Early Education Research, Rutgers University, New Brunswick, New Jersey, United States

Omotade Olayemi Olufemi-Julius

Institute of Child Health College of Medicine, University of Ibadan, Ibadan, Nigeria

Ndola Prata

School of Public Health, University of California, Berkeley, Berkeley, California, United States

George Psacharopoulos

School of Foreign Service, Georgetown University, Washington, DC, United States

Arthur J. Reynolds

Institute of Child Development, University of Minnesota, Minneapolis, Minnesota, United States

Meera Shekar

Health, Nutrition, and Population Global Practice, World Bank, Washington, DC, United States

Ross A. Thompson

Social and Emotional Development Lab, University of California, Davis, Davis, California, United States

Ziba Vaghri

School of Public Health and Social Policy, University of Victoria, Victoria, British Columbia, Canada

Meera Venkatesan

President's Malaria Initiative, United States Agency for International Development, Washington, DC, United States

Henry Wamani

School of Public Health, Makerere University, Kampala, Uganda

Howard White

Campbell Collaboration, Oslo, Norway

Hirokazu Yoshikawa

Global TIES for Children, New York University, New York, New York, United States

Mary Young

China Development Research Foundation, Beijing, China

Aisha K. Yousafzai

Department of Paediatrics and Child Health, Aga Khan University, Karachi, Pakistan

Policy Forum Participants

The following individuals provided valuable insights to improve this volume's key findings through participation in the Disease Control Priorities-World Health Organization, Eastern Mediterranean Regional Office policy forum on Child and Adolescent Health and Development, in Geneva, Switzerland, on May 20, 2016. The forum was organized by Dr. Ala Alwan, Regional Director, World Health Organization, and member of the DCP3 Advisory Committee to the Editors.

Simon Abiramia

Member of the Lebanese Parliament; President of the Parliamentary Committee of Youth and Sports; President of the Board of Directors, OKO; General Manager, LIFRA and NVMD Beirut, Lebanon

Hala Abou-Ali

Secretary General, National Council for Childhood and Motherhood; Member of House of Representatives, Cairo, Arab Republic of Egypt

Nawal Al Hamad

Deputy Director, Public Authority for Food and Nutrition, Ministry of Health, Safat, Kuwait

Ahmed bin Mohamed bin Obaid Al-Saidi

Minister of Health, Muscat, Oman

Suleiman Nasser Al Shehri

Consultant, Public Health and Pediatrics; Director General, School Health Ministry of Health, Riyadh, Saudi Arabia

Sheikh Mohammed Hamad J. Al-Thani

Director, Public Health Department, Supreme Council of Health, Doha, Qatar

Ala Alwan

Regional Director Emeritus, World Health Organization, Regional Office for the Eastern Mediterranean, Cairo, Arab Republic of Egypt

Assad Hafeez

Director General, Ministry of National Health Services, Regulation, and Coordination Islamabad, Pakistan

Moushira Mahmoud Khattab

Ambassador; Former Minister of Family and Population, Cairo, Arab Republic of Egypt

Elizabeth Mason

Honorary Fellow; Institute of Global Health, University College London, London, United Kingdom

Samira Merai

Minister for Women, Family, and Childhood, Ministry of Women, Family, and Children Tunis, Tunisia

Africa Regional Roundtable Participants

The following individuals provided valuable feedback on the volume's essential packages through participation in the Africa Regional Roundtable on Child and Adolescent Health and Development, held at the African Union in Addis Ababa, Ethiopia, March 7–8, 2016. The forum was organized by Dr. Lesley Drake, Executive Director of Partnership for Child Development and contributor to DCP3 Child and Adolescent Health and Development Volume 8.

Oluyemisi Omobolanle Ayoola

Assistant Director, Federal Ministry of Health, Nigeria

Berhanu Moreda Birbissa

Adviser, State Minister of General Education,
Ministry of Education, Ethiopia

Nana-Kwadwo Amanikwaa Duku Biritwum

Project Manager, NTDs, Ghana Health Service, Ghana

Joseph Jide Dada

Assistant Director and Desk Officer, School Health,
Federal Ministry of Education, Federal Secretariat,
Nigeria

Tina Eyaru

Deputy Director, Technical Education and Nutrition,
Federal Ministry of Education, Federal Secretariat,
Nigeria

Markos Tigist Fekadu

Lecturer, Hawassa University, Ethiopia

Amaya Gillespie

Coordinator, UNICEF, United States

Abdi Sheikh Abdullahi Habat

Director, Ministry of Education, Kenya

Ahma Kebede

Director General, Ethiopia Public Health Institute,
Ethiopia

Judith Ongaji Kimiywe

Professor, Kenyatta University, Kenya

Laila Lokosang

Senior CAADP Adviser, Food and Nutrition,
Directorate of Rural Economy and Agriculture,
African Union Commission, Ethiopia

Catherine Gakii Murungi

Senior Lecturer, Kenyatta University, Kenya

Kate Beverly Quarshie

Deputy Chief Nutrition Officer, Nutrition Department,
Ghana Health Service, Ghana

Kokou Sename

Project Officer, Department of Human Resources,
Science and Technology, African Union, Ethiopia

Matilda Steiner-Asiedu

Dean, School of Biological Sciences, University of
Ghana, Department of Nutrition and Food Science,
Ghana

Anta Tal-Dia

Head of the Health and Development Institute,
Universite Cheikh Anta Diop, Senegal

Alemayehu Tekelemariam

Associate Professor, Addis Ababa University,
Ethiopia

Askale Teklu

Team Leader, World Food Program, Ethiopia

Esiet Uwemedimo Uko

Director, Action Health Incorporated, Nigeria

Bain Worku

Girl Effect, Ethiopia

Thomas Yanga

Director, World Food Program, Ethiopia

Index

Boxes, figures, maps, notes, and tables are indicated by *b*, *f*, *m*, *n*, and *t* following the page number.

A

- Abecedarian Project, 261
- Abubakar, Amina, 231
- Adelman, S., 153, 154
- adolescence
 - aggression, 111
 - alcohol use, 245, 373
 - anemia in, 41, 42*f*, 241–242
 - anxiety, 111
 - benefit-cost ratios, 277–279, 278*f*, 278*t*, 371–379, 372–373*t*, 375–377*t*
 - binge drinking, 63, 66–67*m*
 - brain development, 240
 - burden of disease, 57–71, 289–291, 289–290*f*
 - community programs, 297–299, 298*t*
 - conceptual framework for, 73–75
 - defined, 3, 4*f*
 - depression, 111
 - developmental context, 288–289
 - deworming programs, 165–182.
See also deworming programs
 - dietary intake, 41, 43
 - disability, 221–237. *See also* disability
 - eating disorders, 111–112, 140–141
 - economic analysis of interventions, 369–384
 - alcohol use, 373
 - benefit-cost ratios, 371–379, 372–373*t*, 375–377*t*
 - cost-effectiveness, 371–379, 372–373*t*, 375–377*t*
 - education interventions, 403–411
 - essential package, 9, 10*t*, 13–14, 379–380
 - high-income countries, 372–373*t*, 372–374
 - illicit substance use, 373
 - low- and middle-income countries, 374–378, 375–377*t*
 - mental health, 374
 - methodology, 370–371
 - overweight/obesity, 372–373, 374
 - platforms, 370*t*
 - sexual and reproductive health, 373, 374, 378
 - tobacco use, 373, 374
 - education interventions, 403–411
 - essential package of interventions, 9, 10*t*, 13–14, 379–380
 - FRESH framework, 279–281, 280–281*f*
 - gender equity, 240, 274–276, 275–276*f*
 - growth spurt phase, 13
 - health indicators and coverage, 58–62, 59*m*
 - health information systems and, 57–58
 - health risk behaviors and states, 63–65, 64–67*m*
 - health services, 293–295, 294*f*, 295*t*
 - in high-income countries, 372–373*t*, 372–374
 - HIV/AIDS, 240–241
 - illicit substance use, 63, 245, 373
 - infectious diseases, 241
 - injury-excess countries, 292
 - interventions, 107–117
 - aggression and, 111
 - anxiety, 111
 - depression, 111
 - eating disorders, 111–112
 - nutrition interventions, 113, 241–242
 - physical health, 112
 - psychosocial interventions, 113
 - puberty and developmental processes, 107–111
 - risk factors, 111–112
 - secondary education as health intervention, 112
 - self-harm, 111
 - violence and, 111

learning outcomes, 271–273, 271*t*, 272–273*f*
 malaria, 183–198. *See also* malaria
 malnutrition/undernutrition, 43, 241–242
 media and social marketing, 300–301, 300*t*
 mental disorders, 243
 mental health, 374
 micronutrient deficiencies, 138–139, 139*t*
 mobile health programs, 299–300, 299*t*
 multiburden countries, 291–292
 NCD-predominant countries, 292
 neurodevelopment, 240
 nutrition, 133–145
 anemia, 41, 42*f*
 eating disorders, 140–141
 importance of, 133–135, 134*f*
 malnutrition/undernutrition, 43, 241–242
 micronutrient deficiencies, 138–139, 139*t*
 overweight/obesity, 39–41, 40–41*f*, 136–138, 137*t*
 physical growth and, 133
 pregnancy and, 139–140
 undernutrition, 43, 135–136, 135–136*t*
 underweight, 39, 39*f*, 40–41, 41*f*
 nutrition interventions, 113, 241–242
 oral health, 211–220. *See also* oral health
 overweight/obesity, 39–41, 40–41*f*, 63–64, 67–68*m*,
 136–138, 137*t*, 244–245, 372–373, 374
 physical health and activity, 64, 112
 platforms, 269–305, 370*t*
 benefit-cost ratios, 277–279, 278*f*, 278*t*
 burden of disease, 289–290*f*, 289–291
 community programs, 297–299, 298*t*
 developmental context, 288–289
 FRESH framework, 279–281, 280–281*f*
 gender equity, 274–276, 275–276*f*
 health services, 293–295, 294*f*, 295*t*
 injury-excess countries, 292
 learning outcomes, 271–273, 271*t*, 272–273*f*
 media and social marketing, 300–301, 300*t*
 mobile health programs, 299–300, 299*t*
 multiburden countries, 291–292
 NCD-predominant countries, 292
 policy framework, 279–282, 301–302, 301*t*
 poverty reduction, 274–276, 275–276*f*
 SABER tool, 281
 school health and nutrition, 270–271, 270–271*f*,
 295–297, 296*f*, 296*t*
 schools as entry point for interventions,
 273–274
 sector roles, 276, 277*t*
 policy framework, 279–282, 301–302, 301*t*
 poverty reduction, 274–276, 275–276*f*
 pregnancy, nutrition interventions during, 241–242
 psychosocial interventions, 113
 puberty and developmental processes, 107–111
 risk factors, 111–112
 SABER tool, 281
 school feeding programs, 147–164. *See also* school
 feeding programs
 school health and nutrition, 270–271, 270–271*f*,
 295–297, 296*f*, 296*t*
 schools as entry point for interventions, 273–274
 secondary education as health intervention, 112
 sector roles, 276, 277*t*
 self-harm, 111
 sexual and reproductive health, 64–65, 64*m*,
 240–241, 373, 374, 378
 social determinants of health, 240
 suicide, 243–244
 tobacco use, 63, 65–66*m*, 245, 373, 374
 undernutrition, 43, 135–136, 135–136*t*
 underweight, 39, 39*f*, 40–41, 41*f*, 63, 241–242
 unintentional injuries, 242
 vaccinations, 241
 violence and, 111, 242–243
 affective processing, 110
 Afghanistan
 disability in, 226
 education in, 311
 vaccinations in, 203
 Africa. *See also specific countries*
 burden of disease in, 63
 cash transfers programs in, 326, 333
 deworming programs in, 165, 171
 disability in, 224, 228
 early childhood interventions in, 87
 malaria in, 187, 192
 middle childhood interventions in, 87, 359, 363
 nutrition in, 135, 138, 388, 392
 underweight children in, 38
 Afridi, F., 153, 154, 155
 aggression in adolescence, 111. *See also* violence
 agriculture, 150*b*, 156–157
 Ahmed, A., 153
 Ahuja, Amrita, 413
 AIDS. *See* HIV/AIDS
 Albania, overweight/obesity prevalence in, 40
 alcohol use
 in adolescence, 63, 66–67*m*, 245, 373
 oral health and, 213, 215
 Alderman, Harold, 79, 83, 88, 89, 147, 153, 154
 Allen, L. H., 134
 Allen, Nicholas B., 107
 American Psychiatric Association, 140
 anemia
 in adolescence, 41, 42*f*, 241–242
 cash transfers and, 330–332

- in early childhood, 38–39, 38*f*, 38*t*
- malaria and, 186–187
- in men (15–49 years), 41, 42*f*
- prevalence, 330–332
- soil-transmitted helminth infections and, 173
- in women (15–49 years), 41, 42*f*
- Angold, A., 111
- anorexia, 140–141
- anxiety, 111
- Appleby, Laura J., 165
- Aurino, Elisabetta, 147, 228, 355
- Australia
 - adolescent health interventions in, 372–373
 - burden of disease in, 57, 62
 - disability prevalence in, 224, 225*t*
- Austria, binge drinking in, 63
- autism spectrum disorders, 231–232
- Azerbaijan, overweight/obesity prevalence in, 40
- Azzopardi, Peter, 57, 239

- B**
- Bains, K., 136
- Baird, Sarah, 413
- Baltussen, Naus and Limburg, 228
- Bangladesh
 - adolescent pregnancy in, 139
 - cash transfers programs in, 331, 332, 333
 - early marriage in, 65
 - mobile health in, 300
 - nutrition in, 389
 - preprimary school education in, 262
 - school feeding programs in, 139, 158
 - stunting in, 83
- Banham, Louise, 269
- Banister, J., 27
- Barooah, B., 153, 155
- BCRs. *See* benefit-cost ratios
- Beaver, P. C., 173
- Behrman, Jere R., 79, 88, 91, 93, 385
- Belgium
 - burden of disease in, 63
 - education in, 49
- benefit-cost ratios (BCRs)
 - adolescence interventions, 277–279, 278*f*, 278*t*, 371–379, 372–373*t*, 375–377*t*
 - cash transfers, 334–335
 - defined, 13
 - disability interventions, 227–228
 - early childhood interventions, 83–84, 84*t*, 88–89, 91–92, 343–346, 345–346*t*, 348
 - education interventions, 318*b*, 424, 430–433, 431–432*t*, 433–434*f*, 434*t*
 - HPV vaccinations, 204–206, 204*t*
 - malaria interventions, 192–193
 - middle childhood interventions, 83–84, 84*t*, 88–89, 91–92, 277–279, 278*f*, 278*t*, 361
 - nutrition interventions, 87–89, 88–89*t*, 385, 389, 392–397, 394*t*
 - oral health interventions, 359–360, 362
 - school feeding programs, 157–158, 157*t*, 158*f*
 - tetanus vaccinations, 203–204
- Benin
 - adolescence interventions in, 279, 281
 - middle childhood interventions in, 279, 281, 357
 - nutrition in, 135, 137
- Benzian, Habib, 211
- Berlinski, S., 92, 94
- Bernal, R., 91–92
- Best, C., 154
- Bhalotra, Sonia, 385
- Bhutan, 203–204, 223, 273
- Bhutta, Zulfiqar, 87, 89, 133, 140
- binge drinking, 63, 66–67*m*. *See also* alcohol use
- Bin Ghouth, S., 184–185
- Bin Mohanna, M. A., 184–185
- Black, Maureen M., 253, 343
- Bleakley, H., 93
- Bloem, Paul, 199
- BMI. *See* body mass index
- Bobonis, G. J., 93
- body mass index (BMI). *See also* overweight/obesity; underweight
 - in adolescence, 63, 69, 108, 133, 135–137, 244
 - cash transfers programs and, 327, 329, 331
 - deworming programs and, 173
 - in early childhood, 387
 - in middle childhood, 133, 135–137
 - nutrition outcomes and, 37, 39–41
- Bolivia, early childhood development in, 91, 344–346, 348–349
- Bonell, Chris, 287
- Botswana, burden of disease in, 63
- Bradley, Mark, 165
- brain development, 6–7, 119–131
 - in adolescence, 75, 109, 240
 - anatomical maturation, 119–121, 120*f*
 - early environment and attachment, 125
 - environmental experiences and, 123–124
 - functional development, 121–122
 - genome-environome dynamics, 122–125, 123–124*f*
 - language development, 125–126
 - literacy skills, 126, 127*f*
 - neuroplasticity, 124–125
 - numeracy skills, 126–127
 - nutritional requirements, 122–123

- self-regulation, 127–128
 - skill acquisition, 125–128, 127*f*
 - BRAIN Initiative, 121
 - Brazil
 - adolescence interventions in, 375–376
 - Bolsa Familia, 326
 - burden of disease in, 62–63
 - cash transfers programs in, 326–328, 330–331, 336
 - deworming programs in, 167
 - disability interventions in, 227
 - early childhood interventions in, 93, 255
 - education in, 49
 - hearing loss in, 232
 - malaria in, 185, 189
 - middle childhood interventions in, 93, 362
 - nutrition in, 43, 135, 139, 148, 151
 - oral health in, 212
 - school feeding programs in, 148, 151
 - vaccinations in, 205
 - breastfeeding, 86, 389–390
 - Brinkman, Sally, 231
 - Brooker, Simon J., 183
 - Bulgaria
 - burden of disease in, 63–65, 69
 - disability interventions in, 226
 - sexual and reproductive health in, 65
 - bulimia, 140–141
 - Bundy, Donald A. P., 1, 73, 99, 165, 269, 403
 - Burbano, Carmen, 147
 - burden of disease. *See also specific countries and regions*
 - in adolescence, 57–71, 289–291, 289–290*f*
 - deworming programs, 165–169, 167*m*, 169*t*, 174*f*
 - in high-income countries (HICs), 58, 60–65, 69
 - in low and middle-income countries (LMICs), 58, 61, 63–64
 - in low-income countries (LICs), 69
 - in middle childhood, 356–357, 357*t*
 - in middle-income countries (MICs), 58, 61, 69
 - Burkina Faso
 - adolescence interventions in, 276, 279
 - cash transfers programs in, 327–333, 335
 - disability interventions in, 227
 - education in, 311
 - malaria in, 192
 - middle childhood interventions in, 100–101, 276, 279
 - nutrition in, 42, 153, 155
 - oral health in, 213
 - school feeding programs in, 153, 155
 - Burnett, Nicholas, 307
 - Burrows, T., 135
- C**
- Cambodia
 - disability in, 228
 - middle childhood interventions in, 359, 362
 - oral health in, 215
 - Cameroon
 - adolescence interventions in, 279
 - malaria in, 190
 - middle childhood interventions in, 279
 - Canada
 - adolescence interventions in, 294, 369, 372–373
 - early childhood interventions in, 343–344
 - education in, 63
 - illicit substance use in, 63
 - oral health in, 216
 - overweight/obesity prevalence in, 63
 - Cappa, C., 223
 - cash transfers, 325–341, 327–329*t*
 - anemia prevalence and, 330–332
 - anthropometric measures and, 330–332
 - child development outcomes and, 334
 - cost-effectiveness of, 334–335
 - early childhood and, 333
 - education outcomes and, 334
 - health outcomes and, 330–334
 - impact on health outcomes, 330–334
 - infant mortality and, 330
 - low birth weight and, 330
 - morbidity rates and, 330
 - mortality rates and, 330
 - neonatal mortality and, 330
 - nutrition and, 333
 - perinatal mortality and, 330
 - pregnancy and, 332
 - recipient role in, 335–336
 - sexual and reproductive health and, 333–334
 - catch-up growth, 80, 101–102, 102–103*t*
 - celiac disease, 100
 - Cemuschi, Tania, 199
 - Center for Health Promotion, 232
 - Centers for Disease Control and Prevention (U.S.), 58, 281
 - Central African Republic
 - FRESH framework in, 65
 - sexual and reproductive health in, 65
 - Central Asia. *See* Europe and Central Asia
 - cervical cancer, 60, 200, 201–206, 202*m*, 204*t*
 - Chang, S. M., 93, 153
 - chemoprevention of malaria, 191–192
 - Cheng, Y., 91
 - child care services, 260–261, 260*t*
 - Child Health Epidemiology Reference Group, 18, 62
 - Child Mortality Estimation (CME), 8, 18

- Chile
 burden of disease in, 63
 disability in, 227
 early childhood interventions in, 345–346
 education in, 49
 nutrition in, 137, 151, 153–154
 school feeding programs in, 151, 153–154
 tobacco use in, 63
- China
 adolescence interventions in, 374–376
 burden of disease in, 64, 69
 cash transfers programs in, 326
 deworming programs in, 169
 disability in, 228
 early childhood interventions in, 85–86, 93, 259
 education in, 49–51, 52–53
 middle childhood interventions in, 85–86, 93, 362
 mortality rates in, 26–29, 31
 nutrition in, 137–138, 148, 155
 oral health in, 214
 overweight/obesity prevalence in, 64
 school feeding program in, 148, 155
- Chinese Stomatological Association, 216
- Chiu, M. H., 53n2
- Chudgar, A., 47
- Clarke, Sian, 183
- clinic services, 259–260, 260t
- CME. *See* Child Mortality Estimation
- Coffey, Carolyn, 57
- cognitive development, 7–8
 early childhood, 89–93
 malaria and, 187, 189
 middle childhood, 89–93, 101–102, 102–103t
 nutrition and, 122–123, 392–393
 during puberty, 110–111
 school feeding programs and, 155, 156t
- Colenso, Peter, 269
- Collins, C. E., 135
- Colombia
 cash transfers programs in, 326–331, 333–334
 early childhood interventions in, 91–92, 93, 345–346
 middle childhood interventions in, 93
- community services, 259–260, 260t
- Comprehensive Africa Agriculture Development Programme, 149
- conditional cash transfers (CCTs), 325–340
 for adolescence interventions, 370
 for deworming programs, 417
 for education interventions, 309–310, 313, 318, 435
 for middle childhood interventions, 356
 for nutrition interventions, 388
 for school feeding programs, 158, 160n5, 275
- Congo. *See* Democratic Republic of Congo
- Consortium of Health-Orientated Research in Transitioning Societies (COHORTS), 79
- Convention on the Rights of Persons with Disabilities, 222, 233n1
- Convention on the Rights of the Child, 3
- corticosteroid excess, 100
- cost
 adolescence interventions, 277–279, 278f, 278t, 371–379, 372–373t, 375–377t
 cash transfers, 334–335
 deworming programs, 176–177, 177–178t, 177f, 414–415, 415f, 419
 disability interventions, 227–228
 early childhood interventions, 83–84, 84t, 88–89, 91–92, 343–349, 345–346t, 347–348t
 education interventions, 318b, 424, 430–433, 431–432t, 433–434f, 434t
 HPV vaccinations, 204–206, 204t
 malaria interventions, 192–193
 middle childhood interventions, 83–84, 84t, 88–89, 91–92, 277–279, 278f, 278t, 361
 nutrition interventions, 87–89, 88–89t, 385, 389, 392–397, 394t
 oral health interventions, 359–360, 362
 school feeding programs, 157–158, 157t, 158f
 tetanus vaccinations, 203–204
- cost-benefit analysis. *See* benefit-cost ratios (BCRs)
- Costello, E. J., 111
- Creed-Kanashiro, H. M., 136
- Croke, Kevin, 165, 174, 175
- Crone, E. A., 110
- Crookston, B. T., 101
- Cunha, F., 82, 84, 85
- Czech Republic, education in, 49
- D**
- Dahl, R. E., 110
- DALYs (disability-adjusted life years)
 adolescence interventions and, 289–291, 371–376
 brain development and, 133
 deworming programs and, 167, 169
 early childhood interventions and, 89
 education and, 319
 middle childhood interventions and, 89, 358, 361–363
 nutrition interventions and, 139, 141
 oral health and, 214
- Daniels, Amy, 231
- Daryanani, R., 160n4
- De la Cruz Toledo, Elia, 369

- delivery platforms. *See* platforms for intervention delivery
- Del Ninno, C., 153
- Democratic Republic of Congo
 adolescence interventions in, 279
 early childhood interventions in, 89–90
 education in, 313
 middle childhood interventions in, 89–90, 279
 nutrition in, 42, 139, 392
- Demographic and Health Surveys (DHS), 8, 26, 29–30, 34, 37–42, 58–59, 61, 93
- Denmark
 disability in, 227
 sexual and reproductive health in, 65
- Deolalikar, Anil B., 385
- depression, 111
- De Silva, Nilanthi, 1, 165
- Deutsche Gesellschaft für Internationale Zusammenarbeit GmbH, 215*b*
- Developmental Origins of Health and Disease (DOHaD), 119, 128
- De Walque, Damien, 153, 154, 325
- deworming programs, 165–182
 burden of disease, 165–169, 167*m*, 169*t*, 174*f*
 cost of, 176–177, 177–178*t*, 177*f*
 costs, 414–415, 415*f*, 419
 design optimization, 175–176
 economic analysis of interventions, 413–422
 costs, 414–415, 415*f*, 419
 education outcomes and, 415–417, 417*f*
 epidemiological externalities, 414
 health impacts of, 415
 labor market effects of, 417–418
 policy framework, 418–419
 screened vs. mass treatment, 419
 education outcomes and, 415–417, 417*f*
 epidemiological externalities, 414
 health impact of, 172–175
 health impacts of, 415
 infection prevalence, 165–169, 166*m*, 168*t*, 170–171*m*, 172*f*, 172*t*
 labor market effects of, 417–418
 policy framework, 418–419
 scale of, 169–172
 screened vs. mass treatment, 419
- DHS. *See* Demographic and Health Surveys
- dietary intake in adolescence, 41, 43.
See also nutrition
- disability, 221–237
 barriers to education, 226–227
 benefit-cost ratios for interventions, 227–228
 case studies, 228–232, 230*t*
 autism spectrum disorders, 231–232
 Brazil, 232
 hearing loss, 232
 Kenya, 231–232
 Lao PDR, 231
 school health and nutrition programs, 229–231, 230*t*
 Uruguay, 232
 Vietnam, 229, 230*t*
 vision, learning, and free eyeglasses, 228–229
- definitions, 222–223
- education and, 226–227
- measurements of, 222–223
- prevalence, 223–224, 224–225*t*
- school attendance and, 226–227
- socioeconomic inequalities and, 225–226
- Djibouti
 burden of disease in, 63
 middle childhood interventions in, 357
 nutrition in, 135, 137
 underweight prevalence in, 63
- DNA, 122
- Dominican Republic
 education in, 310
 overweight/obesity prevalence in, 40
- dopaminergic signaling, 128
- Drake, Lesley, 147, 228, 269
- Dror, D. K., 134
- Duflo, E., 93
- dynamic complementarities, 82
- E**
- early childhood
 accumulated risks, 255–256
 anemia, 38–39, 38*f*, 38*t*
 benefit-cost ratios of interventions, 83–84, 84*t*, 345–346, 345–346*t*
 breastfeeding and, 86
 cash transfers and, 333
 child care, 260–261, 260*t*
 clinic services, 259–260, 260*t*
 cognitive and socioemotional development, 89–93
 community services, 259–260, 260*t*
 cost of interventions, 347–348*t*, 347–349
 developmental progression, 254
 early child development programs, 91–92
 economic analysis of interventions, 343–353
 benefit-cost ratios, 345–346, 345–346*t*
 essential package, 349–351
 methodology, 344–345
 unit cost of interventions, 347–348*t*, 347–349
- education
 returns to investments in, 92–93
 sector governance, 258

equity and rights, 256
 essential package of interventions, 4–5*b*, 349–351
 governance, 258–259
 health sector governance, 258
 home visits, 259–260, 260*t*
 integrated interventions, 256–258, 257*t*
 interventions, 79–98

- benefit-cost ratios, 83–84, 84*t*
- breastfeeding, 86
- cognitive and socioemotional development, 89–93
- early child development programs, 91–92
- education, returns to investments in, 92–93
- lifecycle framework for assessment of, 80–83, 81*f*
- low birth weight, 85–86
- nutrition interventions, 85–89, 86–90*t*
- overweight/obesity, 87, 87*t*
- relative rates of return, 84–85
- stunting, 87, 87*t*, 90*t*
- underweight, 86
- wasting, 87

 lifecycle framework for assessment of, 80–83, 81*f*
 low birth weight, 85–86
 malnutrition/undernutrition, 43
 maternal stress, 255
 multisectoral coordination, 256–258, 257*t*
 nutritional deficiencies, 255
 nutrition interventions, 85–89, 86–90*t*
 overweight/obesity, 87, 87*t*
 platforms, 253–268

- accumulated risks, 255–256
- child care, 260–261, 260*t*
- clinic services, 259–260, 260*t*
- community services, 259–260, 260*t*
- developmental progression, 254
- education sector governance, 258
- equity and rights, 256
- governance, 258–259
- health sector governance, 258
- home visits, 259–260, 260*t*
- integrated interventions, 256–258, 257*t*
- maternal stress, 255
- multisectoral coordination, 256–258, 257*t*
- nutritional deficiencies, 255
- poverty, 255
- preprimary school, 260*t*, 261–262
- primary school, 260*t*, 262–263
- quality improvement and accountability, 259
- risk factors, 254–256

 poverty, 255
 preprimary school, 260*t*, 261–262
 primary school, 260*t*, 262–263
 quality improvement and accountability, 259
 relative rates of return, 84–85
 risk factors, 254–256
 stunting, 87, 87*t*, 90*t*
 underweight, 38, 38*f*, 86
 wasting, 87
 Early Grade Reading Assessment (EGRA), 262–263
 East Asia and Pacific. *See also specific countries*

- burden of disease in, 65
- deworming programs in, 168–169
- early childhood interventions in, 86
- middle childhood interventions in, 86
- mortality rates in, 26, 28, 31, 33–34

 eating disorders, 111–112, 140–141
 economic analysis of interventions, 14–16, 16*t*. *See also*

- benefit-cost ratios (BCRs)
 - adolescence, 369–384
 - alcohol use, 373
 - benefit-cost ratios, 371–379, 372–373*t*, 375–377*t*
 - cost-effectiveness, 371–379, 372–373*t*, 375–377*t*
 - education interventions, 403–411
 - essential package, 9, 10*t*, 13–14, 379–380
 - high-income countries, 372–373*t*, 372–374
 - illicit substance use, 373
 - low- and middle-income countries, 374–378, 375–377*t*
 - mental health, 374
 - methodology, 370–371
 - overweight/obesity, 372–373, 374
 - platforms, 370*t*
 - sexual and reproductive health, 373, 374, 378
 - tobacco use, 373, 374
- deworming programs, 413–422
 - costs, 414–415, 415*f*, 419
 - education outcomes and, 415–417, 417*f*
 - epidemiological externalities, 414
 - health impacts of, 415
 - labor market effects of, 417–418
 - policy framework, 418–419
 - screened vs. mass treatment, 419
- early childhood, 343–353
 - benefit-cost ratios, 345–346, 345–346*t*
 - essential package, 349–351
 - methodology, 344–345
 - unit cost of interventions, 347–348*t*, 347–349
- education interventions, 423–439
 - benefit-cost ratios, 430–433, 431–432*t*, 433–434*f*, 434*t*
 - modeling health effects, 424–430, 425–426*t*
 - mortality rates and, 426–428, 428*f*, 428*t*
- nutrition interventions, 385–402
 - benefit-cost ratios, 393–396, 394*t*
 - breastfeeding, 389–390

- cognitive development, 392–393
- lifecycle approach, 385, 386*f*
- low birth weight, 391
- maternal health and, 386–387
- maternal mortality and, 390–391
- policy framework, 396–397
- prenatal health and, 387–389
- stunting, 391–392, 392*f*
- school-age child health, 355–368
 - benefit-cost ratios, 363–364, 363*f*, 364*t*
 - benefits, 360–363
 - burden of disease, 356–357, 357*t*
 - costs, 357–360, 358*t*, 364*t*
 - essential package, 9*t*, 10–11, 363–364, 363*f*, 364*t*
 - infectious disease treatment benefits and costs, 359, 361–362
 - nutrition benefits and costs, 358–359, 360–361
 - oral health benefits and costs, 359–360, 362
 - platforms, 356–357, 356*t*
 - training costs, 358
 - vaccination benefits and costs, 360, 362
 - vision correction benefits and costs, 359, 362
- Ecuador
 - cash transfers programs in, 326–329, 331–333
 - early childhood interventions in, 347–348
- education, 16–17, 47–55
 - absenteeism and, 187
 - access to, 153
 - adolescence
 - economic analysis of interventions, 403–411
 - learning outcomes, 271–273, 271*t*, 272–273*f*
 - school health and nutrition, 270–271, 270–271*f*, 295–297, 296*f*, 296*t*
 - barriers to, 226–227
 - benefit-cost ratios, 318*b*, 430–433, 431–432*t*, 433–434*f*, 434*t*
 - cash transfers and, 334
 - in China, 52–53
 - cost-reduction interventions, 309–310, 310*f*
 - deworming programs and, 315, 317*t*, 415–417, 417*f*
 - disability and, 226–227, 229–231, 230*t*
 - economic analysis of interventions, 423–439
 - benefit-cost ratios, 430–433, 431–432*t*, 433–434*f*, 434*t*
 - modeling health effects, 424–430, 425–426*t*
 - mortality rates and, 426–428, 428*f*, 428*t*
 - health interventions, 313–319, 314*b*, 317*t*
 - high-performing system characteristics, 50
 - incentives-based interventions, 309–310, 310*f*, 313*t*
 - in India, 51–52, 52*f*
 - information-based interventions, 310, 311*b*
 - infrastructure, 311–312, 312*f*
 - instructional interventions, 311–312, 312*b*, 312*f*, 313*t*
 - international assessment of student achievement, 47–49, 48*t*
 - interventions, 308–319
 - literacy and brain development, 126, 127*f*
 - malaria and, 187, 315–316, 317*t*
 - materials and technology, 312
 - middle childhood learning outcomes, 271–273, 271*t*, 272–273*f*
 - modeling health effects, 424–430, 425–426*t*
 - mortality rates and, 426–428, 428*f*, 428*t*
 - numeracy and brain development, 126–127
 - nutrition interventions, 316–317, 317*t*
 - oral health intervention programs, 214–215, 215*b*
 - platforms, 307–324
 - benefit-cost ratios, 318*b*
 - conceptual framework, 308, 309*f*
 - cost-reduction interventions, 309–310, 310*f*
 - deworming programs, 315, 317*t*
 - health interventions, 313–319, 314*b*, 317*t*
 - incentives-based interventions, 309–310, 310*f*, 313*t*
 - information-based interventions, 310, 311*b*
 - infrastructure, 311–312, 312*f*
 - instructional interventions, 311–312, 312*b*, 312*f*, 313*t*
 - interventions, 308–319
 - malaria interventions, 315–316, 317*t*
 - materials and technology, 312
 - nutrition interventions, 316–317, 317*t*
 - school-based management (SBM), 310
 - teacher resources, 312
 - poverty and, 255
 - preprimary school, 260*t*, 261–262
 - primary school, 260*t*, 262–263
 - returns to investments in, 92–93
 - school-based management (SBM), 310
 - school feeding programs and, 152–154, 153*t*
 - secondary education as health intervention, 112
 - sector governance, 258
 - teacher resources, 312
 - trends in, 49–50
 - variance between schools, 50
 - variance between students, 50
- Education for All (EFA), 10, 149, 169, 230, 256, 258, 261–262, 269–270, 274, 277, 308
- education sector plans (ESPs), 276, 279–280
- EGRA. *See* Early Grade Reading Assessment

- Egypt
 middle childhood interventions in, 357
 nutrition in, 135–136, 389
 overweight/obesity prevalence in, 40
 underweight prevalence in, 39
 vaccinations in, 203
- El Salvador, cash transfers programs in, 328, 332
- EMA (European Medicines Agency), 192, 201
- Engle, P. L., 85, 90, 92
- ESPs. *See* education sector plans
- Ethiopia
 adolescence interventions in, 101, 273, 279, 281, 297
 deworming programs in, 171
 early childhood interventions in, 90
 middle childhood interventions in, 90, 101, 273, 279, 281, 362
 nutrition in, 39–40, 42–43, 139, 392
 oral health in, 213
 underweight prevalence in, 40
- Europe and Central Asia. *See also specific countries*
 adolescence interventions in, 108
 burden of disease in, 63
 deworming programs in, 169
 disability in, 224, 228
 early childhood interventions in, 87
 education in, 49
 malaria in, 185
 middle childhood interventions in, 87
 mortality rates in, 26–28, 31, 33–34
 nutrition in, 40–41
- European Medicines Agency (EMA), 192, 201
- European School Survey Project on Alcohol and Other Drugs, 61
- executive control, 110–111
- F**
- Fall, C. H. D., 139
- Fernald, Lia, 79, 325
- Fernandes, Meena, 147, 307, 355
- Fernández, C., 91–92
- Fernando, Deepika, 183, 187, 189
- Fiji, underweight prevalence in, 63
- Filippi, Véronique, 403
- Filmer, D., 226
- financial risk protection (FRP), 404–405
- Fink, Günther, 99, 101
- Fit for School Action Framework, 215, 215*b*
- Fjell, A. M., 110
- fluoride interventions, 216, 216*b*
- Focusing Resources on Effective School Health (FRESH), 169, 171, 214, 230, 270, 276, 279–281, 280–281*f*
- Framework Convention on Tobacco Control, 245
- France, illicit substance use in, 63
- FRESH. *See* Focusing Resources on Effective School Health
- FRP (financial risk protection), 404–405
- G**
- Galiani, S., 92, 94
- Galloway, Rae, 37
- The Gambia
 adolescence interventions in, 279
 burden of disease in, 63
 education in, 310
 malaria in, 12, 183
 middle childhood interventions in, 279
- Garg, Renu, 211
- GBD. *See* Global Burden of Disease study
- Gelli, Aulo, 147, 160*n*4
- gender equity
 in adolescence, 240, 274–276, 275–276*f*
 in early childhood, 256
 in middle childhood, 274–276, 275–276*f*
- genome-environment dynamics of brain development, 122–125, 123–124*f*
- Georgiadis, Andreas, 99, 101, 102
- Germany
 adolescence interventions in, 372
 burden of disease in, 63
 education in, 49
- Gertler, Paul, 91, 325
- Ghana
 adolescence interventions in, 275, 277–279, 281
 cash transfers programs in, 328–330, 333
 middle childhood interventions in, 275, 277–279, 281, 357, 361–362
 nutrition in, 135–137, 150–153, 156, 158–159
 school feeding programs in, 150–153, 156, 158–159
- Gilligan, D., 153, 154
- Gitonga, Caroline W., 183
- Giyose, Boitshepo, 147
- Glewwe, Paul, 79, 93, 102, 228
- Global Burden of Disease (GBD) study, 32, 60, 107.
See also burden of disease
- Global School-Based Student Health Survey, 58, 217
- Global Youth Tobacco Survey, 58, 217
- Golden, M. H. N., 100, 102
- Gona, Joseph, 231
- Gove, Amber, 253
- governance, 258–259
- Graber, J. A., 111
- Graham, Natasha, 221

Grantham-McGregor, S. M., 93
Greece, overweight/obesity prevalence in, 63
Greenwood, Brian, 183
Grigorenko, Elena L., 119
Grosbras, M. H., 110
growth hormone deficiency, 100
Guatemala, middle childhood interventions in, 99
Guo, S. S., 136
Guyana, nutrition in, 39–40, 42

H

Halfon, N., 94n1
Hall, A., 101
Hanushek, E. A., 47
Hasan, A., 94
Hayward, C., 111
Health Behaviour in School-Aged Children (HBSC), 58
health information systems, 57–58
health risks
 in adolescence, 57–71
 binge drinking, 63, 66–67*m*
 illicit substance use, 63
 overweight/obesity, 63–64, 67–68*m*
 physical activity, 64
 sexual and reproductive health, 64–65, 64*m*
 tobacco use, 63, 65–66*m*
 underweight, 63
health sector governance, 258
health services, 293–295, 294*f*, 295*t*
hearing loss, 232
Heckman, J., 73, 82
hepatitis vaccinations, 241
Hicks, Joan Hamory, 413
Hidrobo, Melissa, 325
high-income countries (HICs)
 adolescence interventions in, 108–109, 239, 242–243, 270–271, 288, 294–295, 370–374, 372–373*t*, 378
 brain development in, 119, 125–128
 burden of disease in, 58, 60–65, 69
 disability in, 222–224
 early childhood interventions in, 255, 261–262
 education in, 428
 middle childhood interventions in, 270–271, 355
 mortality rates in, 34
 nutrition in, 134, 137, 140–141, 147–148, 156–158
 oral health in, 211, 213–214, 216–218
Hill, Kenneth, 5, 25, 26, 27, 32
Hill, Tara, 307

HIV/AIDS
 in adolescence, 240–241
 adolescence prevalence rates, 62–63, 287
 Millennium Development Goals for, 58
Hoddinott, J., 83, 88, 89
Hoek, H. W., 141
Hogares Comunitarios de Bienestar (Colombia), 91–92
Hollingsworth, T. Deirdre, 165
home visits, 259–260, 260*t*
Honduras, 203, 326, 328–329, 332
Hong Kong SAR
 education in, 49–50
 oral health in, 214
hookworm, 165–166. *See also* deworming programs
Horton, Susan, 1, 73, 343, 369
HPV vaccinations
 benefit-cost ratios, 204–206, 204*t*
 delivery strategies, 201–203, 202*m*
 effectiveness of, 60, 203
Hutubessy, R., 204
hypothyroidism, 100

I

Iceland, sexual and reproductive health in, 65
IHME. *See* Institute for Health Metrics and Evaluation
illicit substance use, 63, 245, 373
immunizations. *See* vaccinations
India
 adolescence interventions in, 273, 374–378
 Annual Status of Education Report, 263
 cash transfers programs in, 326–328, 330, 332
 deworming programs in, 166, 178, 414–415
 disability in, 226–227
 early childhood interventions in, 85, 90, 93
 education in, 51–52, 52*f*, 53n3, 308, 310, 404–409, 406–407*t*
 malaria in, 185
 maternal mortality in, 404–409, 406–407*t*
 middle childhood interventions in, 85, 90, 93, 101, 273
 nutrition in, 39–40, 42–43, 135–136, 139, 148, 153–155, 392, 396
 school feeding program, 152
 underweight prevalence in, 40
Indonesia
 adolescence interventions in, 377–378
 burden of disease in, 63
 cash transfers programs in, 327–328, 330–332
 early childhood interventions in, 89–90, 93
 education in, 310
 middle childhood interventions in, 89–90, 93, 359
 nutrition in, 137

- oral health in, 215
- tobacco use in, 63
- underweight prevalence in, 63
- vaccinations in, 201, 203
- indoor residual spraying for malaria, 191
- infant mortality, 5, 62, 330
- injuries
 - in adolescence, 242, 292
 - oral injuries and trauma, 212
 - self-harm, 111
- insecticide-treated nets (ITNs), 190–191, 190*f*, 241
- Institute for Health Metrics and Evaluation (IHME), 8, 112, 167, 169, 223–224, 295, 403–404
- intelligence quotient (IQ)
 - early childhood interventions and, 259, 260
 - global trends in, 17
 - nutrition and, 43, 102, 271, 319, 390
 - worm infections and, 315
- Inter-agency Group for Child Mortality Estimation (IGME), 8, 18
- Interagency Group on Mortality Estimation, 27
- Inter-American Development Bank, 260
- Inter-American Institute on Disability and Inclusive Development, 232
- intermittent preventive treatment (IPT) for malaria, 186, 189, 191–192, 316, 359
- International Assessment of Adult Competencies (PIAAC), 50
- International Association for Dental Research, 216
- International Association for the Evaluation of Educational Achievement, 48–49
- International Classification of Functioning, Disability and Health, 222
- International Commission on Financing Global Education Opportunity, 1, 314*b*
- interventions, 73–131. *See also* economic analysis of interventions
 - adolescence, 107–117
 - aggression and, 111
 - anxiety, 111
 - depression, 111
 - eating disorders, 111–112
 - nutrition interventions, 113
 - physical health, 112
 - psychosocial interventions, 113
 - puberty and developmental processes, 107–111
 - risk factors, 111–112
 - secondary education as health intervention, 112
 - self-harm, 111
 - violence and, 111
 - brain development, 119–131
 - anatomical maturation, 119–121, 120*f*
 - early environment and attachment, 125
 - environmental experiences, 123–124
 - functional development, 121–122
 - genome-environome dynamics, 122–125, 123–124*f*
 - language development, 125–126
 - literacy, 126, 127*f*
 - neuroplasticity, 124–125
 - numeracy, 126–127
 - nutritional requirements, 122–123
 - self-regulation, 127–128
 - skill acquisition, 125–128, 127*f*
- conceptual framework, 73–77, 74*f*
 - adolescence, 73–75
 - implications for phases of development, 75–77, 76*f*, 76*t*
 - middle childhood, 73–75
- early childhood, 79–98
 - benefit-cost ratios, 83–84, 84*t*
 - breastfeeding, 86
 - cognitive and socioemotional development, 89–93
 - early child development programs, 91–92
 - education, returns to investments in, 92–93
 - integrated interventions, 256–258, 257*t*
 - lifecycle framework for assessment of, 80–83, 81*f*
 - low birth weight, 85–86
 - nutrition interventions, 85–89, 86–90*t*
 - overweight/obesity, 87, 87*t*
 - relative rates of return, 84–85
 - stunting, 87, 87*t*, 90*t*
 - underweight, 86
 - wasting, 87
- education, 308–319
 - cost-reduction interventions, 309–310, 310*f*
 - incentives-based interventions, 309–310, 310*f*, 313*t*
 - information-based interventions, 310, 311*b*
 - instructional interventions, 311–312, 312*b*, 312*f*, 313*t*
- incentives-based interventions, 309–310, 310*f*, 313*t*
- information-based interventions, 310, 311*b*
- instructional interventions, 311–312, 312*b*, 312*f*, 313*t*
- integrated, 256–258, 257*t*
- malaria, 188*t*, 189–192, 190*f*
- malnutrition/undernutrition, 136, 136*t*
- micronutrient deficiencies, 138–139, 139*t*
- middle childhood, 79–105
 - adoption studies, 100
 - benefit-cost ratios, 83–84, 84*t*
 - breastfeeding, 86
 - catch-up growth, 101–102, 102–103*t*

- cognitive and socioemotional development, 89–93, 101–102, 102–103*t*
 - deworming, 101
 - early child development programs, 91–92
 - education, returns to investments in, 92–93
 - environmental changes, 99–100
 - food supplementation, 100–101
 - historical migration evidence, 100
 - immigration studies, 100
 - lifecycle framework for assessment of, 80–83, 81*f*
 - low birth weight, 85–86
 - micronutrient supplementation, 101
 - nutrition interventions, 85–89, 86–90*t*
 - overweight/obesity, 87, 87*t*
 - relative rates of return, 84–85
 - stunting, 87, 87*t*, 90*t*, 100
 - underweight, 86
 - wasting, 87
 - nutrition
 - adolescence, 113, 241–242
 - benefit–cost ratios, 87–89, 88–89*t*, 393–396, 394*t*
 - breastfeeding, 389–390
 - cognitive development, 392–393
 - early childhood, 85–89, 86–90*t*
 - eating disorders, 141
 - economic analysis, 385–402
 - lifecycle approach, 385, 386*f*
 - low birth weight, 391
 - malnutrition/undernutrition, 136, 136*t*
 - maternal health and, 386–387
 - maternal mortality and, 390–391
 - micronutrient deficiencies, 138–139, 139*t*
 - middle childhood, 85–89, 86–90*t*, 100–101
 - overweight/obesity, 137–138, 137*t*
 - policy framework, 396–397
 - prenatal health and, 387–389
 - school feeding programs, 147–164
 - stunting, 391–392, 392*f*
 - oral health, 214–217, 216*b*
 - overweight/obesity, 137–138, 137*t*
 - IPT. *See* intermittent preventive treatment
 - Iran
 - burden of disease in, 69
 - nutrition in, 138, 141
 - oral health in, 212
 - Ireland, binge drinking in, 63
 - Italy, overweight/obesity prevalence in, 63
- J**
- Jamaica
 - adolescence interventions in, 85
 - burden of disease in, 63
 - cash transfers programs in, 326, 328–330
 - early childhood interventions in, 4*b*, 91, 260, 344–347
 - education in, 319
 - middle childhood interventions in, 85
 - nutrition in, 155
 - tobacco use in, 63
 - Jamison, Dean T., 1, 25, 26, 32, 99, 423
 - Janani Suraksha Yojana Program (India), 332
 - Japan
 - burden of disease in, 63
 - deworming programs in, 169, 178
 - education in, 49–50
 - Jung, H., 94
 - Jung, R. C., 173
- K**
- Kaur, S., 136
 - Kaytaz, M., 91
 - Kazianga, H., 153, 154
 - Kennedy, Elissa, 57, 239
 - Kenya
 - adolescence interventions in, 279, 281, 374, 376–378
 - autism spectrum disorders in, 231–232
 - cash transfers programs in, 329, 333
 - deworming programs in, 167, 414–417
 - disability in, 230
 - early childhood interventions in, 90, 93, 261, 263, 346
 - education in, 315–316, 318
 - malaria in, 12, 183, 187–192
 - middle childhood interventions in, 90, 93, 279, 281, 361–362
 - nutrition in, 154–156, 392
 - Khan, Imran, 228
 - Kiamba, Josephine, 147
 - Kim, Jane J., 199
 - King, E., 102
 - Kirk, S. F. L., 134
 - Komlos, J., 100
 - Korea, Republic of, education in, 49
 - Kremer, Michael, 93, 153, 413
 - Kristjansson, B., 100, 101
- L**
- labor market impact of deworming programs, 417–418
 - LaMontagne, D. Scott, 199
 - Lancet Adolescent Health Series*, 59–60, 62
 - Lancet* Commission on Adolescent Health and Wellbeing, 1, 25, 287, 289, 292
 - language development, 125–126

- Lao PDR
 disability in, 231
 middle childhood interventions in, 100, 101, 359, 362
 nutrition in, 152, 155
 oral health in, 215
- Lassi, Z. S., 140
- Lassi, Zohra, 133
- Latin America and Caribbean
 burden of disease in, 63, 65
 cash transfers programs in, 326, 330, 333
 deworming programs in, 166–169
 early childhood interventions in, 86–87, 90, 92, 261–262, 344–349
 education in, 49
 malaria in, 185
 middle childhood interventions in, 86–87, 90, 92
 mortality rates in, 26–27, 29, 31, 33–34
 nutrition in, 38, 40–42, 137–138, 152
- Laxminarayan, Ramanan, 385
- LBW. *See* low birth weight
- Lehrer, K., 153, 154
- Lesotho
 cash transfers programs in, 329, 334
 nutrition in, 42
 overweight/obesity prevalence in, 40
- Levin, A., 204
- Liberia
 adolescence interventions in, 279
 middle childhood interventions in, 279
 nutrition in, 39–40
- LICs. *See* low-income countries
- lifecycle approach, 385, 386*f*
- lifecycle framework for assessment, 80–83, 81*f*
- literacy and brain development, 126, 127*f*
- LMICs. *See* low and middle-income countries
- Lobelo, F., 137
- local agriculture, 150*b*, 156–157
- Lochner, L., 84, 85
- London Declaration on Neglected Tropical Diseases (2012), 171
- Lopes, T. S., 135
- low and middle-income countries (LMICs)
 adolescence interventions in, 270–271, 277–279, 293–295, 297, 302, 369–371, 374–379, 375–377*t*
 brain development in, 125–128
 burden of disease in, 58, 61, 63–64
 disability in, 221–223, 225–228
 early childhood interventions in, 79–80, 84–87, 92–93, 253, 343–346
 education in, 307–309, 403–404, 424, 427–430, 432–435
 middle childhood interventions in, 79–80, 84–87, 92–93, 270–271, 277–279, 355, 357–364
 mortality rates in, 8, 25–27, 29–32, 34
 nutrition in, 37–38, 40–41, 135–138, 141, 147–148, 154–156, 385–386, 389–391
 oral health in, 211–217
 vaccination programs in, 199–206
- low birth weight (LBW), 83–88, 330, 385–387, 391
- low-income countries (LICs)
 adolescence interventions in, 108
 burden of disease in, 69
 defined, 5
 early childhood interventions in, 261–262
 education in, 50, 314, 316, 426–435
 middle childhood interventions in, 100–101, 360–361, 363
 nutrition in, 141, 148–149, 157–160, 394–395
 oral health in, 211, 213, 217
- Lundeen, E. A., 43
- Luschei, T. F., 47
- Luxemburger, C., 185
- M**
- Madagascar
 adolescence interventions in, 275, 279, 281
 early childhood interventions in, 90
 education in, 310
 middle childhood interventions in, 90, 275, 279, 281
 nutrition in, 42, 392
- Mahon, Jacqueline, 369
- Mai, Lu, 147
- malaria, 183–198
 absenteeism from school and, 187
 anemia and, 186–187
 benefit-cost ratios, 192–193
 chemoprevention, 191–192
 cognitive function and, 187, 189
 education interventions, 315–316, 317*t*
 impact on child health and development, 185–189
 indoor residual spraying, 191
 insecticide-treated nets (ITNs), 190–191, 190*f*, 241
 intermittent preventive treatment (IPT), 191–192
 interventions, 188*t*, 189–192, 190*f*
 mortality rates, 185
 policy recommendation, 193*b*
 prevalence, 183–185, 184*f*, 185*t*, 186–187*m*
 research priorities, 194*b*
 screening, 192
 seasonal malaria chemoprevention (SMC), 192
 vaccine development, 192, 241
 vector control and, 190–191

- Malawi
- adolescence interventions in, 281
 - cash transfers programs in, 326–331
 - disability in, 226, 228
 - malaria in, 184, 190
 - middle childhood interventions in, 281, 357
 - nutrition in, 135, 152
 - overweight/obesity prevalence in, 63
 - school feeding program in, 152, 152*f*
- Mali
- adolescence interventions in, 279, 281
 - malaria in, 188–189
 - middle childhood interventions in, 279, 281
 - oral health in, 213
- malnutrition/undernutrition
- in adolescence, 43, 241–242
 - consequences of, 43
 - in early childhood, 43
 - interventions, 136, 136*t*
 - in middle childhood, 43, 135–136, 135–136*t*
 - nutrition interventions, 136, 136*t*
 - oral health and, 212
 - prevalence of, 37–41, 38–41*f*, 38*t*, 135–136
- Malta
- burden of disease in, 63–64
 - overweight/obesity prevalence in, 63
- Manacorda, M., 92, 94
- Mann, S. K., 136
- Manyanga, T., 136
- Marshall, S., 135
- Marshall, W. A., 108
- Martínez, Sebastián, 423
- Masterov, D., 84, 85
- maternal health and mortality
- education interventions and, 403–411, 406–407*t*
 - nutrition interventions and, 386–387, 390–391
- Matlab Health and Socioeconomic Survey, 16, 17
- Matsuzaki, M., 135
- Mauritania
- adolescence interventions in, 279
 - middle childhood interventions in, 279, 357
 - nutrition in, 136–137
 - overweight/obesity prevalence in, 64
 - sexual and reproductive health in, 65
- MDGs. *See* Millennium Development Goals
- media and social marketing, 243, 292, 300–301, 300*t*
- Medical Research Council, 16
- mental health and disorders, 243, 374
- Meresman, Sergio, 232
- Merseth, Katherine A., 253
- Mexico
- adolescence interventions in, 375–376
 - cash transfers programs in, 326–332
 - deworming programs in, 169, 178
 - disability in, 227
 - early childhood interventions in, 93, 347–348
 - education in, 310
 - middle childhood interventions in, 93
 - nutrition in, 137, 151, 154–155, 393
 - vaccinations in, 205
- micronutrient deficiencies, 16, 101, 138–139, 139*t*
- micronutrient powders (MNP), 158, 278, 317, 345–346, 348, 356–358
- MICs. *See* middle-income countries
- middle childhood
- adoption studies, 100
 - benefit-cost ratios, 277–279, 278*f*, 278*t*, 363–364, 363*f*, 364*t*
 - benefit-cost ratios of interventions, 83–84, 84*t*
 - breastfeeding, 86
 - burden of disease, 356–357, 357*t*
 - catch-up growth, 101–102, 102–103*t*
 - cognitive and socioemotional development, 89–93, 101–102, 102–103*t*
 - conceptual framework for, 73–75
 - defined, 1, 3, 4*f*
 - deworming programs, 101, 165–182. *See also* deworming programs
 - disability, 221–237. *See also* disability
 - early childhood interventions and, 91–92
 - eating disorders, 140–141
 - economic analysis of interventions, 355–368
 - benefit-cost ratios, 363–364, 363*f*, 364*t*
 - benefits, 360–363
 - burden of disease, 356–357, 357*t*
 - costs, 357–360, 358*t*, 364*t*
 - essential package, 9*t*, 10–11, 363–364, 363*f*, 364*t*
 - infectious disease treatment benefits and costs, 359, 361–362
 - nutrition benefits and costs, 358–359, 360–361
 - oral health benefits and costs, 359–360, 362
 - platforms, 356–357, 356*t*
 - training costs, 358
 - vaccination benefits and costs, 360, 362
 - vision correction benefits and costs, 359, 362
 - education returns to investments, 92–93
 - environmental changes, 99–100
 - FRESH framework, 279–281, 280–281*f*
 - gender equity, 274–276, 275–276*f*
 - historical migration evidence, 100
 - immigration studies, 100
 - infectious disease treatment benefits and costs, 359, 361–362
 - interventions, 79–105
 - adoption studies, 100

- benefit-cost ratios, 83–84, 84*t*, 363–364, 363*f*, 364*t*
- breastfeeding, 86
- catch-up growth, 101–102, 102–103*t*
- cognitive and socioemotional development, 89–93, 101–102, 102–103*t*
- costs, 357–360, 358*t*, 364*t*
- deworming, 101
- early childhood, 91–92
- education, returns to investments in, 92–93
- environmental changes, 99–100
- essential package, 9*t*, 10–11, 363–364, 363*f*, 364*t*
- food supplementation, 100–101
- historical migration evidence, 100
- immigration studies, 100
- lifecycle framework for assessment of, 80–83, 81*f*
- low birth weight, 85–86
- micronutrient supplementation, 101
- nutrition interventions, 85–89, 86–90*t*
- overweight/obesity, 87, 87*t*
- relative rates of return, 84–85
- stunting, 87, 87*t*, 90*t*, 100
- underweight, 86
- wasting, 87
- learning outcomes, 271–273, 271*t*, 272–273*f*
- lifecycle framework for assessment of, 80–83, 81*f*
- low birth weight, 85–86
- malaria, 183–198. *See also* malaria
- malnutrition/undernutrition, 43, 135–136, 135–136*t*
- micronutrient deficiencies, 138–139, 139*t*
- micronutrient supplementation, 101
- nutrition interventions, 85–89, 86–90*t*, 100–101, 133–145
 - benefits and costs, 358–359, 360–361
 - eating disorders, 140–141
 - importance of, 133–135, 134*f*
 - malnutrition/undernutrition, 43, 135–136, 135–136*t*
 - micronutrient deficiencies, 138–139, 139*t*
 - overweight/obesity, 87, 87*t*, 136–138, 137*t*
 - physical growth and, 133
 - stunting, 87, 87*t*, 90*t*
 - underweight, 86
 - wasting, 87
- oral health, 211–220. *See also* oral health
 - benefits and costs, 359–360, 362
- overweight/obesity, 87, 87*t*, 136–138, 137*t*
- physical growth and nutrition, 133
- platforms, 269–285, 356–357, 356*t*
 - benefit-cost ratios, 277–279, 278*f*, 278*t*
 - FRESH framework, 279–281, 280–281*f*
 - gender equity, 274–276, 275–276*f*
 - learning outcomes, 271–273, 271*t*, 272–273*f*
 - policy framework, 279–282
 - poverty reduction, 274–276, 275–276*f*
 - SABER tool, 281
 - school health and nutrition, 270–271, 270–271*f*
 - schools as entry point for interventions, 273–274
 - sector roles, 276, 277*t*
- policy framework, 279–282
- poverty reduction, 274–276, 275–276*f*
- relative rates of return, 84–85
- SABER tool, 281
- school feeding programs, 147–164. *See also* school feeding programs
- school health and nutrition, 270–271, 270–271*f*
- schools as entry point for interventions, 273–274
- sector roles, 276, 277*t*
- stunting, 87, 87*t*, 90*t*, 100
- underweight, 86
- vaccination benefits and costs, 360, 362
- vision correction benefits and costs, 359, 362
- wasting, 87
- Middle East and North Africa. *See also specific countries*
 - burden of disease in, 64–65
 - deworming programs in, 166, 168–169
 - early childhood interventions in, 86, 90
 - education in, 49
 - malaria in, 185
 - middle childhood interventions in, 86, 90
 - mortality rates in, 26, 29, 31, 33–34
 - nutrition in, 137, 392
- middle-income countries (MICs)
 - adolescence interventions in, 270–271, 374–377
 - burden of disease in, 58, 61, 69
 - defined, 5
 - deworming programs in, 178
 - early childhood interventions in, 345–346
 - education in, 424
 - middle childhood interventions in, 100–101, 270–271, 355, 357–358
 - mortality rates in, 25, 33–34
 - nutrition in, 140–141, 147–148, 157–160
 - vaccinations in, 201, 203
- Miguel, Edward, 93, 413
- Millennium Development Goals (MDGs)
 - on adolescence interventions, 269, 295
 - on early childhood interventions, 253
 - on education, 18–19, 308, 356, 403, 424, 428
 - on HIV/AIDS, 58, 60
 - on infant and child mortality, 5, 62
- Mitchell, Arlene, 147
- Mitra, Sophie, 221, 223, 226
- Mizunoya, S., 223, 226
- MNP. *See* micronutrient powders

- mobile health programs, 299–300, 299*t*
 - Moin, Anoosh, 133
 - Mokdad, Ali, 57
 - Moldova, adolescence interventions in, 377–378
 - Mongolia, overweight/obesity prevalence in, 64
 - Monse, Bella, 211
 - Mont, Daniel, 221, 229
 - morbidity rates
 - adolescence, 8
 - cash transfers and, 330
 - middle childhood, 8
 - soil-transmitted helminth (STH) infections, 167
 - Morocco
 - cash transfers programs in, 335
 - disability in, 226
 - middle childhood interventions in, 357
 - nutrition in, 136
 - mortality rates, 25–35
 - cash transfers and, 330
 - by cause, 32, 33–34*t*
 - education and, 426–428, 428*f*, 428*t*
 - infant mortality, 5, 62, 330
 - in low and middle-income countries (LMICs), 8
 - malaria, 185
 - methodology and data, 26–27
 - neonatal mortality, 330
 - number of deaths, 30–31, 31–32*t*
 - nutrition interventions and, 390–391
 - perinatal mortality, 330
 - risks, 26*t*, 27–28*f*, 27–30, 28–29*t*, 30*f*
 - Moulin, S., 93
 - Mozaffarian, D., 136
 - Mozambique
 - adolescence interventions in, 275–279
 - early childhood interventions in, 261, 344, 348–349
 - middle childhood interventions in, 275–279
 - sexual and reproductive health in, 65
 - vaccinations in, 203
 - Multiple Indicator Cluster Surveys (MICS), 58
 - multisectoral coordination, 256–258, 257*t*
 - Muralidharan, K., 93
 - Myanmar
 - early childhood interventions in, 90
 - nutrition in, 392
 - overweight/obesity prevalence in, 64
 - underweight prevalence in, 63
- N**
- Namibia
 - disability in, 226
 - early childbirth rates in, 65
 - nutrition in, 39–40, 42
 - overweight/obesity prevalence in, 40
 - tobacco use in, 63
 - Nandi, Arindam, 385, 403
 - Nankabirwa, Joaniter, 183
 - neglected tropical diseases (NTDs), 169, 171–172, 177–178, 419
 - neonatal mortality, 330
 - Nepal
 - adolescence interventions in, 273
 - cash transfers programs in, 326–328, 330, 332
 - disability in, 227
 - early childhood interventions in, 90
 - middle childhood interventions in, 273
 - nutrition in, 392
 - vaccinations in, 201, 203
 - Netherlands
 - adolescence interventions in, 372–373
 - education in, 50
 - illicit substance use in, 63
 - neurodevelopment, 240
 - neuroplasticity, 122, 124–125
 - New Zealand
 - adolescence interventions in, 372
 - burden of disease in, 62–63
 - disability in, 227
 - Nicaragua
 - cash transfers programs in, 326–329, 331, 333–334
 - disability in, 227
 - early childhood interventions in, 255, 345
 - Niger
 - adolescence interventions in, 275–278, 281
 - Demographic and Health Survey and, 405
 - deworming programs in, 177
 - education and maternal mortality in, 404–409, 406–407*t*
 - middle childhood interventions in, 275–278, 281
 - nutrition in, 42
 - oral health in, 213
 - Nigeria
 - adolescence interventions in, 241, 273, 281, 377–378
 - burden of disease in, 63
 - early childhood interventions in, 86, 90
 - middle childhood interventions in, 273, 281
 - nutrition in, 139, 150, 392
 - oral health in, 213
 - Njelesani, J., 223
 - noma, 211, 212–213
 - Norway
 - adolescence interventions in, 373
 - education in, 435
 - numeracy and brain development, 126–127

- Nurse-Family Partnership (South Africa), 125
- nurturing care, 254
- nutrition, 37–45
- adolescence, 133–145
 - anemia, 41, 42*f*
 - eating disorders, 140–141
 - importance of, 133–135, 134*f*
 - malnutrition/undernutrition, 43
 - micronutrient deficiencies, 138–139, 139*t*
 - overweight/obesity, 39–41, 40–41*f*, 136–138, 137*t*
 - physical growth and, 133
 - pregnancy and, 139–140
 - undernutrition, 135–136, 135–136*t*
 - underweight, 39, 39*f*, 40–41, 41*f*
 - anemia
 - in adolescence, 41, 42*f*
 - in early childhood, 38–39, 38*f*, 38*t*
 - in men (15–49 years), 41, 42*f*
 - in women (15–49 years), 41, 42*f*
 - brain development and, 122–123
 - cash transfers and, 333
 - early childhood, 255
 - anemia, 38–39, 38*f*, 38*t*
 - breastfeeding, 86
 - low birth weight, 85–86
 - malnutrition/undernutrition, 43
 - overweight/obesity, 87, 87*t*
 - stunting, 87, 87*t*, 90*t*
 - underweight, 38, 38*f*, 86
 - wasting, 87
 - eating disorders, 140–141
 - education interventions, 316–317, 317*t*
 - interventions
 - adolescence, 113, 241–242
 - benefit-cost ratios, 87–89, 88–89*t*, 393–396, 394*t*
 - breastfeeding, 389–390
 - cognitive development, 392–393
 - early childhood, 85–89, 86–90*t*
 - eating disorders, 141
 - economic analysis, 385–402
 - lifecycle approach, 385, 386*f*
 - low birth weight, 391
 - malnutrition/undernutrition, 136, 136*t*
 - maternal health and, 386–387
 - maternal mortality and, 390–391
 - micronutrient deficiencies, 138–139, 139*t*
 - middle childhood, 85–89, 86–90*t*, 100–101
 - overweight/obesity, 137–138, 137*t*
 - policy framework, 396–397
 - prenatal health and, 387–389
 - school feeding programs, 147–164. *See also* school feeding programs
 - stunting, 391–392, 392*f*
 - malnutrition/undernutrition
 - adolescence, 43
 - consequences of, 43
 - early childhood, 43
 - interventions, 136, 136*t*
 - middle childhood, 43, 135–136, 135–136*t*
 - prevalence of, 37–41, 38–41*f*, 38*t*, 135–136
 - micronutrient deficiencies, 16, 138–139, 139*t*
 - interventions, 138–139, 139*t*
 - prevalence, 138
 - middle childhood, 133–145
 - eating disorders, 140–141
 - importance of, 133–135, 134*f*
 - malnutrition/undernutrition, 43, 135–136, 135–136*t*
 - micronutrient deficiencies, 138–139, 139*t*
 - overweight/obesity, 87, 87*t*, 136–138, 137*t*
 - physical growth and, 133
 - stunting, 87, 87*t*, 90*t*
 - underweight, 86
 - wasting, 87
 - overweight/obesity
 - adolescence, 39–41, 40–41*f*
 - interventions, 137–138, 137*t*
 - middle childhood, 87, 87*t*, 136–138, 137*t*
 - prevalence of, 136–137
 - in women (15–49 years), 40–41, 41*f*
 - physical growth, 133
 - pregnant adolescents, 139–140
 - stunting, 87, 87*t*, 90*t*
 - underweight
 - adolescence, 39, 39*f*, 40–41, 41*f*
 - early childhood, 38, 38*f*
 - middle childhood, 86
 - in women (15–49 years), 40–41, 41*f*
 - wasting, 87
- O**
- obesity. *See* overweight/obesity
 - Ogden, C. L., 137
 - oral health, 13, 211–220
 - alcohol use and, 213, 215
 - benefits and costs, 359–360, 362
 - consumption patterns and, 213–214
 - fluoride and, 216, 216*b*
 - intersectoral collaboration, 217
 - interventions, 214–217, 216*b*
 - in LMICs, 214
 - malnutrition/undernutrition and, 212
 - noma, 212–213
 - oral injuries and trauma, 212
 - policy implications, 217
 - risk factors, 213–214

- school intervention programs, 214–215, 215*b*
 - sugar consumption and, 213, 215
 - surveillance, 216–217
 - tobacco use and, 213, 215
 - tooth decay, 211–212, 212*f*
 - overweight/obesity
 - adolescence, 39–41, 40–41*f*, 63–64, 67–68*m*, 136–138, 137*t*, 244–245, 372–373, 374
 - early childhood, 87, 87*t*
 - interventions, 137–138, 137*t*
 - middle childhood, 87, 87*t*, 136–138, 137*t*
 - prevalence of, 136–137
 - in women (15–49 years), 40–41, 41*f*
- P**
- Pakistan
 - adolescence interventions in, 298
 - burden of disease in, 63–64
 - deworming programs in, 166
 - disability in, 227
 - early childhood interventions in, 85, 90, 259, 344–345, 349–350
 - education in, 310
 - nutrition in, 133, 392
 - overweight/obesity prevalence in, 64
 - Pan American Health Organization, 203
 - Partnership for Child Development, 232
 - Patrinos, H. A., 93, 94*n*2
 - Patton, George C., 1, 57, 107, 133, 239, 287
 - peer influence, sensitivity to, 110, 140–141
 - perinatal mortality, 330
 - Peru
 - cash transfers programs in, 326–332, 334
 - education in, 49
 - middle childhood interventions in, 100–101
 - nutrition in, 43, 136
 - vaccinations in, 204–205
 - Petrowski, N., 223
 - Pfeifer, J. H., 110
 - Philippines
 - burden of disease in, 64
 - early childhood interventions in, 90, 346
 - health and education outcomes in, 16
 - middle childhood interventions in, 102, 359
 - nutrition in, 43, 139
 - oral health in, 212–213, 215
 - physical activity in adolescence, 64
 - PIRLS (Progress in International Reading Literacy Study), 48
 - PISA (Programme for International Student Assessment), 48–51, 428
 - Plan International, 260
 - platforms for intervention delivery, 4–5*b*
 - adolescence, 269–305
 - benefit-cost ratios, 277–279, 278*f*, 278*t*
 - burden of disease, 289–290*f*, 289–291
 - community programs, 297–299, 298*t*
 - developmental context, 288–289
 - FRESH framework, 279–281, 280–281*f*
 - gender equity, 274–276, 275–276*f*
 - health services, 293–295, 294*f*, 295*t*
 - injury-excess countries, 292
 - learning outcomes, 271–273, 271*t*, 272–273*f*
 - media and social marketing, 300–301, 300*t*
 - mobile health programs, 299–300, 299*t*
 - multiburden countries, 291–292
 - NCD-predominant countries, 292
 - policy framework, 279–282, 301–302, 301*t*
 - poverty reduction, 274–276, 275–276*f*
 - SABER tool, 281
 - school health and nutrition, 270–271, 270–271*f*, 295–297, 296*f*, 296*t*
 - schools as entry point for interventions, 273–274
 - sector roles, 276, 277*t*
 - cash transfers, 325–341, 327–329*t*
 - anemia prevalence and, 330–332
 - anthropometric measures and, 330–332
 - child development outcomes and, 334
 - cost-effectiveness of, 334–335
 - early childhood and, 333
 - education outcomes and, 334
 - health outcomes and, 330–334
 - infant mortality and, 330
 - low birth weight and, 330
 - morbidity rates and, 330
 - mortality rates and, 330
 - neonatal mortality and, 330
 - nutrition and, 333
 - perinatal mortality and, 330
 - pregnancy and, 332
 - recipient role in, 335–336
 - sexual and reproductive health and, 333–334
 - early childhood, 253–268
 - accumulated risks, 255–256
 - child care, 260–261, 260*t*
 - clinic services, 259–260, 260*t*
 - community services, 259–260, 260*t*
 - developmental progression, 254
 - education sector governance, 258
 - equity and rights, 256
 - governance, 258–259
 - health sector governance, 258
 - home visits, 259–260, 260*t*
 - integrated interventions, 256–258, 257*t*
 - maternal stress, 255
 - multisectoral coordination, 256–258, 257*t*

- nutritional deficiencies, 255
 - poverty, 255
 - preprimary school, 260*t*, 261–262
 - primary school, 260*t*, 262–263
 - quality improvement and accountability, 259
 - risk factors, 254–256
 - education, 307–324
 - benefit-cost ratios, 318*b*
 - conceptual framework, 308, 309*f*
 - cost-reduction interventions, 309–310, 310*f*
 - deworming programs, 315, 317*t*
 - health interventions, 313–319, 314*b*, 317*t*
 - incentives-based interventions, 309–310, 310*f*, 313*t*
 - information-based interventions, 310, 311*b*
 - infrastructure, 311–312, 312*f*
 - instructional interventions, 311–312, 312*b*, 312*f*, 313*t*
 - interventions, 308–319
 - malaria interventions, 315–316, 317*t*
 - materials and technology, 312
 - nutrition interventions, 316–317, 317*t*
 - school-based management (SBM), 310
 - teacher resources, 312
 - middle childhood, 269–285
 - benefit-cost ratios, 277–279, 278*f*, 278*t*
 - FRESH framework, 279–281, 280–281*f*
 - gender equity, 274–276, 275–276*f*
 - learning outcomes, 271–273, 271*t*, 272–273*f*
 - policy framework, 279–282
 - poverty reduction, 274–276, 275–276*f*
 - SABER tool, 281
 - school health and nutrition, 270–271, 270–271*f*
 - schools as entry point for interventions, 273–274
 - sector roles, 276, 277*t*
 - Plaut, Daniel, 307
 - poverty reduction
 - early childhood, 255
 - education and, 255
 - middle childhood, 274–276, 275–276*f*
 - Pradhan, Elina, 423
 - pregnancy and prenatal health
 - cash transfers and, 332
 - education interventions and, 403–411, 406–407*t*
 - maternal health and mortality, 386–387, 390–391, 403–411, 406–407*t*
 - nutrition interventions during, 139–140, 241–242, 386–389, 390–391
 - preprimary school, 260*t*, 261–262
 - prevalence rates
 - anemia, 330–332
 - disability, 223–224, 224–225*t*
 - malaria, 183–185, 184*f*, 185*t*, 186–187*m*
 - malnutrition/undernutrition, 37–41, 38–41*f*, 38*t*, 135–136
 - micronutrient deficiencies, 138
 - overweight/obesity, 136–137
 - soil-transmitted helminths, 165–169, 166*m*, 168*t*, 170–171*m*, 172*f*, 172*t*
 - primary school, 260*t*, 262–263
 - Programme for International Student Assessment (PISA), 48–51, 428
 - Progress in International Reading Literacy Study (PIRLS), 48
 - Proyector Integral de Desarrollo Infantil (Bolivia), 91
 - Psacharopoulos, G., 93, 94*n*2
 - psychosocial interventions, 113
 - puberty. *See also* adolescence
 - affective processing and, 110
 - brain development during, 109
 - cognitive development during, 110–111
 - developmental processes, 107–111
 - effects on health and disease, 108–109
 - evolutionary implications, 109
 - executive control and, 110–111
 - peer influence, sensitivity to, 110
 - stages of, 107–108
 - temporal discounting and, 110
 - timing of, 108–109
 - Pullan, Rachel, 165
- Q**
- quality-adjusted life year (QALY), 358, 371–374
 - Quentin, W., 204
- R**
- Rajaa, Y. A., 184–185
 - Ramakrishnan, U., 101
 - Reavley, Nicola, 239, 287
 - Rehman, L., 134
 - reproductive health. *See* sexual and reproductive health
 - Republic of Korea. *See* Korea, Republic of
 - risk factors. *See also* health risks
 - adolescence, 63–65, 64–67*m*, 111–112
 - early childhood, 254–256
 - oral health, 213–214
 - road safety, 242, 292, 300
 - Rockers, P. C., 101
 - roundworm, 165–166. *See also* deworming programs
 - rubella vaccinations, 241
 - Russian Federation
 - adolescence interventions in, 375–376
 - burden of disease in, 63

- Rwanda
 adolescence interventions in, 273, 279, 281
 middle childhood interventions in, 273, 279, 281
 nutrition in, 39–40, 158
 vaccinations in, 202
- S**
- St. Lucia, early childhood interventions in, 345, 347
- Sandhu, J., 44
- Santelli, John, 369
- São Tomé and Príncipe
 nutrition in, 42
 overweight/obesity prevalence in, 39–40
- Sarr, Bachir, 269
- Sawyer, Susan M., 239, 287
- Schäferhoff, Marco, 423
- Schellenberg, David, 183
- school attendance. *See also* education
 disability and, 226–227
 malaria and, 187
- school-based management (SBM), 310
- school feeding programs, 147–164.
See also nutrition
 access to education and, 153
 benchmarking, 150–152, 151*t*, 152*f*
 benefit-cost ratios, 157–158, 157*t*, 158*f*
 cognitive development and, 155, 156*t*
 defined, 282*n*1
 design and implementation of, 149–150
 educational outcomes and, 152–154, 153*t*
 effectiveness of, 149–157
 global trends, 148–149, 148*f*
 local agriculture and, 150*b*, 156–157
 nutrition and, 154–157
 School Meals Planner software, 159*b*
 social protection and, 152
- School Meals Planner software, 159*b*
- Schultz, Linda, 1, 221, 269
- SDGs. *See* Sustainable Development Goals
- seasonal malaria chemoprevention (SMC), 188, 191–193, 295
- secondary education as health intervention, 112, 296
- self-harm, 111
- self-productivity, 82
- self-regulation, 122, 127–128
- Senegal
 adolescence interventions in, 270, 279, 281
 early childhood interventions in, 262
 malaria in, 188, 192
 middle childhood interventions in, 270, 279, 281
 nutrition in, 42
 oral health in, 213
- Sesame Street* (television program), 262
- sexual and reproductive health
 in adolescence, 64–65, 64*m*, 240–241, 373, 374, 378
 cash transfers and, 333–334
- Sharma, C. P., 93
- Shih, Andy, 231
- Sierra Leone
 malaria in, 188
 nutrition in, 39–40, 42
 vaccinations in, 203
- Singapore, education in, 49–50
- SMC. *See* seasonal malaria chemoprevention
- Smink, F. R., 141
- smoking. *See* tobacco use
- social determinants of health, 240
- social marketing. *See* media and social marketing
- social protection, 152
- socioemotional development
 early childhood, 89–93
 middle childhood, 89–93, 101–102, 102–103*t*
- soil-transmitted helminth (STH) infections, 179*b*.
See also deworming programs
- Somanathan, R., 153, 155
- South Africa
 adolescence interventions in, 271–272, 375–376
 burden of disease in, 63, 65
 cash transfers programs in, 327, 329, 331, 333
 disability in, 223
 early childbirth rates in, 65
 middle childhood interventions in, 271–272
 nutrition in, 43, 139, 154, 390
 oral health in, 212
- South Asia. *See also specific countries*
 adolescence interventions in, 273, 275
 anemia in, 39
 deworming programs in, 168–169
 disability in, 224
 early childhood interventions in, 86–87, 90
 education in, 49, 313, 403, 404
 malaria in, 185
 middle childhood interventions in, 273, 275
 mortality rates in, 26, 29, 31, 33–34
 nutrition in, 38–42, 392, 393
 underweight children in, 38
- South-East Asia. *See also specific countries*
 anemia in, 39
 burden of disease in, 63, 69
 deworming programs in, 172
 disability in, 224
 early childhood interventions in, 344

- malaria in, 185
 - middle childhood interventions in, 359
 - nutrition in, 38–43, 138
 - underweight children in, 38, 63
 - Spain, illicit substance use in, 63
 - Spencer, R. A., 134
 - Sri Lanka
 - cash transfers programs in, 327, 331
 - education in, 316
 - malaria in, 187, 189
 - overweight/obesity prevalence in, 64
 - underweight prevalence in, 63
 - vaccinations in, 203
 - Srinivasan, R., 135
 - Stauf, Nicole, 211
 - Steckel, R. H., 100
 - Stein, A. D., 43
 - Stoll, Norman, 169
 - Stoltzfus, R. J., 173
 - stunting
 - early childhood, 87, 87*t*, 90*t*
 - middle childhood, 87, 87*t*, 90*t*, 100
 - nutrition interventions, 391–392, 392*f*
 - Sub-Saharan Africa. *See also specific countries*
 - adolescence interventions in, 112, 241–242, 270–271, 273–275, 279–280
 - burden of disease in, 62–65, 68–69
 - cash transfers programs in, 333, 336
 - deworming programs in, 166–169, 171
 - early childhood interventions in, 85–87, 90, 93, 261, 263, 344–345
 - education in, 49, 313, 318, 403, 435
 - malaria in, 183–185, 187, 189–191
 - middle childhood interventions in, 270–271, 273–275, 279–280, 357, 359–363
 - mortality rates in, 26–27, 29, 31–34
 - nutrition in, 39–41, 149, 155, 159, 392–393
 - oral health in, 213–214
 - underweight prevalence in, 40
 - Sudarshan, H., 135
 - sugar consumption and oral health, 213, 215
 - suicide, 243–244
 - Sustainable Development Goals (SDGs)
 - on adolescence interventions, 239, 369
 - on early childhood interventions, 253, 256
 - on education, 14, 112, 147, 308, 424, 435
 - Suzuki, Elina M., 423
 - Swaziland
 - adolescence interventions in, 273
 - burden of disease in, 63, 65
 - early childbirth rates in, 65
 - middle childhood interventions in, 273
 - nutrition in, 42
 - overweight/obesity prevalence in, 39–40
 - Sweden
 - adolescence interventions in, 373
 - middle childhood interventions in, 100, 102
 - nutrition in, 388
 - Switzerland
 - disability in, 227
 - oral health in, 214
 - Synaptic pruning, 122
 - Systems Assessment of Better Education Results (SABER), 150, 281
- T**
- Taiwan, China
 - deworming programs in, 169
 - education in, 49–50
 - Tanner, J. M., 108
 - Tanzania
 - adolescence interventions in, 281, 377–378
 - cash transfers programs in, 327–331, 334
 - early childhood interventions in, 90, 261
 - malaria in, 191
 - middle childhood interventions in, 281, 361
 - nutrition in, 152, 387, 392
 - school feeding program in, 152, 152*f*
 - vaccinations in, 200, 203–204
 - Taylor-Robinson, D. C., 101, 173, 175
 - TDA. *See* Triple Drug Administration
 - temporal discounting, 110
 - tetanus vaccinations
 - benefit-cost ratios, 203–204
 - delivery strategies, 200–201
 - effectiveness of, 13, 203
 - history of, 199–200
 - Thailand
 - adolescence interventions in, 270
 - burden of disease in, 63–64
 - early childhood interventions in, 262
 - education in, 318
 - middle childhood interventions in, 270, 362
 - oral health in, 212
 - overweight/obesity prevalence in, 64
 - Thomas, Milan, 307
 - Thomas, R., 135
 - TIMSS. *See* Trends in International Mathematics and Science Study
 - tobacco use
 - in adolescence, 63, 65–66*m*, 245, 373, 374
 - oral health and, 213, 215

- Todd, P., 91
- Tonga
 - overweight/obesity prevalence in, 64
 - tobacco use in, 63
- tooth decay, 211–212, 212*f*. *See also* oral health
- Trends in International Mathematics and Science Study (TIMSS), 48–49, 51, 262, 428
- Triple Drug Administration (TDA), 177
- Tunisia
 - disability in, 226
 - vaccinations in, 201
- Turkey
 - burden of disease in, 69
 - early childhood interventions in, 91, 259, 344, 346, 348–349
 - middle childhood interventions in, 100, 102
- Turner, Hugo C., 165
- U**
- UCTs. *See* unconditional cash transfers
- Uganda
 - adolescence interventions in, 279
 - cash transfers programs in, 328–330, 332–334
 - deworming programs in, 167, 178, 416
 - disability in, 223
 - early childhood interventions in, 90, 260–261, 350
 - education in, 316
 - malaria in, 187–188, 190
 - middle childhood interventions in, 100, 279
 - nutrition in, 39–40, 42, 135, 152–153, 155, 392, 395
 - school feeding program in, 152, 152*f*
 - vaccinations in, 202, 204–205
- Ukraine, burden of disease in, 63
- unconditional cash transfers (UCTs), 325, 329–337, 339, 341
- undernutrition. *See* malnutrition/undernutrition
- underweight
 - adolescence, 39, 39*f*, 40–41, 41*f*, 63, 241–242
 - early childhood, 38, 38*f*, 86
 - middle childhood, 86
 - women (15–49 years), 40–41, 41*f*
- UNESCO Institute for Statistics, 262–263, 273
- United Kingdom
 - adolescence interventions in, 107, 371–373
 - disability in, 225
 - education in, 50, 314
 - malaria in, 183
 - middle childhood interventions in, 99, 355
 - nutrition in, 147, 154, 390
- United Nations Development Programme, 215
- United Nations Population Division, 8, 30, 32, 34
- United States
 - adolescence interventions in, 243, 269, 271, 371–374
 - binge drinking in, 63
 - cash transfers programs in, 325–326
 - deworming programs in, 165, 169
 - disability in, 221, 224, 225*t*, 227–228, 231
 - early childhood interventions in, 85, 91, 93, 344, 346
 - education in, 47, 307, 403
 - illicit substance use in, 63
 - middle childhood interventions in, 100, 102, 269, 271, 361
 - nutrition in, 37, 43, 139, 141, 148, 154–155, 385, 388, 390
 - oral health in, 211–213, 216
 - overweight/obesity prevalence in, 63
 - sexual and reproductive health in, 65
- upper-middle-income countries
 - adolescence interventions in, 374
 - early childhood interventions in, 349–350
 - education in, 424, 432, 434
 - middle childhood interventions in, 355, 362–363
 - oral health in, 211
- Uruguay
 - cash transfers programs in, 327–328, 330, 332
 - early childhood interventions in, 92, 344–346, 348–349
 - hearing loss in, 232
 - nutrition in, 137
- U.S. Agency for International Development (USAID), 58, 262–263, 419
- V**
- vaccinations, 199–209
 - in adolescence, 241
 - hepatitis, 241
 - HPV, 60, 200
 - benefit-cost ratios, 204–206, 204*t*
 - delivery strategies, 201–203, 202*m*
 - effectiveness, 203
 - malaria vaccine development, 192, 241
 - middle childhood, 360, 362
 - program design for school-based delivery, 200–203
 - rubella, 241
 - tetanus, 13, 199–200
 - benefit-cost ratios, 203–204
 - delivery strategies, 200–201
 - effectiveness, 203
- Vaccine Alliance, 203
- Van der Sluis, J., 94*n*2
- Van Hoeken, D., 141

- Van Praag, M., 94n2
 Varenne, Benoit, 211
 Vargas-Barón, E., 256
 vector control for malaria, 190–191
 Verguet, Stéphane, 403
 Vermeersch, C., 153
 Vietnam
 burden of disease in, 69
 disability in, 225–226, 229, 230t
 early childhood interventions in, 90
 education in, 49, 317
 middle childhood interventions in, 101
 nutrition in, 43, 154, 158
 vaccinations in, 202, 204–205
 Vijverberg, W., 94n2
 Viner, Russell M., 107
 violence
 adolescence and, 111, 242–243
 early child development and, 4b
 vision correction, 13, 228–229
 Vitor-Silva, S., 185
- W**
- Waldfoegel, Jane, 369
 Walker, Susan, 79, 93
 Wang, H., 25
 Washington Group on Disability Statistics, 222, 229b
 wasting, 87
 Watkins, Kristie L., 99
 Watson-Jones, Deborah, 199
 West, Kristine, 228
 whipworm, 165–166. *See also* deworming programs
 WHO. *See* World Health Organization
 WHO and World Bank, 221–222, 225–226
 Woessmann, L., 47
 women. *See also* gender equity
 anemia in, 41, 42f
 overweight/obesity in, 40–41, 41f
 underweight in, 40–41, 41f
World Development Report 2007: Development and the Next Generation (World Bank), 5
 World Education Forum, 169, 214, 230, 270, 279
 World Health Assembly, 61, 171
 World Health Organization (WHO)
 on adolescence interventions, 61–62, 242–243, 291–293, 379–380
 on anemia prevalence, 38, 38t
 on deworming programs, 171–172, 413–415, 419
 on early childhood interventions, 256, 259
 Global Health Estimates (GHE), 32, 33–34t
 on malaria, 185–186, 189–190
 on middle childhood interventions, 10, 357
 on mortality causes, 25
 on nutrition, 135, 153–154
 on oral health, 213
 on soil-transmitted helminth (STH) infections, 179b
 World Population Prospects (WPP), 32
 Worthington, Jordan, 307
 Worthman, C. M., 111
 Wu, Kin Bing, 47
- Y**
- Yakubu, Ahmadu, 199
 Yamasaki, I., 223, 226
 Yemen
 early childhood interventions in, 90
 malaria in, 184
 nutrition in, 392
 underweight prevalence in, 63
 Yin, Y. N., 140
 Youth for Road Safety (YOURS), 300
- Z**
- Zambia
 adolescence interventions in, 279
 cash transfers programs in, 327–328, 331–332, 334
 disability in, 226
 middle childhood interventions in, 279
 sexual and reproductive health in, 65
 Zanzibar
 adolescence interventions in, 281
 disability in, 228, 230
 early childhood interventions in, 261
 middle childhood interventions in, 281
 Zimbabwe
 adolescence interventions in, 279
 disability in, 226
 health and education outcomes in, 16
 middle childhood interventions in, 279
 nutrition in, 39–40, 42
 Zimmerman, Linnea, 25, 26, 32

ECO-AUDIT

Environmental Benefits Statement

The World Bank Group is committed to reducing its environmental footprint. In support of this commitment, we leverage electronic publishing options and print-on-demand technology, which is located in regional hubs worldwide. Together, these initiatives enable print runs to be lowered and shipping distances decreased, resulting in reduced paper consumption, chemical use, greenhouse gas emissions, and waste.

We follow the recommended standards for paper use set by the Green Press Initiative. The majority of our books are printed on Forest Stewardship Council (FSC)-certified paper, with nearly all containing 50–100 percent recycled content. The recycled fiber in our book paper is either unbleached or bleached using totally chlorine-free (TCF), processed chlorine-free (PCF), or enhanced elemental chlorine-free (EECF) processes.

More information about the Bank's environmental philosophy can be found at <http://www.worldbank.org/corporateresponsibility>.

