

DCP3 Series Acknowledgments

Disease Control Priorities, third edition (*DCP3*) compiles the global health knowledge of institutions and experts from around the world, a task that required the efforts of over 500 individuals, including volume editors, chapter authors, peer reviewers, advisory committee members, and research and staff assistants. For each of these contributions we convey our acknowledgement and appreciation. First and foremost, we would like to thank our 33 volume editors who provided the intellectual vision for their volumes based on years of professional work in their respective fields, and then dedicated long hours to reviewing each chapter, providing leadership and guidance to authors, and framing and writing the summary chapters. We also thank our chapter authors who collectively volunteered their time and expertise to writing over 160 comprehensive, evidence-based chapters.

We owe immense gratitude to the institutional sponsor of this effort: The Bill & Melinda Gates Foundation. The Foundation provided sole financial support of the Disease Control Priorities Network. Many thanks to Program Officers Kathy Cahill, Philip Setel, Carol Medlin, and (currently) Damian Walker for their thoughtful interactions, guidance, and encouragement over the life of the project. We also wish to thank Jaime Sepúlveda for his longstanding support, including chairing the Advisory Committee for the second edition and, more recently, demonstrating his vision for *DCP3* while he was a special advisor to the Gates Foundation. We are also grateful to the University of Washington's Department of Global Health and successive chairs King Holmes and Judy Wasserheit for providing a home base for the *DCP3* Secretariat, which included intellectual collaboration, logistical coordination, and administrative support.

We thank the many contractors and consultants who provided support to specific volumes in the form of economic analytical work, volume coordination, chapter drafting, and meeting organization: the Center for Disease Dynamics, Economics, & Policy; Center for Chronic Disease Control; Center for Global Health Research; Emory University; Evidence to Policy Initiative; Public Health Foundation of India; QURE Healthcare; University of California, San Francisco; University of Waterloo; University of Queensland; and the World Health Organization.

We are tremendously grateful for the wisdom and guidance provided by our advisory committee to the editors. Steered by Chair Anne Mills, the advisory committee assures quality and intellectual rigor of the highest order for *DCP3*.

The National Academies of Science, Engineering, and Medicine, in collaboration with the Interacademy Medical Panel, coordinated the peer-review process for all *DCP3* chapters. Patrick Kelley, Gillian Buckley, Megan Ginivan, and Rachel Pittluck managed this effort and provided critical and substantive input.

The World Bank External and Corporate Relations Publishing and Knowledge division provided exceptional guidance and support throughout the demanding production and design process. We would particularly like to thank Carlos Rossel, the publisher; Mary Fisk, Nancy Lammers, Rumit Pancholi, and Deborah Naylor for their diligence and expertise. Additionally, we thank Jose de Buerba, Mario Trubiano, Yulia Ivanova, and Chiamaka Osuagwu of the World Bank for providing professional counsel on communications and marketing strategies.

Several U.S. and international institutions contributed to the organization and execution of meetings that supported the preparation and dissemination of *DCP3*.

We would like to express our appreciation to the following institutions:

- University of Bergen, consultation on equity (June 2011)
- University of California, San Francisco, surgery volume consultations (April 2012, October 2013, February 2014)
- Institute of Medicine, first meeting of the Advisory Committee to the Editors ACE (March 2013)
- Harvard Global Health Institute, consultation on policy measures to reduce incidence of noncommunicable diseases (July 2013)
- Institute of Medicine, systems strengthening meeting (September 2013)
- Center for Disease Dynamics, Economics, and Policy (Quality and Uptake meeting Sept 2013, reproductive and maternal health volume consultation November 2013)

- National Cancer Institute cancer consultation (November 2013)
- Union for International Cancer Control cancer consultation (November 2013, December 2014)

Carol Levin provided outstanding governance for cost and cost-effectiveness analysis. Stéphane Verguet added invaluable guidance in applying and improving the extended cost-effectiveness analysis method. Shane Murphy, Zachary Olson, Elizabeth Brouwer, Kristen Danforth, David Watkins, Jennifer Nguyen, and Jennifer Grasso provided exceptional research assistance and analytic assistance. Brianne Adderley ably managed the budget and project processes. The efforts of these individuals were absolutely critical to producing this series, and we are thankful for their commitment.

Volume and Series Editors

VOLUME EDITORS

Robert E. Black

Robert E. Black, MD, MPH, has focused his research and professional activities on reducing the number of unnecessary child deaths in developing countries. He is conducting epidemiologic research on the interaction of infectious diseases and nutrition, clinical and community-based trials of new vaccines to prevent childhood infectious diseases, and trials of nutritional interventions to reduce infectious disease morbidity and mortality, as well as improve growth and development. He is also assisting with implementation of disease control and nutrition programs in developing countries and conducting evaluations of their effectiveness and mortality impact. He is currently a Professor of International Health at Johns Hopkins Bloomberg School of Public Health.

Ramanan Laxminarayan

Ramanan Laxminarayan is Vice President for Research and Policy at the Public Health Foundation of India, and he directs the Center for Disease Dynamics, Economics & Policy in Washington, D.C., and New Delhi. His research deals with the integration of epidemiological models of infectious diseases and drug resistance into the economic analysis of public health problems. He was one of the key architects of the Affordable Medicines Facility for malaria, a novel financing mechanism to improve access and delay resistance to antimalarial drugs. In 2012, he created the Immunization Technical Support Unit in India, which has been credited with improving immunization coverage in the country. He teaches at Princeton University.

Marleen Temmerman

Professor Marleen Temmerman is Chair, Department Obstetrics and Gynaecology, and Director, Women's Health and Research, Aga Khan University, East Africa, since 2015. She was previously Director, Reproductive Health and Research, World Health Organization. She is the Founding Director of the International Centre of Reproductive Health, Ghent University, Belgium, with sister organizations in Kenya and Mozambique. She has a strong academic background, with over 500 publications in the area of women's health, and she has mentored PhD students around the globe.

In 2007, she was elected Senator in the Belgian Parliament. She served as a member of the iERG (independent expert review group) of the United Nations Secretaries-General's Every Woman, Every Child platform to accelerate Millennium Development Goals (MDGs) 4 and 5. She is one of the penholders of the new Global Strategy for Women's, Children, and Adolescents' health, transitioning from the MDGs to the Sustainable Development Goals.

Neff Walker

Neff Walker is a Senior Scientist in the Institute for International Programs, Department of International Health, Bloomberg School of Public Health, Johns Hopkins University. Before coming to Johns Hopkins University, he spent four years at UNICEF as the Senior Advisor for estimation and modeling related to the impact of HIV/AIDS, as well as serving as UNICEF's focal point for the Child Health Epidemiology Reference Group (CHERG). From 1998 through 2003, Neff worked as the Senior Advisor for statistics and modeling at United Nations Program on HIV/AIDS. In both positions a primary focus of his work was the development

and implementation of standard methods for estimation and modeling related to disease burden.

SERIES EDITORS

Dean T. Jamison

Dean T. Jamison is a Senior Fellow in Global Health Sciences at the University of California, San Francisco, and an Emeritus Professor of Global Health at the University of Washington. He previously held academic appointments at Harvard University and the University of California, Los Angeles; he was an economist on the staff of the World Bank, where he was lead author of the World Bank's *World Development Report 1993: Investing in Health*. He was lead editor of *DCP2*. He holds a PhD in economics from Harvard University and is an elected member of the Institute of Medicine of the U.S. National Academy of Sciences. He recently served as Co-Chair and Study Director of *The Lancet's Commission on Investing in Health*.

Rachel Nugent

Rachel Nugent is a Research Associate Professor in the Department of Global Health at the University of Washington. She was formerly Deputy Director of Global Health at the Center for Global Development, Director of Health and Economics at the Population Reference Bureau, Program Director of Health and Economics Programs at the Fogarty International Center of the National Institutes of Health, and senior economist at the Food and Agriculture Organization of the United Nations. From 1991–97, she was associate professor and department chair in economics at Pacific Lutheran University. She has advised the World Health Organization, the U.S. government, and nonprofit organizations on the economics and policy environment of noncommunicable diseases.

Hellen Gelband

Hellen Gelband is Associate Director for Policy at the Center for Disease Dynamics, Economics & Policy (CDDEP). Her work spans infectious disease, particularly malaria and antibiotic resistance, and noncommunicable disease policy, mainly in low- and middle-income countries. Before joining CDDEP, then Resources for the Future, she conducted policy studies at the (former) Congressional Office of Technology Assessment, the Institute of Medicine of the U.S. National Academies, and a number of international organizations.

Susan Horton

Susan Horton is Professor at the University of Waterloo and holds the Centre for International Governance

Innovation (CIGI) Chair in Global Health Economics in the Balsillie School of International Affairs there. She has consulted for the World Bank, the Asian Development Bank, several United Nations agencies, and the International Development Research Centre, among others, in work carried out in over 20 low- and middle-income countries. She led the work on nutrition for the Copenhagen Consensus in 2008, when micro-nutrients were ranked as the top development priority. She has served as associate provost of graduate studies at the University of Waterloo, vice-president academic at Wilfrid Laurier University in Waterloo, and interim dean at the University of Toronto at Scarborough.

Prabhat Jha

Prabhat Jha is the founding director of the Centre for Global Health Research at St. Michael's Hospital and holds Endowed and Canada Research Chairs in Global Health in the Dalla Lana School of Public Health at the University of Toronto. He is lead investigator of the Million Death Study in India, which quantifies the causes of death and key risk factors in over two million homes over a 14-year period. He is also Scientific Director of the Statistical Alliance for Vital Events, which aims to expand reliable measurement of causes of death worldwide. His research includes the epidemiology and economics of tobacco control worldwide.

Ramanan Laxminarayan

See the list of Volume Editors.

Charles N. Mock

Charles N. Mock, MD, PhD, FACS, has training as both a trauma surgeon and an epidemiologist. He worked as a surgeon in Ghana for four years, including at a rural hospital (Berekum) and at the Kwame Nkrumah University of Science and Technology (Kumasi). In 2005–07, he served as Director of the University of Washington's Harborview Injury Prevention and Research Center. In 2007–10, he worked at the World Health Organization (WHO) headquarters in Geneva, where he was responsible for developing the WHO's trauma care activities. In 2010, he returned to his position as Professor of Surgery (with joint appointments as Professor of Epidemiology and Professor of Global Health) at the University of Washington. His main interests include the spectrum of injury control, especially as it pertains to low- and middle-income countries: surveillance, injury prevention, prehospital care, and hospital-based trauma care. He is President (2013–15) of the International Association for Trauma Surgery and Intensive Care.

Contributors

Frances E. Aboud

Department of Psychology, McGill University,
Montreal, Canada

Fernando Althabe

Institute for Clinical Effectiveness and Health Policy,
Buenos Aires, Argentina

Ashvin Ashok

Clinton Health Access Initiative, Boston,
Massachusetts, United States

Henrik Axelson

Partnership for Maternal, Newborn and Child Health,
World Health Organization, Phnom Penh, Cambodia

Rajiv Bahl

Department of Reproductive Health and Research,
World Health Organization, Geneva, Switzerland

Akinrinola Bankole

Guttmacher Institute, New York, New York,
United States

Zulfiqar A. Bhutta

Division of Women and Child Health, Aga Khan
University Hospital, Karachi, Pakistan

Lori A. Bollinger

Avenir Health, Glastonbury, Connecticut,
United States

Deborah C. Hay Burgess

Bill & Melinda Gates Foundation, Seattle, Washington,
United States

Doris Chou

Department of Reproductive Health and Research,
World Health Organization, Geneva, Switzerland

Yue Chu

Johns Hopkins Bloomberg School of Public Health,
Baltimore, Maryland, United States

John Cleland

Department of Population Health, London School of
Hygiene & Tropical Medicine, London, United Kingdom

Simon Cousens

MARCH Center, London School of Hygiene & Tropical
Medicine, London, United Kingdom

Jai K. Das

Division of Women and Child Health, Aga Khan
University, Karachi, Pakistan

Julia R. Driessen

Department of Health Policy and Management,
University of Pittsburgh, Pittsburgh, Pennsylvania,
United States

Valérie D'Acemont

Swiss Tropical and Public Health Institute, University
of Basel, Basel, Switzerland

Alex Ezech

African Population and Health Research Center,
Nairobi, Kenya

Daniel R. Feikin

Centers for Disease Control and Prevention, Atlanta,
Georgia, United States

Véronique Filippi

Department of Infectious Disease Epidemiology,
London School of Hygiene & Tropical Medicine,
London, United Kingdom

- Mariel M. Finucane**
Gladstone Institutes, University of California, San Francisco, San Francisco, California, United States
- Christa Fischer Walker**
Johns Hopkins Bloomberg School of Public Health, Baltimore, Maryland, United States
- Brendan Flannery**
Centers for Disease Control and Prevention, Atlanta, Georgia, United States
- Ingrid K. Friberg**
Johns Hopkins Bloomberg School of Public Health, Baltimore, Maryland, United States
- Bela Ganatra**
Department of Reproductive Health and Research, World Health Organization, Geneva, Switzerland
- Marijke Gielen**
Department of Paediatrics, University Hospitals Leuven, Leuven, Belgium
- Wendy Graham**
The Institute of Applied Health Sciences, University of Aberdeen, Aberdeen, United Kingdom
- A. Metin Gürmezoglu**
Department of Reproductive Health and Research, World Health Organization, Geneva, Switzerland
- Demissie Habte**
Board of Trustees, International Clinical Epidemiological Network, Addis Ababa, Ethiopia
- Mary J. Hamel**
Centers for Disease Control and Prevention, Atlanta, Georgia, United States
- Davidson H. Hamer**
Department of Global Health, Boston University School of Public Health, Boston, Massachusetts, United States
- Peter M. Hansen**
Gavi Alliance, Geneva, Switzerland
- Karen Hardee**
Population Council, New York, New York, United States
- Julie M. Herlihy**
Department of Global Health, Boston University School of Public Health, Boston, Massachusetts, United States
- Natasha Hezelgrave**
Division of Women's Health, King's College London School of Medicine, London, United Kingdom
- Kenneth Hill**
Harvard T. H. Chan School of Public Health, Boston, Massachusetts, United States
- G. Justus Hofmeyr**
Effective Care Research Unit, East London Hospital Complex, East London, South Africa
- Dan Hogan**
Department of Health Statistics and Informatics, World Health Organization, Geneva, Switzerland
- Susan Horton**
School of Public Health and Health Systems, University of Waterloo, Waterloo, Canada
- Aamer Imdad**
SUNY Upstate Medical University, Syracuse, New York, United States
- Dean T. Jamison**
Department of Global Health, University of Washington, Seattle, Washington, United States
- Kjell Arne Johansson**
Department of Public Health & Centre for International Health, University of Bergen, Bergen, Norway
- Gerald T. Keusch**
Boston University School of Medicine, Boston, Massachusetts, United States
- Margaret E. Kruk**
Harvard T.H. Chan School of Public Health, Boston, Massachusetts, United States
- Rohail Kumar**
Division of Women and Child Health, Aga Khan University, Karachi, Pakistan
- Zohra S. Lassi**
Division of Women and Child Health, Aga Khan University, Karachi, Pakistan
- Joy E. Lawn**
MARCH Center, London School of Hygiene & Tropical Medicine, London, United Kingdom
- Theresa A. Lawrie**
Department of Reproductive Health and Research, World Health Organization, Geneva, Switzerland
- Lindsey Lenters**
The Hospital for Sick Children, Toronto, Canada

- Carol Levin**
Department of Global Health, University of Washington, Seattle, Washington, United States
- Li Liu**
Johns Hopkins Bloomberg School of Public Health, Baltimore, Maryland, United States
- Colin Mathers**
Department of Health Statistics and Informatics, World Health Organization, Geneva, Switzerland
- Agustina Mazzoni**
Institute for Clinical Effectiveness and Health Policy, Buenos Aires, Argentina
- Solomon Tessema Memirie**
Department of Public Health & Centre for International Health, University of Bergen, Bergen, Norway
- Claudia Garcia Moreno**
Department of Reproductive Health and Research, World Health Organization, Geneva, Switzerland
- Sheila Mwero**
African Population and Health Research Center, Nairobi, Kenya
- Arindam Nandi**
Center for Disease Dynamics, Economics & Policy, Washington, DC, United States
- Olufemi T. Oladapo**
Department of Reproductive Health and Research, World Health Organization, Geneva, Switzerland
- Shefali Oza**
MARCH Center, London School of Hygiene & Tropical Medicine, London, United Kingdom
- Christopher J. Paciorek**
Department of Statistics, University of California, Berkeley, Berkeley, California, United States
- Clint Pecenka**
PATH, Seattle, Washington, United States
- Carine Ronsmans**
School of Public Health, Sichuan University, Chengdu, China
- Rehana A. Salam**
Division of Women and Child Health, Aga Khan University, Karachi, Pakistan
- Lale Say**
Department of Reproductive Health and Research, World Health Organization, Geneva, Switzerland
- Peter Sheehan**
Victoria Institute of Strategic Economic Studies, Melbourne, Victoria, Australia
- João Paula Souza**
Department of Social Medicine, Ribeirão Preto School of Medicine, University of São Paulo, São Paulo, Brazil
- Meghan Stack**
Johns Hopkins Bloomberg School of Public Health, Baltimore, Maryland, United States
- Cynthia Stanton**
Johns Hopkins Bloomberg School of Public Health, Baltimore, Maryland, United States
- Karin Stenberg**
Department of Health Systems Governance and Financing, World Health Organization, Geneva, Switzerland
- Gretchen A. Stevens**
Department of Health Statistics and Information Systems, World Health Organization, Geneva, Switzerland
- John Stover**
Avenir Health, Glastonbury, Connecticut, United States
- Kim Sweeny**
Victoria University, Melbourne, Victoria, Australia
- Stéphane Verguet**
Department of Global Health and Population, Harvard T. H. Chan School of Public Health, Boston, Massachusetts, United States
- Kerri Wazny**
The Hospital for Sick Children, Toronto, Canada
- Aisha K. Yousafzai**
Department of Paediatrics and Child Health, Aga Khan University, Karachi, Pakistan
- Abdhalah Kasiira Ziraba**
African Population and Health Research Center, Nairobi, Kenya

Advisory Committee to the Editors

Anne Mills, Chair

Professor, London School of Hygiene & Tropical Medicine, London, United Kingdom

Olusoji Adeyi

Director, Health, Nutrition and Population Global Practice, World Bank, Washington, DC, United States

Kesetebirhan Admasu

Minister of Health, Addis Ababa, Ethiopia

George Alleyne

Director Emeritus, Pan American Health Organization, Washington, DC, United States

Ala Alwan

Director, World Health Organization, Regional Office for the Eastern Mediterranean, Cairo, Arab Republic of Egypt

Rifat Atun

Professor, Global Health Systems, Harvard University, Boston, Massachusetts, United States

Zulfiqar A. Bhutta

Chair, Division of Women and Child Health, Aga Khan University Hospital, Karachi, Pakistan

Agnes Binagwaho

Minister of Health, Kigali, Rwanda

Mark Blecher

Senior Health Advisor, South Africa Treasury Department, Cape Town, South Africa

Patricia Garcia

Dean, School of Public Health, Universidad Peruana Cayetano Heredia, Lima, Peru

Roger Glass

Director, Fogarty International Center, National Institutes of Health, Bethesda, Maryland, United States

Amanda Glassman

Director, Global Health Policy, Center for Global Development, Washington, DC, United States

Glenda Gray

Executive Director, Perinatal HIV Research Unit, Chris Hani Baragwanath Hospital, Johannesburg, South Africa

Demissie Habte

Chair of Board of Trustees, International Clinical Epidemiological Network, Addis Ababa, Ethiopia

Richard Horton

Editor, *The Lancet*, London, United Kingdom

Edward Kirumira

Dean, Faculty of Social Sciences, Makerere University, Kampala, Uganda

Peter Lachmann

Professor, University of Cambridge, Cambridge, United Kingdom

Lai Meng Looi

Professor, University of Malaya, Kuala Lumpur, Malaysia

Adel Mahmoud

Senior Molecular Biologist, Princeton University, Princeton, New Jersey, United States

Anthony Measham

World Bank (retired)

Carol Medlin

Senior Health and Nutrition Specialist,
Health, Nutrition, and Population Global Practice,
World Bank, Washington, DC, United States

Alvaro Moncayo

Researcher, Universidad de los Andes, Bogotá,
Colombia

Jaime Montoya

Executive Director, Philippine Council for Health
Research and Development, Taguig City, the
Philippines

Ole Norheim

Professor, University of Bergen, Bergen, Norway

Folashade Omokhodion

Professor, University College Hospital, Ibadan,
Nigeria

Toby Ord

President, Giving What We Can, Oxford, United
Kingdom

K. Srinath Reddy

President, Public Health Foundation of India,
New Delhi, India

Sevkat Ruacan

Dean, Koç University School of Medicine, Istanbul,
Turkey

Jaime Sepúlveda

Executive Director, Global Health Sciences, University
of California, San Francisco, San Francisco, California,
United States

Richard Skolnik

Lecturer, Health Policy Department, Yale School
of Public Health, New Haven, Connecticut,
United States

Stephen Tollman

Professor, University of Witwatersrand, Johannesburg,
South Africa

Jürgen Unützer

Professor, Department of Psychiatry, University of
Washington, Seattle, Washington, United States

Damian Walker

Senior Program Officer, Bill & Melinda Gates
Foundation, Seattle, Washington, United States

Ngaire Woods

Director, Global Economic Governance Program,
Oxford University, Oxford, United Kingdom

Nopadol Wora-Urai

Professor, Department of Surgery, Phramongkutklao
Hospital, Bangkok, Thailand

Kun Zhao

Researcher, China National Health Development
Research Center, Beijing, China

Reviewers

Diego G. Bassani

University of Toronto Centre for Global Child Health,
Toronto, Canada

Florencia Lopez Boo

Inter-American Development Bank, Washington, DC,
United States

Lara Bearley**Edward I. Broughton**

University Research Co., Washington, DC,
United States

William Checkley

Johns Hopkins University School of Medicine,
Baltimore, Maryland, United States

Jacqueline E. Darroch

Guttmacher Institute, Seattle, Washington,
United States

Jai K. Das

Division of Women and Child Health, Aga Khan
University, Karachi, Pakistan

Mercedes de Onis

Growth Assessment and Surveillance Unit,
World Health Organization, Geneva, Switzerland

Shannon Doocy

Johns Hopkins Bloomberg School of Public Health,
Baltimore, Maryland, United States

Karen Edmond

University of Western Australia School of Paediatrics
and Child Health, Perth, Western Australia, Australia

Alex Ergo

Broad Band Associates, Yangon, Myanmar

Victoria Fan

Office of Public Health Studies, University of Hawaii,
Honolulu, Hawaii, United States

Ingrid K. Friberg

Norwegian Institute of Public Health, Oslo, Norway

Anna Glasier

Society of Family Planning, University of Edinburgh,
Edinburgh, Scotland

Joseph E. de Graft-Johnson

Save the Children, Accra, Ghana

Glenda Gray

Perinatal HIV Research Unit, Chris Hani Baragwanath
Hospital, Johannesburg, South Africa

Richard L. Guerrant

University of Virginia School of Medicine,
Charlottesville, Virginia, United States

Jane Hutchings

PATH, Seattle, Washington, United States

Claudio F. Lanata

Instituto de Investigación Nutricional, Lima, Peru

Karen Macours

Paris School of Economics, Paris, France

Matthews Mathai

Department of Maternal, Newborn, and Child and
Adolescent Health, World Health Organization,
Geneva, Switzerland

Jeff K. Mathe

Mbabane Government Hospital, Mbabane, Swaziland

William McGreevey

Department of International Health, Georgetown
University, Washington, DC, United States

Regina Moench-Pfanner

Global Alliance for Improved Nutrition, Geneva,
Switzerland

Luke C. Mullany

Johns Hopkins Bloomberg School of Public Health,
Baltimore, Maryland, United States

Omotade Olayemi Olufemi-Julius

University of Ibadan Institute of Child Health,
Ibadan, Nigeria

Walter A. Orenstein

Emory Vaccine Center, Emory University,
Atlanta, Georgia, United States

Roman Prymula

University Hospital Hradec Králové, Hradec Králové,
Czech Republic

Usha Ramakrishnan

Emory University Rollins School of Public Health,
Atlanta, Georgia, United States

Helen Rees

Wits Reproductive Health and HIV Institute,
Johannesburg, South Africa

Alexander K. Rowe

Center for Global Health, Centers for Disease Control
and Prevention, Atlanta, Georgia, United States

Enrique Ruelas

Institute for Healthcare Improvement,
Cambridge, Massachusetts, United States

Harhad Sanghvi

Jhpiego, Baltimore, Maryland, United States

Katherine Seib

Emory Vaccine Center, Emory University, Atlanta,
Georgia, United States

Saba Shahid

Indus Hospital, Karachi, Pakistan

Karin Stenberg

Department of Health Systems Governance and
Financing, World Health Organization, Geneva,
Switzerland

Jorge E. Tolosa

Oregon Health & Science University, Portland, Oregon,
United States

Nana A. Y. Twum-Danso

The Bill & Melinda Gates Foundation, Accra, Ghana

Index

Boxes, figures, maps, notes, and tables are indicated by b, f, m, n, and t following page numbers.

A

- Abbas, K., 103
- abortion, 28–32, 106–7
 - access to safe abortions, 64, 106–7
 - as cause of maternal morbidity, 4, 6, 31, 31t, 57
 - as cause of maternal mortality, 6, 29–31, 30–31t, 54
 - consequences of, 4, 29–32, 31t
 - cost-effectiveness of safe abortion, 321
 - definition of, 28, 54, 59b
 - economic and social consequences, 31–32
 - incidence, 29, 30–31t
 - induced, 54
 - information and attitudes, 107
 - interventions to reduce, 106
 - legal restrictions on abortion, 106
 - measurement used in study of, 29
 - provider pool to improve safety, 106–7
 - safe abortion technologies, 106, 107
 - teenage pregnancy and, 103
- Abortion Incidence Complications Methodology (AICM), 29, 31
- access to health services
 - equitable, 64
 - maternal mortality related to limited access, 263
 - rights-based approach to maternal mortality and morbidity, 64
 - three delays model, 64
- accreditation of health facilities, 292
- Accredited Social Health Activists (India), 101
- ACT (artemisinin-based combination therapy), 147, 154
- acute lower respiratory tract infections (ALRIs), 144–45
- acute respiratory infections (ARIs), 144–45, 146t, 286
- Adam, T., 276

- Adler, A., 60
- adolescents
 - age-appropriate sex education, 104
 - condom use, 105, 105b
 - education of girls and boys, equal retention of, 104
 - gender-inequitable norms and violence, 104
 - legal protection of, 104
 - out-of-school and married adolescents, 105
 - reduction in teen pregnancy, 28
 - sexual and reproductive health, 103–5, 105b
- Advanced Market Commitment, 188b
- Afghanistan
 - childbirth interventions in, 273
 - maternal deaths in, care approaches to lower, 301
 - stunting and height-for-age in, 87–88
- Africa. *See also specific regions and countries*
 - diarrheal diseases in, 164f
 - female genital mutilation (FGM) in, 39
 - malnutrition in, 208
 - maternal mortality, disproportionate burden in, 53
 - polio in, 191
 - stunting and height-for-age in, 7
 - unintended pregnancy in, 28
- AICM (Abortion Incidence Complications Methodology), 29, 31
- AIDS. *See HIV/AIDS*
- alcohol abuse disorders, 5
- Alderman, H., 254
- Aldy, J., 307
- ALRIs (acute lower respiratory tract infections), 144–45
- Amsel criteria, 34
- anemia, 6, 59, 231–32, 244–45
- Angola, child mortality (under five) in, 79
- Annan, R. A., 209

- antenatal care visits, 123, 287
 antenatal corticosteroids, 127
 antibiotics, use of
 cesarean delivery, 122–23
 diarrheal diseases, 170–71, 179
 group B streptococcus (GBS), 129
 malnutrition, 215–16
 maternal sepsis, 122
 neonatal sepsis, 129
 pneumonia treatment in Ethiopia, 348
 preterm rupture of membranes, 128
 anticonvulsant prophylaxis, 120
 antihypertensive therapy in preeclampsia, 120
 antiretroviral therapy for HIV (ART), 13t, 123, 125, 215
 antiseptics. *See* vaginal application of antiseptics
 antithrombotic agents, use of, 126
 ARIs (acute respiratory infections), 144–45, 146t, 286
 artemisinin-based combination therapy (ACT),
 147, 154
 artery embolization, 55, 118
 Ashworth, A., 211
 Asia. *See also specific regions and countries*
 female genital mutilation (FGM) in, 39
 Japanese encephalitis (JE) in, 195
 maternal mortality, disproportionate burden in, 53
 rubella vaccine in, 194
 stunting and height-for-age in, 7
 unintended pregnancy in, 28
 unsafe abortion in, 29
 asphyxia. *See* birth asphyxia
 aspirin as prophylactic, 119
- B**
- Baby-Friendly Hospital Initiative, 235, 249
 Bacille Calmette-Guérin (BCG) Vaccine, 189–90
 bacterial vaginosis, 33–35, 34t
 Bangladesh
 community-based interventions in, 270
 cost-effectiveness of, 277
 contraceptive use in, 97, 100f
 delayed mental development in, 247
 diarrheal diseases in, 167, 169
 fever in children in, 148
 handwashing in, 175
 home visits and reduction in newborn deaths in,
 265, 336
 IMCI effectiveness in, 149
 Integrated Community Case
 Management (iCCM) in, 153
 Integrated Management of Childhood Illness
 (IMCI) in, 266
 maternal mortality decline in, 65
 Matlab program, 101
- outreach workers in, 327
 pneumonia in, 145
 preterm infants and neurodevelopmental
 disabilities in, 247
 reduced fertility, benefits of, 28
 stunting and height-for-age in, 87
 teenage pregnancy in, 28
 wasting in, 91b, 207
- Baqi, A. H., 339
 Barkat-e-Khuda, 327
 Bartlett, L., 328
Bayley Scales of Infant and Toddler Development
 (Third Edition), 242
 BCG (Bacille Calmette-Guérin) Vaccine, 189–90
 behavioral interventions, 174–77, 251–52
 benefit-cost ratios, 1, 16, 338
 continuum-of-care approach, 309–11, 310–11t
 early childhood development, 254
- Benin
 costs of health care in, 338
 Integrated Community Case
 Management (iCCM) in, 153
 wasting in, 91b
- Berkley, J. A., 215
 Bhutan
 maternal mortality reduction in, 53
 stunting and height-for-age in, 87
- Bhutta, Z. A., 129, 267, 289, 322, 326
 Bill & Melinda Gates Foundation, 9b, 101, 189, 319
 Gavi (Vaccine Alliance), 188b
 Malaria Control and Evaluation Partnership
 in Africa, 140
 Meningitis Vaccine Project, 195
 biofortification, 326, 329
 birth asphyxia, 6, 78, 265
 birth control. *See* contraceptives; family planning
 Black, R., 227
 blindness from trachoma, 245–46
 Bolivia, family planning in, 102
 Bongaarts, J., 101
 Bosch-Capblanch, X., 293
 Brazelton Neonatal Behavioral Assessment Scale, 242
 Brazil
 Bolsa Família, 19, 103, 275, 290
 child health services, costs of, 328
 contraceptive use in, 97, 100f
 diarrheal diseases in, 170
 IMCI effectiveness in, 149
 rotavirus vaccine costs in, 357
 stunting and height-for-age in, 87
- breastfeeding
 early child development and, 249
 as intervention, 13t, 128, 173

- costs of support for, 328
 malnutrition and, 8, 215, 229–30
 WHO definition of appropriate breastfeeding, 220*n*2
- Brenzel, L., 329
- Brown, R., 209
- Buchanan, J., 323
- burden of disease/medical condition
- abortion, 28–32. *See also* abortion
 - diarrheal diseases, 164
 - female genital mutilation (FGM), 39–40. *See also* female genital mutilation
 - ill health, defined, 25
 - infertility, 35–37, 36–37*t*. *See also* infertility, involuntary
 - maternal morbidity, 61
 - official development assistance increase for, 2
 - reproductive ill health, 25–50. *See also* abortion; pregnancy
 - data presentation and limitations, 25
 - overview, 25
 - unintended pregnancy, 25–28. *See also* pregnancy
 - violence against women, 37–39. *See also* violence against women
- Burkina Faso
- diarrheal diseases in, 175–76, 324
 - postpartum vaginal or uterine prolapse in, 60
 - wasting in, 207
- Burundi, stunting and height-for-age in, 88
- C**
- Cabo Verde, maternal mortality reduction in, 53
- calcium supplementation, 119, 124
- Cambodia, maternal mortality reduction in, 53
- Catalytic Initiative, 154
- CCTs. *See* conditional cash transfers
- Centers for Disease Control and Prevention (CDC), 32, 289
- Central Asia. *See* Europe and Central Asia
- cerebral malaria, 246
- cesarean section, 121, 122–23, 321
- Chad, wasting in, 91*b*
- Chan, M., 345
- checklists, use of, 18, 293
- CHERG. *See* Child Health Epidemiology Reference Group
- chikungunya virus, 147
- childbirth, 1
- active management of, 126–27
 - cesarean section. *See* cesarean section
 - checklists for safe childbirth, 18
 - community-based interventions, 265–66
 - death at. *See* stillbirths
- early delivery options, 120
- fetal monitoring during, 126
- indicators measuring health care delivery for women, 287
- interventions, 12*t*
- obstructed labor, 6, 54, 59
- definition of, 59*b*
 - prevention of, 121
 - treatment of, 121–22
- prolonged labor, 6, 59, 59*b*
- vacuum and forceps delivery, 121–22
- Child Health Epidemiology Reference Group (CHERG), 9*b*, 52, 71, 76, 143, 350
- child health package. *See* child mortality (under age five years, U5MR), *at* interventions
- childhood development. *See* early childhood development
- childhood illness (under age five). *See also* febrile children; specific disease or condition
- child mortality and, 78–79, 79*t*, 80*f*, 263
 - cost-effectiveness of interventions, 15*f*, 323–26
 - cost of interventions, 16*t*, 17
 - interventions. *See* interventions; vaccines
 - stunting. *See* stunting
- child mortality (under age five years, U5MR), 71–83
- causes of, 6, 7*f*, 76–81, 79*t*, 80*f*
 - data and methods, 76–77
 - policy implications, 81
 - results, 77–81
 - challenges in reducing, 75–76
 - cost of interventions, 16*t*, 17
 - data sources, 72, 76
 - deaths averted, 10*f*, 13–14, 14*f*
 - decline in, 1, 81, 300
 - family planning and, 96, 97
 - fertility rates and, 4, 5*m*
 - iCCM and, 154
 - interventions, 1, 8–14, 13*t*
 - indicators measuring health care delivery for children, 286–87
 - levels and trends, 6, 7*f*, 71–76
 - malnutrition and, 227
 - deaths averted by scaling up interventions, 235*f*
 - maternal education's effect on, 75–76
 - MDG 4 to reduce, 71, 72–73, 75
 - overview, 71
 - policy implications, 75–76, 81
 - risk results from research studies, 72–75, 73–74*t*
 - stillbirths included, 71, 75, 76
 - unintended pregnancy and, 28
- Children's Investment Fund Foundation, 319
- child sexual abuse, 38, 39

- Chile
 Hib in, 193
 stunting and height-for-age in, 87
- China
 adolescent-friendly contraceptive services in, 105
 benefit-cost ratio in, 311, 314
 child mortality (under five) in, 78–79
 fertility rates and reduced child mortality in, 300
 stunting and height-for-age in, 87
- cholera, 170, 172, 188*b*, 325
- chorioamnionitis, 123
- Clinton Health Access Initiative, 319
- CLTS (Community-Led Total Sanitation), 176
- CMAM (community management of acute malnutrition), 212, 213–14, 217
- CMAM (Community-Based Management of Acute Malnutrition) Forum, 210
- cognitive development. *See also* early childhood development
- Colombia
 continuous quality improvement (CQI) in, 293
Familias en Acción program, 250*b*, 254
- Columbia University study on pregnancy-related complications, 61
- Commission on Information and Accountability for Women's and Children's Health, 89
- community-based interventions, 2, 8, 263–84
 continuum of care including, 264
 contraceptive use, 98
 cost-effectiveness of, 276–79, 327
 costs of, 278*t*, 279
 delivery complications, neonatal care, and childhood illnesses, 265–66
 diarrheal diseases, 176
 disability-adjusted life years (DALYs) and, 277–78, 277*f*
 early child development and, 253
 empowering communities, 270–73, 273*t*
 evidence on packages from literature review, 268–69*t*
 expanding community health worker mandate, 273–74, 290
 family planning, 101
 helminths, 267–69
 HIV/AIDS, 269
 home visits, 265–66, 265–66*t*
 improving supply of services, 264–70
 India's community health workers, 337*b*, 338*t*
 integrating with community and local health facilities, 275–76, 276*f*
 leveraging mobile technology, 274–75
 malaria, 267
 malnutrition, 213–14, 217, 233
- maternal and child mortality and morbidity, 8, 11–13*t*, 14, 15
 motivation for, 275
 nutrition, 235–36, 270, 271–72*t*
 overview, 263–64
 Pakistan's lady health worker program, 252*b*, 267*b*
 quality of, 274
 referral systems, 275, 275*f*
 research agenda, 279
 scaling up, 275, 277–78
 severe acute malnutrition (SAM), 326
 strategies, 264
 training of community health workers, 273, 274
 tuberculosis, 270
- Community-Based Management of Acute Malnutrition (CMAM) Forum, 210
- community health workers. *See also* community-based interventions
 Community-Led Total Sanitation (CLTS), 176–77
 community management of acute malnutrition (CMAM), 212, 213–14, 217
 community mobilization and community health workers, 290
 complementary feeding, 230–31
 conditional cash transfers (CCTs), 19, 290–91
 cost-effectiveness of, 329
 education of adolescent girls and boys, equal retention of, 104
 family planning, 103
 immunization programs, 326
 stimulation programs and, 250*b*, 254
- Congo, Democratic Republic of
 child mortality (under five) in, 78–79
 diarrheal diseases in, 170
 DTP vaccine in, 197
 fever in children under age five years in, 140
- continuous quality improvement (CQI), 293
- continuum-of-care approach, 2, 16, 299–317
 analytical framework for assessing, 301–5, 301*f*
 assessing economic and social benefits of achieved outcomes, 304–5
 benefits of morbidity averted, 308
 benefits of reduced fertility rates, 308
 of community-based interventions, 264
 cost-effective interventions, 300–301
 estimating costs, 303
 estimating full benefits of investment in, 307–8
 estimating health and fertility impacts, 304
 extended lifecycle benefits, 300
 global child and maternal mortality rates and, 300
 health system benefits, 300

- implications of analysis, 313–14
affordable investments, 313
extended modeling approach, 314
high rates of return, 314
large economic and social returns, 313
over different timeframes, 314
variable returns, 313–14
improved and equitable access, 300
increase in coverage level, model of, 305–6t, 305–7
integration of services, 301
investment metrics, 309–13
analysis by type of benefit, 311–12
analysis of contribution to benefits, 312t
benefit-cost ratios, 309–11, 310–11t
high direct health benefits, 312
morbidity benefits, 312
total economic and social benefits,
equality of, 312
two case studies, comparison of, 308–13, 309t
uneven distribution of demographic dividend,
311–12
investment “wins,” 300–301
key methodological assumptions, 307
maternal morbidity and, 64
measuring health impacts and full costs, 305–7
overview, 299–300
selection of interventions, 302–3, 302–3t
years of life saved, 307–8
contraceptives, 1, 2, 10
access to and promotion of condom use, 105
adolescent use of, 105, 105b
cost-effectiveness of, 321
cost of, 17, 17t
family planning and, 96, 97–99
global distribution of methods, 100f
innovations to expand access and improve health
care quality, 288
MDG 5b to improve access to, 51, 63
methods, choice of, 97, 99t
by countries, 100f
postabortion, 107
primary health centers as service providers, 2
Sino-implant (II) and future types of, 99
social and economic benefits, 26
controlled cord traction, 118
cord clamping, early vs. late, 118
cord cleansing, 128–29
corticosteroids, 127
cost-effectiveness of interventions, xiii, 1, 2, 14–16, 15f,
319–34. *See also* benefit-cost ratios
assessment of, 3b
childhood illness (under age five), 323–26
community-based interventions, 276–79, 327
delivery platforms, 327–28
diarrheal diseases interventions, 177–78, 177t, 324
Ethiopia’s treatment and prevention of diarrhea and
pneumonia, 345–61. *See also* Ethiopia
family planning, 103
febrile children, 323–24
India universal home-based neonatal care package,
15–16, 335–44. *See also* India
infant and young child growth, 326–27
innovations to expand access and improve health
care quality, 293–94
literature biases, 319
malnutrition treatment, 216–17, 326–27
maternal mortality and morbidity, 129–30
methodology of study, 320–21
overview, 319–20, 322–23t
quality of care and, 293–94, 294t
reproductive health, 323
returns on investment in continuum of care,
300–301
vaccines, 197–98, 198t, 324–26
costs
of community-based interventions, 278t, 279
of contraceptives, 17, 17t
of diarrheal diseases interventions, 177–78, 177t, 328
effect on care-seeking behavior, 176
estimating for returns on investment in continuum
of care, 303
of family planning, 17, 328
of interventions, 2, 328–29
of malnutrition interventions, 216–17, 328
of maternal morbidity and mortality, 130
of RMNCH interventions, 2, 16t, 20n1
scaling up interventions, 16–18. *See also* scaling up
of unsafe abortions, 31–32
of vaccines, 197–98
of water, sanitation, and hygiene interventions, 174
Côte d’Ivoire, stunting and height-for-age in, 87
Countdown to 2015 initiative, 8, 17, 64, 129, 154, 230,
235, 322
CQI (continuous quality improvement), 293
Cresswell, J. A., 58
Cropper, M., 307
Cryptosporidium infection, 167
- D**
- DALYs. *See* disability-adjusted life years
Das, J. K., 326
dating violence, 38
DCP. *See* *Disease Control Priorities in Developing Countries*
Declaration on the Elimination of Violence against
Women (UN), 37

- delivery platforms. *See also* community-based interventions; hospitals; primary health centers
- cost-effectiveness of interventions, 327–28
 - cost of scaling up, 17–18
 - interventions for maternal and child mortality and morbidity, 8, 11–13t
 - demand-side interventions, 19
- Democratic Republic of Congo. *See* Congo, Democratic Republic of
- Demographic and Health Surveys, 26, 51, 60, 85, 96, 174, 176, 188b, 346
- demographic dividend, 96, 305, 311–12
- dengue fever, 147
- depression, 5, 6, 39
- child development, effect of maternal depression on, 247
 - postpartum depression, 60
- Detrick, Z., 289
- Development Assistance Committee (Organisation for Economic Co-operation and Development), 319
- diabetes, 6
- treatment, 125
- diarrheal diseases, 1, 163–85
- antibiotics, use of, 170–71, 179
 - behavioral interventions, 174–77
 - burden of infection, 164
 - by region, 164–65f
 - child mortality (under five) and, 78, 79t, 163
 - cholera, 172
 - community-based interventions, 176, 266
 - community-led total sanitation, 176–77
 - cost-effectiveness of interventions, 177–78, 177t, 324
 - cost of interventions, 177–78, 177t, 328
 - scaling up, 18
 - definitions and classification, 163–64
 - early childhood development and, 246
 - environmental enteric dysfunction, 167–69, 168b
 - in Ethiopia, treatment and prevention, 345–61.
 - See also* Ethiopia
 - etiologies, 164–65
 - handwashing, 174–75
 - health care seeking, 175–76
 - incidence, 163, 164
 - inflammatory diarrhea and dysentery, 166, 169
 - interventions, 163, 164b, 169–77, 169b
 - mortality due to, 78, 164
 - natural history, 166
 - nutrition, 173
 - oral rehydration solutions (ORS). *See* oral rehydration solutions
 - overview, 163
 - persistent, 166–67
 - preventive interventions, 169b
- rotavirus, 165, 171–72, 350, 351t
 - subclinical infections, 167
 - therapeutic interventions, 169–71, 169b
 - transmission and epidemiology, 165–66
 - tropical enteropathy, 167
 - vaccines, 171
 - water, sanitation, and hygiene, 174
 - watery, 166
 - zinc supplementation, 173–74
- diet. *See* nutrition; vitamin and mineral supplements
- diphtheria, tetanus, and pertussis (DTP) vaccines, 188b, 189, 190–91, 300, 324–25
- disability-adjusted life years (DALYs)
- in CEA vs. ECEA framework, 343n5
 - community-base care and, 277–78, 277f
 - cost-effectiveness results using, 321, 330
 - diarrheal diseases and, 177, 178
 - malnutrition and, 217, 326
 - maternal morbidity and, 61, 129–30
 - pneumonia and, 323
 - quality of services and, 293–94, 294t
 - vaccination and, 187, 189, 197–98
 - WHO metrics and, 330n1
- Disease Control Priorities in Developing Countries (DCP)*
- coverage of other volumes, 2, 320t
 - evolution of series and third edition, xiii, 3b, 300, 319
- Djibouti, wasting in, 91b
- Dolea, C., 58
- domestic violence. *See* violence against women
- Doppler ultrasound, use of, 125–26
- dysentery, 166, 169

E

- early childhood development, 8, 241–61
- cerebral malaria and, 246
 - child nutrition and, 249–51, 254–55
 - conditions affecting, 242–48, 249f
 - cost-benefit of interventions, 254
 - delayed mental development, 247
 - diarrhea and, 246
 - enteropathy and, 246
 - environmental conditions and, 245–46
 - Family Care Indicators, 243
 - fatty acids and, 249–50
- Home Observation for Measurement of the Environment (HOME) Inventory, 243, 243f, 248, 251f
- infections and, 246, 251–52, 255
 - interventions to enhance, 248–54
 - macronutrients and, 244, 244f
 - maternal mental health and, 247, 255

- interventions, 253–54
- maternal nutrition and, 246–47, 255
 - interventions, 252–53
- mental development, measurement and prevalence of, 242
- micronutrients and, 244–45, 244*f*
- neurodevelopmental disabilities, 247
- overview, 241–42
- psychosocial stimulation and, 243–44, 244*f*, 248–49, 250*b*, 254
 - integrated with child nutrition, 251
- Pakistan's Early Child Development Scale-Up Trial, 252*b*
- recommendations for future programs and research, 255
- trachoma and, 245–46, 251
- vitamin and mineral supplements and, 245
- East Asia and Pacific
 - chikungunya in, 147
 - child mortality (under five) in, 72–75, 73–74*t*, 80*f*
 - community-base care, cost-effectiveness of, 276
 - diarrheal diseases in, 164*f*, 246
 - health care service delivery in, 286–87, 287*t*
 - iodine deficiency in, 245
 - malnutrition in, 208
 - number of hospital beds per 1,000 people in, 286
 - number of nurses, midwives, and physicians per 1,000 people in, 286
 - preterm infants and neurodevelopmental disabilities in, 247
 - stunting and height-for-age in, 86–87, 87–88*f*
- ECEA. *See* extended cost-effectiveness analysis
- economic factors. *See also* social and economic benefits
 - for maternal mortality and morbidity, 62*t*
 - for stunting, 90
- ectopic pregnancy, 54
- Ecuador, cash transfer program for early child development in, 254
- edematous acute malnutrition, 216, 220*n5*
- education
 - adolescent girls and boys, equal retention of, 104
 - family planning, 10
 - in relation to school retention, 104
 - feeding practices, maternal education for, 231
 - fertility rates, and education of girls, 28
 - health care seeking and level of education, 175
 - maternal education's effect on child mortality, 75–76
 - nutrition education, 245, 326
 - sex education, 11*t*, 104
 - UNESCO, on children not attending school, 105
- Egypt
 - contraceptive use in, 97, 100*f*
 - IMCI effectiveness in, 150
- Integrated Community Case Management (iCCM) in, 153
- empowerment
 - community-based interventions, 270–73, 273*t*
 - freedom and right of women to control their bodies, 63
- encephalopathy, 129
- Ending Preventable Maternal Mortality, 115
- enteric fever, 146
- enteropathy, 246
- entitlements, defined, 64
- environmental enteric dysfunction, 167–69, 168*b*
- environmental factors
 - for early child development, 245–46
 - for family planning, 96
 - for maternal mortality and morbidity, 62*t*, 65
- EPI (Expanded Program on Immunization), 14, 187, 189–92, 319, 329
- ergot alkaloids, 116
- Ethiopia
 - abortion services in, 106
 - Catalytic Initiative in, 154
 - child health services, costs of, 328
 - child mortality (under five) in, 78, 346, 347*f*, 347*t*
 - community-based programs in
 - innovative task-shifting, 289
 - nutrition, 270
 - women's empowerment, 273
 - condom use in, 105
 - contraception in, 101, 102
 - DTP vaccine in, 197
 - health extension program (HEP) in, 347
 - health spending in, 347, 352
 - Integrated Management of Neonatal and Childhood Illness (IMNCI) in, 151
 - iodine deficiency in, 253
 - malnutrition, community-based treatment programs in, 216, 217
 - maternal depression's effect on child development in, 248
 - treatment and prevention of diarrhea and pneumonia in, 178, 345–61
 - analysis, 356–57
 - antibiotics, use of, 348
 - child demographics, 346, 346–47*t*
 - child health and health care services, 346–48
 - deaths averted, 350, 352, 357–58*t*
 - diarrhea treatment combined with rotavirus vaccination, 354–56, 355*f*
 - expenditures averted, 350–52
 - extended cost-effectiveness analysis, 348
 - financial risk protection, 352, 354–55, 357–58*t*
 - methods of study, 348–52

- OOP expenditures averted, 353
 oral rehydration salts, use of, 350
 overview, 345–46
 pneumococcal conjugate vaccination, 15, 348–50,
 349–50t
 program costs, 352, 354, 355
 results of study, 352–56
 rotavirus vaccination, 350, 354–56
- Europe and Central Asia
 child mortality (under five) in, 73, 73–74t, 80f
 diarrheal diseases in, 164f
 health care service delivery in, 286–87, 287t
 infertility in, 36t
 maternal mortality, disproportionate burden in, 53
 number of hospital beds per 1,000 people in, 286
 number of nurses, midwives, and physicians per
 1,000 people in, 286
 stunting and height-for-age in, 86–87, 87f, 88f
- European Medicines Agency, 196
- Every Woman Every Child (UN), 100
- evidence-based policy making and interventions
 child mortality, 81
 malnutrition, 217, 233
 maternal morbidity and mortality, 116, 117t
 perinatal morbidity and mortality, 124t, 127t
- Expanded Program on Immunization (EPI), 14, 187,
 189–92, 319, 329
- extended cost-effectiveness analysis (ECEA)
- Ethiopia's treatment and prevention of diarrhea and
 pneumonia, 345–61. *See also* Ethiopia
- India's home-based neonatal care (HBNC) package,
 335–44. *See also* India
- external cephalic version, 121
- F**
- Family Care Indicators, 243
- family planning, 95–103
 adolescent programs, 103–5, 105b
 age-appropriate sex education, 104
 child mortality reduction and, 81
 community-based programming, 101
 conditional cash transfers (CCTs) and, 103
 contraceptive methods, 97–99. *See also*
 contraceptives
 access to and promotion of condom use, 105
 adolescent-friendly, 105
 cost-effectiveness of, 103
 costs of, 17, 328
 demographic rationale for, 95–96
 environment and sustainable development
 rationale for, 96
 fertility rates and, 97, 98f
 global initiatives, 99–100
- health consequences of high fertility, 96–97
 human rights and equity rationale for, 96
 integration with other sectors, 101
 mass media approaches to, 104–5
 maternal and child health rationale for, 96
 methodology of study, 8
 mHealth, 102
 mobile services, 102
 organization of programs, 99–100
 out-of-school and married adolescents, 105
 public, nongovernmental, and commercial
 providers, 101
 rationales for, 95–96
 resilience-building and, 105–6
 results-based financing, 102
 rights-based approach to, 96
 school retention and, 104
 services delivery, 101
 social franchising, 102
 social marketing, 101–2
 unsafe abortion, 106–7
 violence against women and, 107–8
 vouchers, 19, 102–3
- Family Planning Effort Index, 96, 97
- fatty acids and early childhood development, 249–50
- febrile children, 137–61
 acute respiratory infections, 144–45, 146t, 286
 challenges and future research needs, 154–55, 155b
 chikungunya virus, 147
 cost-effectiveness of interventions, 323–24
 dengue fever, 147
 diagnosis and treatment, 143–47, 156
 enteric fever, 146
 etiology of fever, 140–43, 141–42t, 156
 group B streptococcus disease, 144
 health systems approaches to, 148–54
 herpes simplex virus, 143–44
 Integrated Community Case Management (iCCM)
 and. *See* Integrated Community Case
 Management
 integrated management of childhood illness. *See*
 Integrated Management of Childhood Illness
 malaria, 147. *See also* malaria
 diagnostic tools for, 147–48
 management of, 150–52
 meningitis, 143
 most common presenting symptoms, 137, 138–39t
 newborns, 143
 overview, 137–40
 respiratory and other bacterial illnesses, 148
 sepsis, 143
 urinary tract infections (UTIs), 144
 viral exanthems, 145–46

- female genital mutilation (FGM), 25, 39–40
 consequences of, 40
 measurement for study of, 39–40
 prevalence of, 40, 41–42t
- Ferguson, E., 211
- fertility rates, 4, 4m. *See also* family planning
 child mortality and, 6, 75
 continuum-of-care approach and, 304, 308
 family planning and, 96, 97, 98f
 health consequences of high fertility, 96–97
 maternal mortality and, 97
- fetal movement counting, 126
- fetal shoulder manipulation, 122
- financial incentives to improve health, 233. *See also* conditional cash transfers
- financial risk protection, 15, 19, 352, 353f, 354–55, 357–58t
- Firth, S., 289
- Fischer Walker, C. L., 178, 324
- Fisher, J., 60
- Flenady, V., 76
- folic acid, 1, 8, 10, 124t, 253, 326
- Food Aid Quality Review, 211
- food-insecure populations, 211
- food-secure populations, 210–11
- freedom, concept of, 63
- Fretheim, A., 291
- full-income methods, 16, 304
- G**
- Gabrysch, S., 65
- The Gambia
 diarrheal diseases in, 166, 167, 170
Hib in, 193
 Integrated Management of Neonatal and Childhood Illness (IMNCI) in, 151
 pneumonia in, 145
 postpartum vaginal or uterine prolapse in, 60
 stunting and height-for-age in, 167
- Ganatra, H. A., 143
- García-Moreno, C., 37
- Garner, P., 293
- Gavi (Global Vaccine Alliance), 14, 146, 178, 188–89b, 189, 192t, 199, 251, 319
 new and underutilized vaccines supported by, 192–93, 325, 356
- GBS (group B streptococcus), 129, 144
- gender-based violence, 43n1. *See also* violence against women
- Ghana
 abortion services in, 106
 adolescent-friendly contraceptive services in, 105
 Catalytic Initiative in, 154
- childbirth interventions recommended in, 273–74
 costs of health care in, 338
 family planning in, 102
 Integrated Community Case Management (iCCM) in, 153, 154
 stillbirth data from, 76, 78, 78t
- Giardia* infection, 167
- Gillespie, D., 96
- Global Financing Facility to Advance Women's and Children's Health, 313
- Global Fund to Fight AIDS, Tuberculosis and Malaria, 140
- global initiatives
 for family planning, 99–100
 for vaccines. *See* Gavi; vaccines
- Global Polio Eradication Initiative, 191
- Global Strategy for Women's and Children's Health (UN Secretary-General), 2, 19, 52
- Global Symposium on Health Systems Research (Beijing 2012), 345
- Global Vaccine Alliance. *See* Gavi
- Goldie, S. J., 321
- Grantham-McGregor, S., 8, 254
- Griffiths Mental Development Scales, 242
- group B streptococcus (GBS), 129, 144
- group sessions in stimulation programs, 250b
- Guatemala, stunting and height-for-age in, 88
- Gunasekera, P., 60
- Gurman, T. A., 104
- Guttmacher Institute, 17
- Gyles, C. L., 320
- H**
- H. pylori* infection, 167
- Haemophilus influenzae* Type b (*Hib*) vaccine, 81, 193, 325
- Haines, A., 19
- Haiti, cholera in, 197
- Hammitt, J., 307
- handwashing, 167, 174–75, 251, 252, 324
- Harner-Jay, C. M., 103
- health outcomes, 287–88, 287t
- health workers/professionals
 abortion services, 106–7
 community-based health workers (CHWs). *See* community-based interventions
 cost-effectiveness of training, 321
 handwashing by, 175
 maternal mortality and morbidity and, 65
 midwives. *See* midwives
 newborn resuscitation training, 128, 151
 number of nurses and midwives per 1,000 people, 286

number of physicians per 1,000 people, 286
Pakistan's lady health worker program, 252b, 267b
performance-based rewards to, 292
shortage of, 2
task shifting, 18–19, 288–89, 327
violence against women, assistance for, 108

height-for-age. *See* stunting

Heise, L., 37

helminths, 267–69

heparin, use of, 126

hepatitis B vaccines, 188b, 192–93, 325

herpes simplex virus (HSV-2), 143–44

high-income countries (HICs)
breastfeeding and early child development in, 249
child mortality (under five) in, 72, 73–74t, 79, 80f, 81
Japanese encephalitis (JE) vaccine in, 195
postpartum hemorrhage in, 58
stillbirth in, 77, 77t, 81
unintended pregnancy in, 26–27, 27t
unsafe abortions in, 30t

HIV/AIDS
burden of disease, 32, 35
child mortality (under five) and, 78
community-based interventions, 269
condom use and, 105
drug treatment, 125
funding for, 319
Hib and, 193
identification of children with, 150
malnutrition and, 215, 219
mass media to educate about, 104
maternal morbidity and, 61
maternal mortality and, 6, 55, 55b
violence against women and, 4–5, 39
wasting and, 208

Hoddinott, J., 326

home-based care, 15, 327
community-based interventions, 264–65, 265–66t
India's neonatal care package, 335–44. *See also* India
postnatal care, 336
stimulation programs and, 250b, 254

Home Observation for Measurement of the Environment (HOME) Inventory, 243, 243f, 248, 251f

Horton, S., 217

hospitals, 2, 9
accredited, 292
checklists, use of, 293
interventions for maternal and child mortality and morbidity, 8, 11–13t
supervision and training role of, 293

human rights and equity. *See* rights-based approach

hunger. *See* malnutrition
Hussain, R., 26
hygiene. *See* water, sanitation, and hygiene
hypertensive disease, 6, 57–58
antihypertensive therapy, 120

I

iCCM. *See* Integrated Community Case Management
ICD-10. *See* International Classification of Diseases
ICPD (International Conference on Population and Development), 99
IHME (Institute for Health Metrics and Evaluation), 146
IHME Global Burden of Disease, 61
ill health, defined, 25
IMCI. *See* Integrated Management of Childhood Illness
immunizations. *See* vaccines; *specific types of vaccines*
IMNCI. *See* Integrated Management of Neonatal and Childhood Illness
improvements needed, 2
incentives. *See* conditional cash transfers; performance-based financing; vouchers
incontinence, 60
India
Accredited Social Health Activists, 101
adolescent-friendly contraceptive services in, 105
benefit-cost ratio in, 311, 314
checklists, use of, 293
Chiranjeevi Yojana program, 291
community-based interventions in, 270. *See also below:* universal home-based neonatal care package in
cost-effectiveness of, 277
perinatal packages, 151, 265
women's empowerment, 273
contraceptive use in, 97, 100f
diarrheal diseases in, 170, 178
diphtheria in, 190
District Level Household Survey, 335
DTP vaccine in, 197
fertility rates and reduced child mortality in, 300
fever in children under age five years in, 140
home visits and reduction in newborn deaths in, 265
Integrated Management of Neonatal and Childhood Illness (IMNCI) in, 150
malnutrition and wasting in, 207, 215
maternal depression's effect on child development in, 248
maternal mortality, disproportionate burden in, 53
newborn, infant, and child mortality (under five) in, 78–79, 335, 336f
pregnancy-related infection in, 58–59
stillbirth data from, 76, 78, 78t

- stunting and height-for-age in, 87
 Tamil Nadu Integrated Nutrition Program, 270
 teenage pregnancy in, 28
 universal home-based neonatal care package in,
 15–16, 335–44
 accredited social health activists (ASHAs), 336,
 337*b*, 339, 342
 analysis, 341–42
 anganwadi workers, 337*b*
 auxiliary nurse midwives (ANMs), 337*b*
 community health workers, 337*b*
 data and methods, 338–39
 intervention and treatment data, 339
 Janani Suraksha Yojana (Safe Motherhood
 Scheme), 341, 343*n6*
 methods, 339–40
 overview, 335–36
 priority-setting methodologies, 336–38
 results of study, 340–41, 341*f*, 341*t*
 vaccine costs in, 197
 wasting in, 91*b*
 Indonesia, mobile technology in, 274
 infant and young child feeding (IYCF) guidelines, 225,
 226*t*, 235–36, 326
 infants. *See* neonatal interventions; neonatal mortality;
 newborns
 infections. *See also* febrile children
 in children with SAM, 13*t*, 215
 early child development and, 246, 255
 maternal infections, treatment of, 125
 pregnancy-related infection, 58–59, 59*b*
 subclinical, 167
 transmitted by ground contamination, mosquitoes,
 and flies, 251–52
 infertility, involuntary, 4, 35–37, 36–37*t*
 definition and measurement, 35
 influenza vaccines, 189*b*, 196
 information and communication technologies, 102
 innovations to expand access and improve health care
 quality, 2, 18–19, 285–98
 checklists, use of, 18, 293
 community mobilization and community health
 workers, 290
 conditional cash transfers (CCTs), 19, 290–91
 continuous quality improvement, 293
 contraception, need for, 288
 cost-effectiveness of, 293–94
 expanding coverage and improving quality
 of care, 289–93
 health outcomes, 287–88, 287*t*
 immunizations, 288
 landscape analysis of indicators, 285–88
 measurement and accreditation, 292
 performance-based financing, 291, 292–93
 process of health care service delivery, 286–87
 service delivery platforms, 286
 task-shifting approaches, 18–19, 288–89, 327
 training and supportive supervision, 293
 user fee removal, 290
 vitamin A supplementation, 288
 vouchers, 19, 291
 insecticide-treated bednets, 125, 251, 267, 286, 303, 327
 Institute for Healthcare Improvement, 293
 Institute for Health Metrics and
 Evaluation (IHME), 146
 Integrated Community Case Management (iCCM),
 140, 148, 152–54, 266, 280*n2*
 impact of, 154
 quality and safety, 153
 Integrated Global Action Plan for Prevention and
 Control of Pneumonia and Diarrhoea, 145
 Integrated Management of Childhood Illness (IMCI),
 130, 137, 140, 212, 266, 293, 339. *See also* World
 Health Organization
 cost-effectiveness study of, 328
 Multi-Country Evaluation, 301
 Integrated Management of Neonatal and Childhood
 Illness (IMNCI), 150–52, 328
 integrated preventive and therapeutic health
 interventions, xiv, 2, 16
 community-based services as part of, 276, 276*f*.
 See also community-based interventions
 compelling case for, 19
 in continuum of care, 301
 cost of, 329
 family planning and, 101
 febrile children and, 152–54
 malnutrition interventions and, 219–20
 psychosocial stimulation and child nutrition, 251
 intergenerational consequences
 of health care economic shocks, 337
 of violence against women, 39
 International Child Development Committee, 8
 International Classification of Diseases (ICD-10)
 on AIDS-related maternal death, 55*b*
 on child mortality, 76
 on maternal death, 51
 on unsafe abortion, 54
 International Code of Marketing of Breast-milk
 Substitutes, 235
 International Conference on Human Rights, 96
 International Conference on Population and
 Development (ICPD), 99
 interventions, xiii, 8, 95–114
 abortion. *See* abortion
 contraceptives. *See* contraceptives

cost-effectiveness. *See* cost-effectiveness of interventions
demand-side, 19
diarrheal diseases, 169–77, 169*b*
early childhood development and, 248–54
family planning, 95–103. *See also* family planning
India's universal home-based neonatal care package, 339. *See also* India
maternal mortality and morbidity, 8–14, 115–36.
See also maternal mortality and morbidity, interventions to reduce
scaling up. *See* scaling up
stunting, 225–39. *See also* stunting
supply-side, 18–19
violence against women. *See* violence against women
intimate partner violence (IPV), 4–6, 37, 108, 248.
See also violence against women
microfinance initiative combined with gender training on, 321
intrapartum-related complications, 6
child mortality (under five) and, 78–79, 79*t*
interventions, 126–28, 127*t*
intrauterine growth restriction (IUGR), 7, 8
causes of, 228
consequences of, 228–29
definition of, 227–28
early childhood development and, 247
prevention of, 125–26, 229
intussusception, 194
in vitro fertilization, 36
iodine deficiency and interventions, 8, 245, 253, 326
Iran, Islamic Republic of
cost-effectiveness of family planning in, 103
maternal mortality reduction in, 53
iron supplementation, 231–32, 245, 253, 326
IYCF (infant and young child feeding) guidelines, 225, 226*t*, 235–36, 326

J

Jamaica
delayed mental development in, 247
psychosocial stimulation in, 254
stunting and height-for-age in, 87
Jamison, D. T., 352
Japanese encephalitis (JE) vaccine, 188*b*, 195
Jimenez Soto, E., 289
Jones, K. D. J., 215

K

Kahn, J. G., 327
kangaroo mother care, 81, 128
Kenya
adolescent-friendly contraceptive services in, 105

contraceptive use in, 98, 100*f*
diarrheal diseases in, 170
Integrated Community Case Management (iCCM)
in, 153
integrated services for HIV, malaria, and diarrhea in, 327
mobile technology in, 274
pneumonia in, 145
TRAction Project in, 64
Khan, A., 103
Khan, A. A., 103
Kirby, D., 104
Kruk, M. E., 292
Kumar, V., 336
Kuwait, stunting and height-for-age in, 87
kwashiorkor, 206, 216

L

Lagarde, M., 19
Lancet Commission on Investing in Health, 304
Lao People's Democratic Republic, maternal mortality reduction in, 53
Latin America and the Caribbean. *See also specific countries*
cash transfer programs in, 290
early child development, 254
chikungunya in, 147
child mortality (under five) in, 72–75, 73–74*t*, 80*f*
health care service delivery in, 286–87, 287*t*
maternal mortality, disproportionate burden in, 53, 55, 65
number of hospital beds per 1,000 people in, 286
number of nurses, midwives, and physicians per 1,000 people in, 286
stunting and height-for-age in, 7, 86, 87–88*f*
teenage pregnancy in, 28
unintended pregnancy in, 27–28
unsafe abortion in, 29
Laxminarayan, R., 352
legal restrictions
on abortion, 106
on adolescents, 104
Lehmann, U., 277
Lenters, L. M., 209–10, 211, 219
Leonard, K. L., 292
Lewin, S., 327
Liaqat, S., 293
Liberia, accredited hospitals in, 292
Liu, A., 279
Liu, L., 144
Lives Saved Tool (LiST), 8, 9*b*, 10, 178, 324, 330, 339, 346
London Summit on Family Planning (2012), 100

low- and middle-income countries (LMICs), 2.
 See also specific diseases/conditions and interventions; specific regions and countries
accredited hospitals in, 292
benefit-cost ratio for interventions in, 16
child mortality (under five) in, 72–75, 73–74t, 80f, 263
cost of contraceptives in, 17
diarrheal diseases in, 164, 164f
family planning in, 95–96
maternal mortality, disproportionate burden in, 53, 115
stunting and height-for-age in, 88f
unintended pregnancy in, 27–28, 27t
unsafe abortions in, 29, 30–31t
low height-for-age. *See* stunting
low weight-for-height. *See* wasting

M

macronutrients, 244, 244f
Madagascar, contraception in, 101
magnesium sulphate, use of, 128
Magpie study, 120
malaria, 1
 cerebral malaria, 246
 child mortality (under five) and, 78–79, 79t
 community-based interventions, 267
 cost-effectiveness of interventions, 323–24
 cost of scaling up interventions, 18
 diagnostic tools for, 147–48
 febrile children and, 137, 155
 malnutrition and, 215
 prevention strategies, 124t, 125, 140, 147, 148t
 vaccines, 187, 196, 325

Malawi

Catalytic Initiative in, 154
community-based interventions in
 cost-effectiveness of, 277
 nutrition, 216
 women's groups, 290
malnutrition in, 215, 216
mobile technology in, 274

Malaysia, malaria in, 147

Maldives, maternal mortality reduction in, 53

Mali

Catalytic Initiative in, 154
pneumonia in, 145
malnutrition, 7–8, 205–23. *See also* stunting
 anemia. *See* anemia
 antibiotic treatment, 215–16
 breastfeeding, 229–30
 causes and consequences of, 207m, 207–8, 208t
 challenges and future interventions, 233–34

commonly used, specially formulated foods for prevention and treatment of, 209, 209t
community-based interventions, 217, 233, 235–36, 270
 community management of acute malnutrition (CMAM), 212, 213–14, 217
complementary feeding, 230–31
cost-effectiveness of interventions, 216–17, 326
costs of interventions, 216–17, 328
definition of, 205–6
edematous acute, 216
enhancing study design and standardizing reporting, 217–19
environmental enteric dysfunction and, 168
evidence gaps, need to address, 217
 key priorities, 218b
financial incentives to counter, 233
food-insecure populations, 211
food-secure populations, 210–11
fortified blended flours (FBFs) and, 209
global acute malnutrition (GAM), 206
Global Nutrition Cluster decision-making tool, 210
height-for-age and. *See* stunting
hidden hunger, 205
HIV/AIDS and, 215, 219
implementation research and integrated programming, 219–20
inpatient treatment programs, 216–17
interventions, 13t, 232–36, 234–35t
intrauterine growth restriction (IUGR) and, 227–29
iodine deficiency, 8, 245, 253
iron, 231–32
lipid-based nutrient supplements (LNS), 209, 210, 211, 220n4
management of, 210–12
maternal nutrition and fetal growth, 7, 8, 227–29
micronutrient supplementation, 229, 231–32
moderate acute malnutrition (MAM)
 consequences of, 207m, 207–8
 definition of, 205
 food-insecure populations, 211
 food-secure populations, 210–11
 management of, 210–12
 research priorities for, 218b
 risk factors for, 206
 strategies for prevention, 210
multiple micronutrient supplementation, 232
prevention of, 208–10
ready-to-use-foods (RUFs) and, 209
risk factors and causes of, 206–7
seasonal supplementation, 211–12
severe acute malnutrition (SAM)
 community management of, 326

- complications in, 212–13, 212*t*
 consequences of, 207*m*
 cost of scaling up treatment, 18
 definition of, 205
 follow-up phase, 214
 infections in children with, 13*t*, 215
 initial treatment phase, 214
 interventions, 1, 14, 212–16
 rehabilitation phase, 214
 research priorities for, 217, 218*b*
 risk factors for, 206–7
 stunting as result of. *See* stunting
 therapeutic foods for preventing, 208–9
 UNICEF undernutrition framework, 206, 206*f*
 vitamin A, 231. *See also* vitamin A
 WASH strategies, 232–33
 WHO's 10-step program, 213, 213*f*, 214
 zinc and. *See* zinc deficiencies
- MAM** (moderate acute malnutrition). *See* malnutrition
- Mangham-Jefferies, L., 289, 320
 marasmus, 206
 Maredia, H., 267
 Mariam, D. H., 292
 Marie Stopes International, 102
 Martorell, R., 231
 maternal education, decline in child mortality
 associated with, 75–76
 maternal mental health, 247, 255. *See also* depression
 interventions, 253–54
 maternal mortality and morbidity, 51–70
 abortion and, 6, 29–31, 54, 57
 broader determinants of, 61–65
 fourth delay, newly identified, 63
 health system factors, 64
 individual risk factors, 61–63, 62*t*
 intersectoral issues, 65
 rights-based approach, 63–64
 three delays model, 63, 64
 cost-effectiveness of interventions, 15*f*, 129–30
 deaths averted, 10*f*, 13, 14*f*, 352
 decline in, 1, 65, 279–80*n*1, 300
 definition of maternal death, 51
 definition of maternal morbidity, 56
 ecological studies of, 65
 embolism as cause of death, 55
 family planning rationale, 96
 fertility rates and, 4, 5*m*, 97
 global distribution of maternal death, 54–55
 HIV/AIDS and, 6, 55*b*
 indirect causes of death, 54, 65–66
 interventions, 1, 8–14, 115–36. *See also* maternal
 mortality and morbidity, interventions
 to reduce
- levels and trends, 6, 7*f*, 52–53, 116*m*
 maternal death causes, 55
 MDG 5a to reduce, 51, 115
 medical causes of maternal death, 7*f*, 52*b*, 53–55
 abortion, 29–31, 54
 definitions of, 59*b*
 ectopic pregnancy, 54
 indirect causes, 54
 obstructed labor, 54, 59*b*
 medical causes of maternal morbidity, 56–61
 abortion, 57. *See also* abortion
 anemia, 59
 definition of maternal morbidity, 56
 definitions of, 59*b*
 global burden of, 61
 HIV/AIDS, 61. *See also* HIV/AIDS
 hypertensive disease, 6, 57–58
 incontinence, 60
 obstetric fistula, 6, 60
 obstetric hemorrhage, 6, 58
 perceived morbidity, 56
 postpartum depression, 60
 postpartum vaginal or uterine prolapse, 60–61
 pregnancy-related complications, 61
 pregnancy-related infection, 58–59
 principal diagnoses, 56–57, 57–58*f*
 prolonged and obstructed labor, 6, 59, 59*b*
 severity of conditions, 56, 58*f*
 overview, 51–52
 perceived morbidity, 56
 quality of services, 64, 66
 research studies of, 51–52
 need for better data, 66
 trends in maternal death, 55
 underlying causes of maternal deaths, 52*b*
 unintended pregnancy and, 28
 violence against women and, 39
- maternal mortality and morbidity, interventions to
 reduce, 1, 8–14, 115–36
 active management of labor, 126–27
 antenatal corticosteroids, 127
 antibiotics, use of
 cesarean delivery, 122–23
 group B streptococcus (GBS), 129
 neonatal sepsis, 129
 preterm rupture of membranes, 128
 anticonvulsant prophylaxis, 120
 antihypertensive therapy, 120
 antithrombotic agents, use of, 126
 artery embolization, 118
 aspirin as prophylactic, 119
 breastfeeding, 128
 calcium supplementation, 119

- cesarean section, 121, 122–23
- controlled cord traction, 118
- cord clamping, early vs. late, 118
- cord cleansing, 128–29
- cost-effectiveness of, 15*f*, 129–30
- cost of, 16*t*
- deaths averted, 10*f*, 13, 14*f*, 352
- diabetes treatment, 125
- Doppler ultrasound, use of, 125–26
- drug interventions, 118
- early delivery options, 120
- external cephalic version, 121
- fetal monitoring during labor, 126
- fetal movement counting, 126
- fetal shoulder manipulation, 122
- heparin, use of, 126
- HIV drug treatment, 125
- hygiene, 126
- interventions in development, 119, 122, 129
- intrauterine growth restriction (IUGR), 125–26
 - kangaroo mother care, 128
 - magnesium sulphate, use of, 128
 - malaria prevention strategies, 125
 - maternal infections, treatment of, 125
 - maternity waiting homes, 121
 - neonatal encephalopathy, 129
 - newborn care, 128
 - newborn resuscitation, 128
 - nonpneumatic antishock garment, 119
 - nutrition and supplementation, 124–25
 - obstructed labor, 121–22
 - prevention of, 121
 - treatment of, 121–22
 - overview, 115–16
 - partograph, use of, 126
 - postnatal care, 128–29
 - postpartum endometritis, 123
 - postpartum hemorrhage
 - prevention of, 116–18, 117*t*
 - treatment of, 118–19
 - postterm pregnancy, 126
 - preeclampsia and eclampsia, 119–21
 - prevention of preeclampsia, 119
 - treatment of, 119–20
 - research programs on
 - obstructed labor, 122
 - postpartum hemorrhage, 119
 - preeclampsia and eclampsia, 120–21
 - stillbirth, 129
 - respiratory distress syndrome, management of, 129
 - routine antenatal care visits, 123
 - rupture of membranes, 123, 127–28
- sepsis
 - neonatal, management of, 1, 129
 - prevention of, 122–23
 - treatment of, 123
- stillbirths, 8–14, 123–29
 - antenatal interventions, 123–26
 - intrapartum interventions, 126–28
 - neonatal interventions, 128–29
 - surgical intervention, 119
 - symphysiotomy, 122
 - syphilis detection, 125
 - tetanus immunization, 125
 - training of birth attendants to give newborn resuscitation, 128
 - uterine massage, 118
 - uterine tamponade, 118
 - vacuum and forceps delivery, 121–22
 - vaginal application of antiseptics
 - for cesarean delivery, 123
 - for vaginal delivery, 123
 - zinc supplementation, 125
- maternity waiting homes, 121
- Mazumder, S., 339
- McAuliffe, E., 293
- McCord, G. C., 279
- MDGs. *See* Millennium Development Goals
- measles, 79
 - vaccines, 188*b*, 191–92, 325
- media
 - abortion information, 107
 - to reach adolescents on sexual and reproductive health issues, 104–5
- “Meeting the Reproductive Health Challenge: Securing Contraceptives, and Condoms for HIV/AIDS Prevention” (Istanbul conference 2001), 100
- Megiddo, I., 15
- meningitis
 - child mortality (under five) and, 78–79, 79*t*
 - interventions, 143
 - cost of scaling up, 18
- Meningitis Vaccine Project, 195
- meningococcal meningitis serogroup A conjugate vaccine, 188*b*, 195, 325
- Mexico
 - Cuidate program for sexual-risk reduction, 106
 - Oportunidades program, 103, 290
- mHealth, 102
- micronutrients, 229, 231, 244–45, 244*f*, 326. *See also* vitamin and mineral supplements
- Middle East and North Africa. *See also* specific countries
 - child mortality (under five) in, 73–74*t*, 74, 80*f*
 - contraceptive use in, 97
 - female genital mutilation (FGM) in, 39–40

- health care service delivery in, 286–87, 287*t*
 number of hospital beds per 1,000 people in, 286
 number of nurses, midwives, and physicians per 1,000 people in, 286
 stunting and height-for-age in, 86–87, 87*f*, 88*f*
 wasting in, 91*b*
- midwives, 106, 286, 321, 328
 auxiliary nurse midwives (ANMs) in India, 337*b*
 mifepristone and misoprostol, 106, 107
- Millennium Development Goals (MDGs), 1, 2, 6, 19, 99, 319, 330
 MDG 4 (reduction of child mortality), 71, 72–73, 75, 178, 187, 266, 289, 300, 346
 MDG 5 (improvement of maternal health), 289, 300
 MDG 5a (reduction of maternal mortality), 51, 115, 266
 MDG 5b (access to contraception), 51, 63
 MDG 7 (improvements in water, sanitation, and hygiene), 146, 174
 misoprostol, 117–18, 117*t*, 273, 289
- Mliga, G. R., 292
- mobile services
 family planning and, 102
 outreach clinics, 189, 327
- mobile technology as part of community-based interventions, 274–75
- moderate acute malnutrition (MAM).
See malnutrition
- Mongolia, maternal mortality reduction in, 53
- Moore, S. R., 166
- Morocco, contraceptive use in, 97, 100*f*
- Mozambique
 Catalytic Initiative in, 154
 malnutrition in, 215
- Multi-Country Evaluation of the Integrated Management of Childhood Illness (IMCI), 301
- Multi-country Study on Women's Health and Domestic Violence against Women, 38
- Multiple Indicator Cluster Surveys (DHSs & UNICEF), 39–40, 85, 242
- Myanmar, contraception in, 102
- N**
- Nakhaee, N., 103
- Nandi, A., 15
- National Center for Health Statistics, 86
- neonatal interventions, 8–14, 128–29
 community-based interventions, 265–66, 270
 neonatal encephalopathy, management of, 129
 respiratory distress syndrome, management of, 129, 151, 266, 274
- sepsis, management of, 1, 129
- neonatal mortality, 1, 6, 115, 265. *See also* child mortality
 in India, 335, 336*f*
- Nepal
 abortion services in, 106, 107
 community-based interventions in, 270
 birth attendants, 273
 cost-effectiveness of, 277
 perinatal packages, 151
 contraception in, 102
 family planning in, 102
 maternal morbidity in, 56
 stunting and height-for-age in, 87
- neurodevelopmental disabilities, 247
- newborns
 care, 128
 febrile, 143
 mortality. *See* child mortality; neonatal mortality
 resuscitation, 128
- Nguyen, P., 231
- Nicaragua
 adolescent-friendly contraceptive services in, 105
 quality improvement collaboration in, 294
 Red de Protección Social, 103
- Niger
 Catalytic Initiative in, 154
 malnutrition and wasting in, 91*b*, 211–12
 stunting and height-for-age in, 87, 88
- Nigeria
 child mortality (under five) in, 78–79
 cost-effectiveness of family planning in, 103
 diphtheria-tetanus-pertussis vaccine in, 188*b*
 DTP vaccine in, 197
 fever in children under age five years in, 140
 maternal mortality, disproportionate burden in, 53
 vaccine costs in, 197
- nonpneumatic antishock garment, 119
- non-sexually transmitted reproductive infections, 32–35
 bacterial vaginosis, 33–35, 34*t*
 vulvovaginal candidiasis (VVC), 32–33, 33*t*
- Nonvignon, J., 323
- nutrition. *See also* folic acid; malnutrition; vitamin A;
 vitamin and mineral supplements
 biofortification, 326, 329
 child deaths averted by scaling up, 235*f*
 child interventions, 232–36, 234–35*t*
 community-based nutrition programs, 270, 271–72*t*
 cost-effectiveness of interventions, 177, 326–27
 costs of interventions, 328
 diarrheal diseases and, 173
 early childhood development, 244–45, 244*f*, 249–51, 254–55

- height-for-age and. *See* stunting
 iron supplementation, 231–32
 maternal mortality and morbidity, 124–25, 124*t*
 maternal nutrition, 234–35*t*, 246–47
 interventions, 252–53
 psychosocial stimulation integrated with child nutrition, 251
 Nutrition Impact Model Study (NIMS), 85
- O**
 obstetric fistula, 6, 60
 obstetric hemorrhage. *See* postpartum hemorrhage
 obstructed labor. *See* childbirth
 official development assistance, 2
 OneHealth Tool, 304, 304*b*, 307, 308
 Onwujekwe, O., 103
 open defecation, 176, 232
 oral cholera vaccine, 188*b*, 197
 oral rehydration salts, use of, 350
 oral rehydration solutions (ORS), 169–70, 171, 173, 179, 286–87, 324, 350
 Ouagadougou Declaration (West Africa, 2011), 100
 overweight, 7, 8
 oxytocin, 116, 117*t*, 118, 273
 Ozawa, S., 320
- P**
 Paciorek, C. J., 85
 Paczkowski, M., 292
 Pakistan
 child mortality (under five) in, 78–79
 community-based interventions in, 270
 home visits and reduction in newborn deaths, 265
 lady health worker program, 252*b*, 267*b*, 273
 perinatal packages, 151
 contraception in, 102
 DTP vaccine in, 197
 Early Child Development Scale-Up Trial, 252*b*
 family planning in, 102
 cost-effectiveness of, 103
 handwashing in, 175
 home visits and reduction in newborn deaths in, 336
 Integrated Community Case Management (iCCM)
 in, 153, 154
 maternal depression's effect on child development in, 248
 pneumonia in, 153
 stillbirth data from, 76
 Thinking Healthy program, 253
 vaccine costs in, 197
 wasting in, 207
 Palmer, N., 19
 Pan-American Health Organization's revolving fund, 325
 Papua New Guinea
 Integrated Management of Neonatal and Childhood Illness (IMNCI) in, 151
 wasting in, 91*b*
 parasite infestations, 267–68
 partograph, use of, 126
 Peabody, J. W., 18
 pelvic inflammatory disease (PID), 34–35
 performance-based financing, 18, 102, 291, 292–93
 perinatal morbidity and mortality
 evidence-based policy making and interventions, 124*t*, 127*t*
 levels and trends, 6
 pertussis immunization. *See* diphtheria, tetanus, and pertussis vaccines
 Peru
 diarrheal diseases in, 167, 170
 IMCI effectiveness in, 149
 maternal depression's effect on child development in, 248
 Philippines
 accredited hospitals in, 292
 Integrated Management of Neonatal and Childhood Illness (IMNCI) in, 151
 payment-for-performance incentives in, 18, 292
 physicians, 286. *See also* health workers/professionals
 PID (pelvic inflammatory disease), 34–35
 pneumococcal conjugate vaccines, 14, 15, 81, 188*b*, 193–94, 199, 325, 348–50, 349–50*t*
 pneumonia, 1
 antibiotics, use of, 348
 child mortality (under five) and, 79*t*
 in children under age of five, 6, 78
 community-based care, 266
 cost-effectiveness of interventions, 323, 353*f*
 cost of scaling up treatment, 18
 in Ethiopia, treatment and prevention, 345–61.
 See also Ethiopia
 universal public finance for pneumonia treatment, 15
 Pneumonia Etiology Research for Child Health project, 145
 Polio Eradication and Endgame Strategic Plan 2013–2018, 191
 polio vaccines, 188*b*, 191, 325
 postnatal care, 128–29
 postpartum depression, 60, 248
 postpartum endometritis, 123

postpartum hemorrhage, 6, 58
definition of, 59*b*
prevention of, 116–18, 117*t*
treatment of, 118–19
postpartum vaginal or uterine prolapse, 60–61
poverty and the poor
diarrheal diseases interventions and, 178
financial risk protection for, 15. *See also* financial risk protection
maternal mortality and morbidity of, 62*t*, 130
stunting and, 8, 92
unconditional cash transfers (UCTs) and, 290
vouchers for. *See* vouchers
wasting and, 207
preeclampsia and eclampsia, 119–21
definition of, 59*b*
prevention of preeclampsia, 119
treatment of, 119–20
pregnancy
anemia in, 59
complications related to, 61
ectopic pregnancy, 54
infection related to, 58–59
interventions, 11–12*t*
partner violence reported during, 5, 39
teenage. *See* adolescents
unintended, 25–28
consequences of, 28
measurement approach for study of, 26
prevalence and incidence, 26–28, 27*t*
reasons for, 28
unsafe abortion. *See* abortion
preterm births, 1, 6, 28
African-American women and, 253
child mortality (under five) and, 78, 79*t*
early childhood development and, 247
maternal morbidity and mortality and, 127–28
primary health centers, 2, 9
interventions for maternal and child mortality and morbidity, 8, 11–13*t*, 14
Prinja, S., 328, 339
prolonged labor. *See* childbirth
psychosocial stimulation, 243–44, 244*f*, 248–49, 250*b*, 254
integrated with child nutrition, 251
Pakistan's Early Child Development Scale-Up Trial, 252*b*
Puett, C., 217

Q

quality of services
child mortality reduction and, 81
community-based care, 274

cost-effectiveness of, 293–94, 294*t*
innovations to improve, 291–93
Integrated Community Case Management (iCCM), 153
maternal mortality and morbidity and, 64, 66
supply-side interventions, 18
Quimbo, S. A., 292

R

rabies, 189*b*
Ramakrishnan, U., 231
referral systems, 275
reproductive, maternal, newborn, and child health (RMNCH). *See also* childbirth; childhood illness; child mortality; maternal mortality and morbidity; newborns; reproductive health
community-based care, 263–84. *See also* community-based interventions
continuum-of-care approach, 2, 299–317. *See also* continuum-of-care approach
cost-effectiveness, 14–16, 15*f*, 319–34. *See also* cost-effectiveness of interventions
cost of, 2, 16*t*
delivery platforms, 2, 8, 11–13*t*. *See also* community-based interventions; hospitals; primary health centers
funding levels, 319
innovations to overcome weaknesses in services, 285–98. *See also* innovations to expand access and improve health care quality
interventions. *See* interventions
levels and trends in indicators, 4–6
overview, xiii, 2
summary of major topics, 1–2
reproductive health
abortion. *See* abortion
burden of reproductive ill health, 25–50. *See also* burden of disease
contraceptive services. *See* contraceptives
cost-effectiveness of interventions, 15*f*, 321, 323
cost of interventions, 16*t*, 17
delivery platforms, 11*t*
family planning. *See* family planning
funding for, 2
importance of, 1
interventions to improve, 10–13, 11*t*, 95–114
levels and trends in indicators, 4–5
unintended pregnancies, 4, 25–28
Reproductive Health Supplies Coalition, 100
research studies
on community-based interventions, 279
on early childhood development, 255
future research needs, 19, 155
on malnutrition, 218*b*, 219–20

- on maternal mortality and morbidity, 51–52
on obstructed labor, 122
on postpartum hemorrhage, 119
on preeclampsia and eclampsia, 120–21
on stillbirth, 129
- resilience-building, 105–6
- respiratory and other bacterial illnesses, 144–45, 146*t*, 148
- respiratory distress syndrome, management of, 129
- results-based financing. *See* performance-based financing
- rights-based approach
- to family planning, 96
 - to maternal mortality and morbidity, 63–64
- Rizvi, A., 326
- Robberstad, B., 178
- Robinson, L., 307
- Roll Back Malaria Partnership, 140, 323
- Ross, J., 97
- rotavirus, 171–72
- diarrhea and, 165, 350, 351*t*
 - vaccine, 81, 188*b*, 194, 350, 354–56
- Routh, S., 327
- rubella vaccine, 188*b*, 194–95, 325
- rupture of membranes, 127–28
- preterm and term prelabor, 123
- rural areas
- health centers, iCCM and, 154
 - home-based neonatal care (HBNC) package in rural India, 335–44. *See also* India
 - stunting and height-for-age in, 87–90, 88–89*f*, 90*m*, 91*f*
- Rusa, L., 292
- Rwanda
- maternal mortality reduction in, 53
 - performance-based financing in, 18, 291
- S**
- Sabin, L. L., 327
- Safe Motherhood Initiative, 63, 130, 321, 329
- Salam, R. A., 267
- SAM (severe acute malnutrition). *See* malnutrition
- Sanders, D., 277
- sanitation. *See* water, sanitation, and hygiene
- Sayana Press, 99
- scaling up, 1
- child mortality reduction, 81, 235*f*
 - community-based interventions, 275, 277–78
 - cost of, 16–17*t*, 16–18
 - India's HBNC package, 338
 - of Integrated Community Case Management (iCCM), 155
 - interventions in maternal and newborn health and child health, 14, 130
- Scaling-Up Nutrition initiative, 89
- schistosomiasis, 267–68
- Seamans, Y., 103
- Sedgh, G., 26
- sepsis
- child mortality (under five) and, 78–79, 79*t*
 - febrile children, 143
 - maternal, 6, 122–23
 - neonatal, 1, 129
- severe acute malnutrition (SAM). *See* malnutrition
- sex education, 11*t*, 104
- sexual abuse. *See also* violence against women
- child sexual abuse, 38, 39
 - sexually transmitted infections (STIs), 5, 25, 32
- Shigella* infection, 165–69, 171, 172
- sickle-cell disease, 146
- Sierra Leone, contraception in, 102
- Singh, P., 279
- Singh, S., 26
- Sino-implant (II), 99
- Smith, M. I., 216
- social and economic benefits, 16
- of continuum-of-care approach, 304, 307–8, 312, 313
 - of contraception, 26
 - of family planning, 81
 - of immunization, 198–99
- social costs and stigma
- of infertility, 36
 - of open defecation, 176
 - of unsafe abortions, 32, 54
- social factors for maternal mortality and morbidity, 62*t*
- social franchising, 102
- social marketing, 101–2
- social networking, 107
- South Africa
- HIV/AIDS in, 150
 - microfinance initiative combined with gender training on intimate partner violence in, 321
 - pneumonia in, 145
- South Asia
- Aetiology of Neonatal Infection study in, 151
 - anemia in, 231, 244
 - chikungunya in, 147
 - childbirth interventions recommended in, 273
 - child mortality (under five) in, 6, 72–75, 73–74*t*, 79, 80*f*
 - community-base care, cost-effectiveness of, 276
 - cost-effectiveness of malaria interventions in, 323
 - diarrheal diseases in, 164, 164*f*, 246
 - early childhood development in, 243
 - Expanded Program on Immunization (EPI) in, 187
 - health care service delivery in, 286–87, 287*t*

- infertility in, 36t
 iodine deficiency in, 245
 malnutrition in, 208, 230, 235
 maternal depression's effect on child development in, 248
 maternal mortality and morbidity in, 4m, 6
 disproportionate burden in, 54, 55
 number of hospital beds per 1,000 people in, 286
 number of nurses, midwives, and physicians per 1,000 people in, 286
 preterm infants and neurodevelopmental disabilities in, 247
 safe abortion technologies in, 106
 stunting and height-for-age in, 86–88, 87–88f, 225
 wasting in, 91b
 South Sudan, wasting in, 91b
 Souza, J. P., 291
 Stein, C., 58
 sterilization, 97, 102
 stillbirths, 1, 8–14, 123–29
 antenatal interventions, 123–26
 cause of, 77–78, 77–78t
 child mortality including, 71, 75, 76, 115
 data sources, 72, 76
 interventions, 1, 8–14, 123–29
 intrapartum interventions, 126–28
 levels and trends, 6
 neonatal interventions, 128–29
 by regions, 77t
 research needs on, 81
 STIs (sexually transmitted infections), 5, 25, 32
 Stover, J., 97
 stunting, 7, 85–93
 by country, 89m
 Cryptosporidium infection and, 167
 environmental enteric dysfunction and, 168
 Giardia infection and, 167
 global trends, 86, 226m
 H. pylori infection and, 167
 height correlated with mental development, 245
 height-for-age in 2011, 87–88
 interventions, 225–39
 child malnutrition, 232–36, 234–35t
 complementary feeding, 230–31
 maternal malnutrition, 227–30, 228f, 234–35t
 micronutrient supplementation, 231–32
 WASH strategies, 232–33
 malnutrition and, 225. *See also* malnutrition
 methods of study, 85–86
 overview, 85
 priority setting and, 88–92
 regional trends, 86–87, 87f, 91f
 in rural areas, 87–90, 88–89f, 90m, 91f
 in urban areas, 88, 88–89f, 90m, 91f
 Sub-Saharan Africa. *See also specific countries*
 accredited hospitals in, 292
 anemia in, 231, 244
 chikungunya in, 147
 child mortality (under five) in, 6, 19, 72–75, 73–74t, 78, 80f
 community-base care, cost-effectiveness of, 276
 condom use in, 105
 contraception in, 101
 cost-effectiveness of malaria interventions in, 323
 diarrheal diseases in, 164, 164f, 167, 246
 early childhood development in, 243
 Expanded Program on Immunization (EPI) in, 187
 febrile children in, 137
 fertility rates in, 4, 4m, 6, 19
 group B streptococcus (GBS) in, 144
 health care service delivery in, 286–87, 287t
 HIV mortality in, 6, 55
 infertility in, 36t
 iodine deficiency in, 245
 malaria vaccine in, 196
 maternal depression's effect on child development in, 248
 maternal mortality and morbidity in, 4m, 6, 19, 65, 279–80n1
 disproportionate burden in, 53–55, 263
 meningococcal meningitis serogroup A conjugate vaccine in, 195
 number of hospital beds per 1,000 people in, 286
 number of nurses, midwives, and physicians per 1,000 people in, 286
 obstetric fistula in, 60
 pneumococcal conjugate vaccines in, 193
 preterm infants and neurodevelopmental disabilities in, 247
 rubella vaccine in, 194
 safe abortion technologies in, 106
 stunting and height-for-age in, 86–88, 87–88f, 225
 teenage pregnancy in, 28
 trachoma in, 245
 unintended pregnancy in, 27–28
 unsafe abortion in, 29
 wasting in, 91b
 Sudan
 community-based nutrition programs in, 216
 Integrated Community Case Management (iCCM)
 quality and safety in, 153
 supply-side interventions, 18–19
 surgical intervention for pregnancy and maternal morbidity, 119

Sustainable Development Goals, 19, 51, 187, 314, 330
symphiotomy, 122
syphilis detection and treatment, 5, 124*t*, 125

T

Tanzania

adolescent-friendly contraceptive services in, 105
IMCI effectiveness in, 149
Integrated Community Case Management (iCCM) in, 153
mobile technology in, 274
quality of care in, 292
TRAction Project in, 64
training of health care providers in, 293
telemedicine, 107
tetanus immunization, 124*t*, 125, 191, 288. *See also* diphtheria, tetanus, and pertussis vaccines

Thailand

diarrheal diseases in, 166, 167
pneumonia in, 145
three delays model of maternal mortality and morbidity, 63, 64

Timor-Leste

maternal mortality reduction in, 53
stunting and height-for-age in, 88
wasting in, 91*b*

Tofail, F.

Tozan, Y., 323
trachoma, 245–46, 251

TRAction Project in Kenya and Tanzania

training and supportive supervision. *See also* health workers/professionals
birth attendants' training for newborn resuscitation, 128
innovations to expand access and improve health care quality, 293

tropical enteropathy

167
tuberculosis
Bacille Calmette-Guérin Vaccine, 189–90
community-based interventions, 270
malnutrition and, 215

Tufts Cost-Effectiveness Analysis Registry

329
Tulane University and evaluation of Ethiopia's community-based nutrition initiative, 270

Tunisia, stunting and height-for-age in

87

Turkey, contraceptive use in

98, 100*f*

typhoid vaccine

325

U

Uganda

adolescent-friendly contraceptive services in, 105
cerebral malaria in, 246
early child development in, 254
IMCI effectiveness in, 149

Integrated Community Case Management (iCCM) in, 153
Ukraine, contraceptive use in, 98, 100*f*
ultrasound, use of, 125–26, 289
unconditional cash transfers (UCTs), 290
Underwood, C., 104
UNESCO, on children not attending school, 105
UNICEF, 52
Child Health Epidemiology Reference Group (CHERG). *See* Child Health Epidemiology Reference Group
Ethiopia's community-based nutrition initiative, evaluation of, 270
Gavi (Vaccine Alliance). *See* Gavi
Global Action Plan for Prevention and Control of Pneumonia, 145
Joint Malnutrition data set, 208
nutrition guidelines, 225
undernutrition framework, 206, 206*f*
unintended pregnancy. *See* pregnancy
United Kingdom
Confidential Enquiry into Maternal Death, 122
Department for International Development, 101
United Nations
Children's Fund. *See* UNICEF
Declaration on the Elimination of Violence against Women, 37
Every Woman Every Child, 100
on family planning spending, 95
Global Strategy for Women's and Children's Health, 2, 19, 52
Population Division (UNPD), 40, 52, 96
Population Fund, 52, 96, 101
United States, continuous quality improvement (CQI) in, 293
United States Agency for International Development (USAID), 101, 292, 293
universal health coverage, 19, 300, 345
University of York, 329
unsafe abortion. *See* abortion
urban areas, stunting and height-for-age in, 88, 88–89*f*, 90*m*, 91*f*
urgent care, 14
urinary tract infections (UTIs), 144
U.S. President's Malaria Initiative, 140
user fee removal, 290
uterine massage, 118
uterine tamponade, 118

V

vaccines, 13*t*, 14, 187–204. *See also* Gavi
Advanced Market Commitment, 188*b*
Bacille Calmette-Guérin Vaccine, 189–90

- cost and cost-effectiveness, 197–98
 cost-effectiveness of, 15*f*, 197–98, 198*t*, 324–26
 diarrheal diseases, 171
 diphtheria, tetanus, and pertussis, 188*b*, 189, 190–91, 324–25
 direct social and economic benefits, 198–99
 Expanded Program on Immunization (EPI), 14, 187, 189–92, 319, 329
Haemophilus influenzae Type b (Hib), 193
 hepatitis B, 188*b*, 192–93, 325
 indirect social and economic benefits, 199
 influenza, 189*b*, 196
 innovations to expand access and improve health care quality, 199, 288
 Japanese encephalitis (JE), 188*b*, 195
 malaria, 187, 188*b*, 196, 325
 measles, 188*b*, 191–92, 325
 meningococcal meningitis serogroup A conjugate vaccine, 188*b*, 195, 325
 methods, 189
 oral cholera vaccine, 188*b*, 197, 325
 pneumococcal conjugate, 188*b*, 193–94, 325
 polio, 188*b*, 191, 325
 rabies, 189*b*
 rotavirus, 188*b*, 194
 rubella, 188*b*, 194–95, 325
 timeliness of administration, 198
 vaccine-preventable diseases, 189–97, 324–25
 yellow fever, 188*b*, 195, 325
 vacuum and forceps delivery, 121–22
 vaginal application of antiseptics
 for cesarean delivery, 123
 for vaginal delivery, 123
 value of life years saved (VLY), 307–8
 verbal autopsies, 76, 81
 Verguet, S., 327, 348, 352
 Vietnam
 community-based interventions,
 costs of, 279
 contraception in, 102
 immunizations in, 325
 Integrated Community Case Management (iCCM) in, 153
 maternal depression's effect on child development in, 248
 stunting and height-for-age in, 87
 violence against women, 4–5, 25, 37–39
 definitions and measurements, 37–38
 health and other consequences, 39
 interventions, 107–8
 magnitude of the problem, 38, 38*m*, 64
 viral exanthems, 145–46
 Viscusi, W., 307
 vitamin A
 deficiency, 7, 8, 227
 supplementation, 13*t*, 231, 288
 vitamin and mineral supplements, 7, 13*t*, 229, 245, 288
 vouchers, use of, 19, 102–3, 291
 vulvovaginal candidiasis, 32–33, 33*t*
- W**
- Wagner, K., 59
 Walker, G. J. A., 60
 Walker, S. P., 247
 wasting, 7, 8, 89, 91*b*, 205. *See also* malnutrition
 water, sanitation, and hygiene (WASH), 13*t*
 community-led total sanitation, 176–77
 cost of interventions, 329
 diarrheal diseases and, 165, 167, 174
 early childhood development and, 251
 malnutrition and, 207, 219, 232–33
 maternal mortality and morbidity and, 65, 126
 Waters, D., 143
 Webb, P., 209
 weight. *See* overweight; wasting
 well-child visits
 immunizations at, 189
 stimulation programs and, 250*b*
 West Africa
 anemia in, 59
 Ouagadougou Declaration (2011) on family planning and reproductive health, 100
 White, M. T., 320
 WHO. *See* World Health Organization
 whooping cough. *See* diphtheria, tetanus, and pertussis vaccines
 World Bank, 52
 Ethiopia's community-based nutrition initiative, evaluation of, 270
 Gavi (Vaccine Alliance). *See* Gavi
 Joint Malnutrition data set, 208
 World Development Indicators, 321
 World Bank Malaria Booster Program, 140
 World Health Assembly
 on stunting, 85
 on wasting, 91*b*
 World Health Organization (WHO), 6
 acute respiratory infections (ARIs) and, 144
 antiretroviral therapy (ART) and, 125
 artery embolization and, 118
 breastfeeding until age six months and, 128, 220*n2*
 calcium supplementation for pregnant women and, 124
 childbirth interventions recommended by, 273
 childbirth safety checklist, 18
 Child Growth Standards, 225

- Child Health Epidemiology Reference Group (CHERG). *See* Child Health Epidemiology Reference Group
- chlorhexidine application to umbilical cord, 129
 - cholera vaccines, approval of, 197
 - Choosing Interventions that are Cost-Effective project, 329
 - complementary feeding guidelines, 230
 - essential newborn care, 128
 - Expanded Program on Immunization, 178
 - female genital mutilation (FGM) study, 40
 - fever treatment guidelines, 140, 148, 149f
 - Gavi (Vaccine Alliance). *See* Gavi
 - Global Action Plan for Prevention and Control of Pneumonia, 145
 - Global Database on Child Growth and Malnutrition, 85
 - Global Health Estimates, 61, 96
 - Guidance Panel on Task Shifting, 18
 - health system building blocks, 64
 - hepatitis B vaccine recommendations, 193
 - infant and young child feeding (IYCF) guidelines, 225, 226t, 235–36
 - infertility, definition and measurement of, 35–36
 - Integrated Management of Childhood Illness (IMCI), 130, 137, 145, 146t, 148–50, 149f, 266
 - Japanese encephalitis (JE) vaccine recommendations, 195
 - Joint Malnutrition data set, 208
 - malaria vaccine recommendations, 147, 196
 - maternal morbidity study, 56
 - Maternal Morbidity Working Group, 56
 - maternal mortality study, 52
 - measle vaccine recommendations, 191
 - Multi-country Study on Women's Health and Domestic Violence against Women, 38, 119
 - nutrition guidelines, 216
 - oral rehydration solutions, recommendations for, 169
 - pneumonia guidelines, 145
 - polio vaccine recommendations, 191
 - preeclampsia and eclampsia prevention, 119
 - rotavirus recommendations, 194
 - safe abortion technologies, 106
 - SAFE (surgery, antibiotics, facial cleanliness, and environmental improvements) strategy for trachoma elimination, 251
 - Special Programme for Research and Training in Tropical Diseases, 152
 - Strategic Advisory Group of Experts on Immunization and Malaria Policy Advisory Committee, 188b, 196
 - 10-step malnutrition program, 214
 - universal health coverage and, 300, 345
 - unsafe abortion definition of, 28
 - indirect approach to study of, 29, 31
 - uterine massage, 118
 - violence against women clinical and policy guidelines, 108
 - estimates on, 38
 - WHO/CHOICE model, 276, 329
 - WHO/PRE-EMPT Calcium in Pre-eclampsia (CAP), 120
 - World Health Report (2010), 342
 - Young Infants Study Group and Young Infants Clinical Signs Study Group, 143
 - World Report on Disability* (WHO & World Bank), 36
 - worm and parasite infestations, 267–68
- Y**
- yellow fever vaccine, 188b, 195, 325
 - Yemen
 - female genital mutilation (FGM) in, 39–40
 - stunting and height-for-age in, 88
 - teenage pregnancy in, 28
 - youth centers, 105
- Z**
- Zaidi, A. K. M., 143
 - Zambia
 - accredited hospitals in, 292
 - child health services, costs of, 328
 - community-based interventions in, 266
 - Lufwanyama Neonatal Survival Project, 277
 - nutrition, 217
 - Integrated Community Case Management (iCCM)
 - in, 153, 154
 - malnutrition in, 215
 - maternal mortality and morbidity in, 65
 - pneumonia in, 145
 - training of birth attendants to administer neonatal resuscitation in, 151
 - Zimbabwe
 - adolescent-friendly contraceptive services in, 105
 - cash transfers in, 290
 - cholera in, 197
 - contraceptive use in, 97, 100f
 - zinc deficiencies, 7, 8, 173, 227, 231
 - diarrheal diseases and, 169, 173–74, 324
 - supplementation, 13t, 125